

moligod · 2026-09-27

2026-09-27 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13%| SPIKE | moligod.com



3 -0.8%

4 +1.7%

5 +2.6%

64 24 / 24 / 16

64

					()	
12 Gauge 8.5	3	378	383	228	300	+25.8%
5.45x39mm BT	4	1816	1841	1391	1566	+16.0%
12 Gauge FTX	3	519	519	359	449	+15.6%
.45 ACP AP	4	2100	2135	1680	1855	+13.2%
	4	1924	2064	1364	1714	+12.3%
5.7x28mm R37.F	3	547	557	387	492	+11.2%
5.56x45mm M855A1	4	1821	1851	1461	1641	+11.0%
12 Gauge	3	463	538	283	418	+10.8%
5.7x28mm SS193	4	2043	2043	1563	1848	+10.6%
7.62x51mm M80	4	1298	1338	1138	1178	+10.2%
7.62x54R LPS	4	2170	2170	1810	1990	+9.0%
9x19mm RIP	3	688	748	488	633	+8.7%
5.8x42mm DBP10	4	2233	2338	1813	2058	+8.5%
5.7x28mm SS190	5	5027	5287	3662	4637	+8.4%
9x39mm SP6	4	2201	2361	1881	2041	+7.8%
.300BLK	4	1897	1897	1582	1774	+6.9%
5.56x45mm M995	5	5057	5057	4537	4732	+6.9%
7.62x39mm BP	4	1646	1716	1471	1541	+6.8%
9x19mm PBP	4	1696	1696	1336	1591	+6.6%
.357 Magnum JHP	3	419	679	319	399	+5.0%

4.6 x 30mm CT	4	2213	2293	1933	2113	+4.7%
12 Gauge 000	4	1880	1960	1720	1800	+4.4%
5.45x39mm BS	5	4749	4859	4419	4556	+4.2%
7.62x54R BT	5	6094	6214	5494	5854	+4.1%
9x39mm SP5	3	264	364	224	254	+3.9%
9x39mm BP	5	4614	4874	4224	4452	+3.7%
12.7x55mm PD12000	4	2967	3067	2667	2867	+3.5%
4.6 x 30mm AP ST	5	4261	4646	3876	4124	+3.3%
6.8x51mm FMJ	4	2159	2339	1934	2092	+3.2%
6.8x51mm Hybrid	5	5074	5169	4694	4932	+2.9%
4.6x30mm AP SX	5	4272	4437	3887	4162	+2.6%
7.62x51mm M62	5	5967	5967	5767	5817	+2.6%
7.62x54R T46M	3	502	602	422	492	+2.0%
.45 ACP Super	5	5132	5327	4742	5034	+1.9%
5.45x39mm PS	3	474	564	414	466	+1.6%
4.6 x 30mm FMJ ST	4	997	1022	947	984	+1.3%
00000000	5	5794	6954	4489	5722	+1.3%
5.8x42mm DVC12	5	5285	5565	4865	5250	+0.7%
.45 ACP RIP	3	800	965	575	800	0.0%
12 Gauge DART	4	440	480	400	440	0.0%
12.7x55mm PS12B	5	4963	5143	4603	4963	0.0%
4.6x30mm Subsonic SX	3	147	162	132	147	0.0%
45-70 Govt FTX	5	3275	6915	2435	3275	0.0%
0.300BLK	5	5118	5343	4893	5118	0.0%
7.62x39mm AP	5	5046	5271	4821	5084	-0.7%
4.6x30mm FMJ SX	4	1120	1295	995	1132	-1.1%
.357 Magnum 9000"00"	3	248	333	188	256	-2.9%
7.62x51mm BPZ	3	528	668	488	548	-3.6%
.357 Magnum FMJ	4	590	2030	455	612	-3.7%

300BLK	3	497	587	467	520	-4.3%
	3	649	799	559	679	-4.4%
5.7x28mm L191	3	465	570	420	488	-4.6%
5.8x42mm DVP88	3	478	583	448	508	-5.9%
5.56x45mm M855	3	466	556	436	496	-6.0%
7.62x39mm PS	3	446	581	431	476	-6.3%
12.7x55mm PS12	4	2367	2877	1687	2580	-8.2%
.45 ACP FMJ	3	491	611	476	544	-9.7%
45-70 Govt RN	3	554	794	434	629	-11.9%
45-70 Govt FMJ	4	1213	1798	1018	1408	-13.8%
9x19mm AP6.3	3	411	546	411	478	-14.1%
.50 AE JHP	3	364	484	304	424	-14.2%
12.7x55mm PS12A	3	484	694	414	572	-15.3%
12 Gauge AP-20	4	511	631	431	771	-33.7%
.50 AE FMJ	4	830	1415	740	1280	-35.2%

TOP5

12 Gauge 8.5	3	+25.8%	378
5.45x39mm BT	4	+16.0%	1816
12 Gauge FTX	3	+15.6%	519
.45 ACP AP	4	+13.2%	2100
	4	+12.3%	1924

TOP5

.50 AE FMJ	4	-35.2%	830
12 Gauge AP-20	4	-33.7%	511
12.7x55mm PS12A	3	-15.3%	484

.50 AE JHP	3	-14.2%	364
9x19mm AP6.3	3	-14.1%	411

TOP5

.357 Magnum FMJ	4	-3.7%	346%
45-70 Govt FTX	5	0.0%	184%
.357 Magnum JHP	3	+5.0%	113%
.50 AE FMJ	4	-35.2%	91%
12 Gauge	3	+10.8%	90%

vs 0

= ×0.87 –

|--|--|--|--|--|--|--|

3 vs ×0.87

→ = =

|--|--|--|--|--|

1. S11 9 4 — / /
2. → 3 — 3
3. ⚠ — S10 4 1600→171 5 5000→1200 4/5 3 8/30
4. .45 ACP 7.62×51 — .45 ACP MDR 7.62×51 M14 .45 ACP FMJ 7.62×51 BPZ /
5. ⚠ — S11 /
-
- 3 —

- 7.62×51 BPZ / .45 ACP FMJ — M14
- 4/5 —

= $\times 0.8713\%$ 3/4/5 moligod