

# moligod  · 2026-09-29

2026-09-29 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87  
13%| SPIKE  |  moligod.com



3 +8.8%

4 +0.3%

5 +2.4%

64 24  / 24  / 16

## 64

|                  |   |      |      |      | ( )  |        |
|------------------|---|------|------|------|------|--------|
| .357 Magnum 9" " | 3 | 298  | 318  | 168  | 223  | +33.6% |
| 45-70 Govt RN    | 3 | 764  | 944  | 494  | 629  | +21.5% |
| 12 Gauge 8.5     | 3 | 373  | 378  | 238  | 308  | +21.1% |
|                  | 4 | 1994 | 1994 | 1644 | 1679 | +18.8% |
| .45 ACP RIP      | 3 | 875  | 920  | 545  | 740  | +18.2% |
| 12 Gauge FTX     | 3 | 519  | 519  | 359  | 439  | +18.2% |
| 5.56x45mm M855   | 3 | 496  | 496  | 391  | 421  | +17.8% |
| 7.62x54R T46M    | 3 | 502  | 502  | 402  | 432  | +16.2% |
| 5.7x28mm R37.F   | 3 | 527  | 537  | 397  | 462  | +14.1% |
| 12.7x55mm PS12B  | 5 | 5143 | 5143 | 3703 | 4513 | +14.0% |
| 5.7x28mm L191    | 3 | 495  | 495  | 375  | 435  | +13.8% |
| .50 AE JHP       | 3 | 424  | 464  | 324  | 374  | +13.4% |
|                  | 3 | 769  | 799  | 529  | 679  | +13.3% |
| 12.7x55mm PD12   | 4 | 3067 | 3167 | 2067 | 2717 | +12.9% |
| 5.45x39mm PS     | 3 | 489  | 504  | 399  | 436  | +12.0% |
| .300BLK          | 3 | 512  | 527  | 437  | 460  | +11.4% |
| 12 Gauge         | 4 | 1760 | 1760 | 1440 | 1600 | +10.0% |
| .45 ACP FMJ      | 3 | 521  | 536  | 446  | 476  | +9.5%  |
| 9x19mm RIP       | 3 | 698  | 708  | 558  | 638  | +9.4%  |
| 9x19mm PBP       | 4 | 1666 | 1666 | 1396 | 1531 | +8.8%  |

|                      |   |      |      |      |      |       |
|----------------------|---|------|------|------|------|-------|
| 5.7x28mm SS190       | 5 | 4767 | 8537 | 3207 | 4410 | +8.1% |
| 5.45x39mm BT         | 4 | 1716 | 1791 | 1366 | 1591 | +7.9% |
| 5.56x45mm M855A1     | 4 | 1791 | 1791 | 1491 | 1671 | +7.2% |
| 7.62x51mm BPZ        | 3 | 508  | 528  | 448  | 478  | +6.3% |
| 4.6x30mm Subsonic SX | 3 | 147  | 162  | 132  | 140  | +5.4% |
| .45 ACP AP           | 4 | 1820 | 1820 | 1680 | 1732 | +5.1% |
| 6.8x51mm Hybrid      | 5 | 4979 | 5169 | 4694 | 4742 | +5.0% |
| 12 Gauge DART        | 4 | 440  | 480  | 400  | 420  | +4.8% |
| 9x39mm SP5           | 3 | 244  | 244  | 204  | 234  | +4.3% |
| 4.6 x 30mm FMJ ST    | 4 | 972  | 972  | 872  | 934  | +4.0% |
| 9x19mm AP6.3         | 3 | 396  | 396  | 381  | 381  | +3.9% |
| 5.45x39mm BS         | 5 | 4749 | 4804 | 3209 | 4584 | +3.6% |
| 7.62x54R BT          | 5 | 5974 | 6094 | 5374 | 5794 | +3.1% |
| 5.7x28mm SS193       | 4 | 1833 | 1893 | 1533 | 1788 | +2.5% |
| 7.62x54R LPS         | 4 | 1810 | 1810 | 1650 | 1770 | +2.3% |
| 45-70 Govt FTX       | 5 | 3275 | 3415 | 2995 | 3205 | +2.2% |
| 9x39mm BP            | 5 | 4614 | 4874 | 4159 | 4516 | +2.2% |
| 7.62x39mm PS         | 3 | 416  | 431  | 401  | 408  | +1.8% |
| 7.62x51mm M62        | 5 | 5867 | 5967 | 5567 | 5767 | +1.7% |
| 7.62x39mm AP         | 5 | 5046 | 5196 | 4671 | 4971 | +1.5% |
| 5.56x45mm M995       | 5 | 4862 | 4927 | 4407 | 4797 | +1.4% |
| .45 ACP Super        | 5 | 5067 | 5197 | 4677 | 5002 | +1.3% |
| 00000000             | 5 | 5794 | 7389 | 4054 | 5722 | +1.3% |
| 7.62x39mm BP         | 4 | 1506 | 1506 | 1401 | 1488 | +1.2% |
| 0.300BLK             | 4 | 1722 | 1722 | 1582 | 1704 | +1.0% |
| 5.8x42mm DBP10       | 4 | 1848 | 1883 | 1778 | 1830 | +1.0% |
| 4.6x30mm AP SX       | 5 | 4162 | 4327 | 3832 | 4134 | +0.7% |
| 4.6x30mm FMJ SX      | 4 | 1020 | 1020 | 920  | 1020 | 0.0%  |
| 4.6 x 30mm AP ST     | 5 | 4206 | 4426 | 3931 | 4234 | -0.6% |

|                 |   |      |      |      |      |        |
|-----------------|---|------|------|------|------|--------|
| 9x39mm SP6      | 4 | 1841 | 1841 | 1721 | 1861 | -1.1%  |
| .300BLK         | 5 | 5043 | 5343 | 4743 | 5118 | -1.5%  |
| 5.8x42mm DVP88  | 3 | 448  | 478  | 418  | 456  | -1.6%  |
| 7.62x51mm M80   | 4 | 1138 | 1138 | 1058 | 1158 | -1.7%  |
| 12 Gauge        | 3 | 388  | 493  | 268  | 396  | -1.9%  |
| 45-70 Govt FMJ  | 4 | 1018 | 1148 | 953  | 1050 | -3.1%  |
| 6.8x51mm FMJ    | 4 | 1799 | 1844 | 1754 | 1866 | -3.6%  |
| 4.6 x 30mm CT   | 4 | 1933 | 2013 | 1773 | 2013 | -4.0%  |
| 5.8x42mm DVC12  | 5 | 4865 | 5005 | 4585 | 5110 | -4.8%  |
| .50 AE FMJ      | 4 | 740  | 1910 | 650  | 808  | -8.4%  |
| .357 Magnum FMJ | 4 | 545  | 1625 | 455  | 612  | -11.0% |
| 12.7x55mm PS12  | 4 | 1857 | 2452 | 1347 | 2154 | -13.8% |
| .357 Magnum JHP | 3 | 399  | 479  | 359  | 519  | -23.1% |
| 12.7x55mm PS12A | 3 | 484  | 659  | 414  | 659  | -26.6% |
| 12 Gauge AP-20  | 4 | 511  | 591  | 391  | 771  | -33.7% |

TOP5

|                |   |        |      |
|----------------|---|--------|------|
|                |   |        |      |
| .357 Magnum 9" | 3 | +33.6% | 298  |
| 45-70 Govt RN  | 3 | +21.5% | 764  |
| 12 Gauge 8.5"  | 3 | +21.1% | 373  |
|                | 4 | +18.8% | 1994 |
| .45 ACP RIP    | 3 | +18.2% | 875  |

TOP5

|                 |   |        |     |
|-----------------|---|--------|-----|
|                 |   |        |     |
| 12 Gauge AP-20  | 4 | -33.7% | 511 |
| 12.7x55mm PS12A | 3 | -26.6% | 484 |
| .357 Magnum JHP | 3 | -23.1% | 399 |

|                 |   |        |      |
|-----------------|---|--------|------|
| 12.7x55mm PS12  | 4 | -13.8% | 1857 |
| .357 Magnum FMJ | 4 | -11.0% | 545  |

TOP5

|                 |   |        |      |
|-----------------|---|--------|------|
|                 |   |        |      |
| .357 Magnum FMJ | 4 | -11.0% | 257% |
| .50 AE FMJ      | 4 | -8.4%  | 194% |
| 5.7x28mm SS190  | 5 | +8.1%  | 166% |
| 45-70 Govt RN   | 3 | +21.5% | 91%  |
| .357 Magnum 9"  | 3 | +33.6% | 89%  |

vs 0

= ×0.87 –

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|

3 vs ×0.87

→ = =

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

1. S11 9 4 ——— / /
2. → 3 ——— 3
3. ⚠️ ——— S10 4 1600→1715 5000→12004/5 3 8/30
4. .45 ACP 7.62×51 ——— .45 ACP MDR 7.62×51M14 .45 ACP FMJ7.62×51 BPZ /
5. ⚠️ ——— S11 / /
- 3 ———

- 7.62×51 BPZ / .45 ACP FMJ — M14
- 4/5 —

=  $\times 0.8713\%$  3/4/5 moligod