

moligod · 2026-09-24

2026-09-24 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13% SPIKE | moligod.com



3 +17.9%

4 +8.2%

5 -0.1%

64 24 / 24 / 16

64

					()	
12 Gauge	3	523	523	283	328	+59.5%
.357 Magnum 9" "	3	288	288	148	203	+41.9%
9x19mm AP6.3	3	486	501	351	358	+35.6%
.45 ACP RIP	3	935	935	545	702	+33.1%
5.56x45mm M855	3	526	526	376	406	+29.6%
12 Gauge 8.5	3	388	388	218	303	+28.1%
7.62x39mm PS	3	536	536	386	424	+26.6%
.300BLK	3	587	587	437	467	+25.7%
12 Gauge FTX	3	519	519	359	419	+23.9%
5.7x28mm L191	3	525	540	375	428	+22.8%
5.7x28mm R37.F	3	547	547	347	447	+22.4%
5.8x42mm DVP88	3	553	568	418	456	+21.4%
.45 ACP FMJ	3	611	611	476	506	+20.8%
5.45x39mm PS	3	459	474	339	384	+19.5%
12 Gauge	4	1840	1840	1400	1540	+19.5%
.45 ACP AP	4	2170	2170	1785	1820	+19.2%
5.45x39mm BT	4	1791	1791	1266	1504	+19.1%
9x39mm SP6	4	2001	2001	1601	1681	+19.0%
5.7x28mm SS193	4	2073	2073	1533	1758	+17.9%
5.8x42mm DBP10	4	2198	2198	1778	1866	+17.8%

9x19mm RIP	3	738	738	558	628	+17.5%
7.62x54R T46M	3	522	522	402	452	+15.5%
6.8x51mm FMJ	4	2114	2114	1799	1844	+14.6%
7.62x54R LPS	4	2090	2090	1690	1830	+14.2%
9x39mm SP5	3	244	244	204	214	+14.0%
9x19mm PBP	4	1786	1786	1426	1576	+13.3%
12 Gauge AP-20	4	511	511	391	451	+13.3%
7.62x51mm BPZ	3	528	528	428	468	+12.8%
	3	799	799	529	709	+12.7%
12.7x55mm PS12B	5	4963	5143	3883	4423	+12.2%
12.7x55mm PS12	4	2027	2197	1772	1814	+11.7%
45-70 Govt FMJ	4	1018	1018	823	920	+10.6%
7.62x39mm BP	4	1751	1786	1471	1594	+9.9%
5.56x45mm M855A1	4	1821	1851	1431	1671	+9.0%
.300BLK	4	1932	1932	1687	1792	+7.8%
5.7x28mm SS190	5	5027	5027	3662	4702	+6.9%
7.62x54R BT	5	5974	5974	5254	5614	+6.4%
.50 AE FMJ	4	785	1910	650	740	+6.1%
5.56x45mm M995	5	4862	4862	4407	4602	+5.6%
	4	1994	1994	1644	1889	+5.6%
4.6x30mm FMJ SX	4	1020	1020	895	970	+5.2%
7.62x51mm M80	4	1298	1298	1178	1238	+4.8%
4.6 x 30mm FMJ ST	4	872	872	772	834	+4.5%
5.45x39mm BS	5	4749	4804	4254	4556	+4.2%
12.7x55mm PD12	4	2667	2667	2467	2567	+3.9%
5.8x42mm DVC12	5	5215	5355	4725	5040	+3.5%
.45 ACP Super	5	5327	5457	4742	5164	+3.1%
4.6 x 30mm CT	4	2133	2173	1893	2093	+1.9%
7.62x51mm M62	5	5867	5967	5567	5767	+1.7%

6.8x51mm Hybrid	5	4979	5169	4599	4932	+1.0%
12 Gauge DART	4	440	480	400	440	0.0%
4.6x30mm Subsonic SX	3	147	162	132	147	0.0%
9x39mm BP	5	4549	4939	4159	4549	0.0%
.300BLK	5	5193	5418	4893	5193	0.0%
4.6x30mm AP SX	5	4107	4327	3832	4162	-1.3%
7.62x39mm AP	5	5121	5421	4746	5196	-1.4%
	5	5939	6519	4199	6084	-2.4%
4.6 x 30mm AP ST	5	4151	4646	3931	4426	-6.2%
45-70 Govt RN	3	584	794	494	644	-9.3%
.50 AE JHP	3	444	664	364	494	-10.1%
.357 Magnum JHP	3	359	359	259	409	-12.2%
12.7x55mm PS12A	3	519	834	414	659	-21.2%
45-70 Govt FTX	5	3135	3415	2855	4815	-34.9%
.357 Magnum FMJ	4	590	1985	500	1242	-52.5%

TOP5

12 Gauge	3	+59.5%	523
.357 Magnum 9" "	3	+41.9%	288
9x19mm AP6.3	3	+35.6%	486
.45 ACP RIP	3	+33.1%	935
5.56x45mm M855	3	+29.6%	526

TOP5

.357 Magnum FMJ	4	-52.5%	590
45-70 Govt FTX	5	-34.9%	3135
12.7x55mm PS12A	3	-21.2%	519

.357 Magnum JHP	3	-12.2%	359
.50 AE JHP	3	-10.1%	444

TOP5

.357 Magnum FMJ	4	-52.5%	297%
.50 AE FMJ	4	+6.1%	194%
12.7x55mm PS12A	3	-21.2%	101%
.357 Magnum 9"	3	+41.9%	95%
12 Gauge	3	+59.5%	85%

vs 0

= ×0.87 –

|--|--|--|--|--|--|--|

3 vs ×0.87

→ = =

|--|--|--|--|--|

1. S11 9 4 — /
2. → 3 — 3
3. ⚠ — S10 4 1600→1715 5000→1200 4/5 3 8/30
4. .45 ACP 7.62×51 — .45 ACP MDR 7.62×51 M14 .45 ACP FMJ 7.62×51 BPZ /
5. ⚠ — S11 /
- 3 —

- 7.62×51 BPZ / .45 ACP FMJ — M14
- 4/5 —

= $\times 0.8713\%$ 3/4/5 moligod