

moligod · 2026-09-26

2026-09-26 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13%| SPIKE | moligod.com



3 +14.1%

4 +4.0%

5 +3.8%

64 24 / 24 / 16

64

					()	
12 Gauge	3	568	568	268	433	+31.2%
5.45x39mm PS	3	549	549	384	429	+28.0%
.357 Magnum 9" "	3	333	338	173	263	+26.6%
12 Gauge 8.5	3	383	388	213	310	+23.3%
.45 ACP RIP	3	950	980	620	778	+22.2%
9x19mm AP6.3	3	546	561	396	448	+21.7%
.357 Magnum JHP	3	399	519	299	329	+21.3%
9x19mm RIP	3	758	758	498	633	+19.7%
.45 ACP FMJ	3	611	626	461	521	+17.3%
9x39mm SP6	4	2321	2321	1761	1981	+17.2%
5.45x39mm BT	4	1866	1866	1266	1604	+16.4%
5.7x28mm L191	3	555	570	405	480	+15.6%
5.56x45mm M855	3	556	556	436	481	+15.6%
12 Gauge FTX	3	519	519	379	449	+15.6%
5.8x42mm DVP88	3	568	583	433	493	+15.2%
7.62x51mm BPZ	3	608	628	468	528	+15.2%
9x39mm SP5	3	304	304	204	264	+15.2%
7.62x39mm PS	3	536	551	401	468	+14.4%
5.7x28mm R37.F	3	567	607	377	497	+14.1%
45-70 Govt FTX	5	3555	3975	2575	3135	+13.4%

	3	769	799	559	679	+13.3%
5.56x45mm M855A1	4	1851	1851	1431	1641	+12.8%
4.6 x 30mm CT	4	2333	2333	1893	2073	+12.5%
5.7x28mm SS193	4	2103	2133	1563	1893	+11.1%
4.6 x 30mm FMJ ST	4	1022	1097	872	922	+10.8%
9x19mm PBP	4	1786	1816	1366	1621	+10.2%
4.6x30mm FMJ SX	4	1220	1295	970	1108	+10.2%
5.8x42mm DBP10	4	2303	2303	1813	2093	+10.0%
6.8x51mm FMJ	4	2294	2339	1844	2092	+9.7%
.300BLK	3	572	587	452	527	+8.5%
7.62x54R LPS	4	2170	2210	1770	2010	+8.0%
	5	5939	7099	4344	5504	+7.9%
.300BLK	4	1932	1932	1617	1792	+7.8%
7.62x54R BT	5	6094	6334	5374	5734	+6.3%
5.56x45mm M995	5	5057	5057	4407	4764	+6.1%
12 Gauge	4	1960	2000	1600	1860	+5.4%
12.7x55mm PD12	4	2967	3067	2667	2817	+5.3%
.45 ACP AP	4	2100	2135	1715	1995	+5.3%
45-70 Govt RN	3	644	794	464	614	+4.9%
5.8x42mm DVC12	5	5425	5635	4865	5215	+4.0%
12.7x55mm PS12	4	2197	3472	1687	2112	+4.0%
7.62x54R T46M	3	522	562	422	502	+4.0%
	4	1994	1994	1434	1924	+3.6%
5.45x39mm BS	5	4749	4859	4254	4584	+3.6%
7.62x39mm AP	5	5196	5346	4821	5046	+3.0%
6.8x51mm Hybrid	5	5074	5074	4789	4932	+2.9%
9x39mm BP	5	4679	4744	4159	4549	+2.9%
4.6x30mm AP SX	5	4272	4437	3887	4162	+2.6%
.50 AE FMJ	4	875	1865	695	852	+2.6%

4.6 x 30mm AP ST	5	4316	4426	3821	4206	+2.6%
5.7x28mm SS190	5	5157	5352	3922	5027	+2.6%
7.62x51mm M62	5	5967	5967	5667	5817	+2.6%
.45 ACP Super	5	5132	5327	4742	5100	+0.6%
12 Gauge DART	4	440	480	400	440	0.0%
12.7x55mm PS12B	5	5143	5323	4603	5143	0.0%
4.6x30mm Subsonic SX	3	147	162	132	147	0.0%
.300BLK	5	5118	5343	4893	5156	-0.7%
7.62x51mm M80	4	1218	1258	1098	1238	-1.6%
7.62x39mm BP	4	1611	1611	1471	1664	-3.2%
12.7x55mm PS12A	3	519	729	414	536	-3.3%
.357 Magnum FMJ	4	635	725	500	770	-17.5%
12 Gauge AP-20	4	631	1151	391	791	-20.2%
.50 AE JHP	3	384	504	364	484	-20.7%
45-70 Govt FMJ	4	1278	1863	953	1700	-24.8%

TOP5

12 Gauge	3	+31.2%	568
5.45x39mm PS	3	+28.0%	549
.357 Magnum 9 "	3	+26.6%	333
12 Gauge 8.5	3	+23.3%	383
.45 ACP RIP	3	+22.2%	950

TOP5

45-70 Govt FMJ	4	-24.8%	1278
.50 AE JHP	3	-20.7%	384
12 Gauge AP-20	4	-20.2%	631

.357 Magnum FMJ	4	-17.5%	635
12.7x55mm PS12A	3	-3.3%	519

TOP5

12 Gauge AP-20	4	-20.2%	194%
.50 AE FMJ	4	+2.6%	168%
12 Gauge	3	+31.2%	112%
12.7x55mm PS12	4	+4.0%	106%
45-70 Govt FMJ	4	-24.8%	95%

vs 0

= ×0.87 –

|--|--|--|--|--|--|--|

3 vs ×0.87

→ = =

|--|--|--|--|--|

1. S11 9 4 — — / /
2. → 3 — — 3
3. ⚠ — — S10 4 1600→1715 5000→12004/5 3 8/30
4. .45 ACP 7.62×51 — — .45 ACP MDR 7.62×51M14 .45 ACP FMJ7.62×51 BPZ /
5. ⚠ — — S11 / /
- 3 — —

- 7.62×51 BPZ / .45 ACP FMJ — M14
- 4/5 —

= $\times 0.8713\%$ 3/4/5 moligod