

moligod · 2026-10-06

2026-10-06 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13% SPIKE | moligod.com



3 +3.5%

4 -0.1%

5 +7.3%

64 24 / 24 / 16

64

					()	
12.7x55mm PS12A	3	834	904	449	554	+50.5%
.50 AE JHP	3	764	804	444	594	+28.6%
	5	7389	7389	5649	6302	+17.3%
12 Gauge 8.5	3	363	373	238	310	+16.9%
5.45x39mm BS	5	4804	4804	4749	4144	+15.9%
5.7x28mm SS190	5	5677	5937	3532	5060	+12.2%
4.6 x 30mm AP ST	5	5031	5031	4646	4536	+10.9%
12 Gauge FTX	3	719	799	459	649	+10.8%
.357 Magnum FMJ	4	725	2075	590	658	+10.3%
5.7x28mm R37.F	3	547	627	387	502	+9.0%
.300BLK	5	5568	5568	5118	5118	+8.8%
.45 ACP RIP	3	830	935	590	770	+7.8%
12.7x55mm PS12	4	1772	1772	1602	1644	+7.8%
	4	1994	1994	1924	1854	+7.6%
9x39mm BP	5	4744	4744	4614	4419	+7.4%
7.62x51mm M80	4	1298	1298	1258	1218	+6.6%
6.8x51mm Hybrid	5	5454	5454	5169	5122	+6.5%
5.8x42mm DVC12	5	5215	5215	5005	4935	+5.7%
4.6 x 30mm CT	4	1933	1933	1853	1833	+5.5%
4.6x30mm AP SX	5	4382	4382	4217	4162	+5.3%

5.56x45mm M995	5	4927	4927	4862	4700	+4.8%
12 Gauge 000	3	508	583	418	486	+4.6%
0.300BLK	3	527	602	512	504	+4.5%
45-70 Govt FTX	5	3415	3555	3275	3275	+4.3%
7.62x54R BT	5	6094	6094	5974	5854	+4.1%
.45 ACP Super	5	5067	5132	5002	4872	+4.0%
4.6 x 30mm FMJ ST	4	997	997	972	960	+3.9%
7.62x39mm AP	5	5046	5046	4971	4858	+3.9%
12.7x55mm PS12B	5	5143	5503	3703	4963	+3.6%
.357 Magnum 9000"000"	3	238	278	188	230	+3.3%
5.45x39mm BT	4	1591	1666	1291	1541	+3.2%
12.7x55mm PD12000	4	3467	3467	3367	3367	+3.0%
7.62x51mm M62	5	5967	5967	5967	5817	+2.6%
9x19mm AP6.3	3	336	336	321	328	+2.3%
12 Gauge DART	4	480	520	440	480	0.0%
4.6x30mm Subsonic SX	3	147	162	132	147	0.0%
000000	3	799	919	559	799	0.0%
9x19mm RIP	3	668	778	568	673	-0.7%
5.8x42mm DBP10	4	1813	1848	1708	1830	-1.0%
9x19mm PBP	4	1516	1666	1366	1531	-1.0%
0.300BLK	4	1722	1722	1582	1740	-1.0%
6.8x51mm FMJ	4	1799	1799	1754	1822	-1.2%
5.7x28mm L191	3	510	510	465	518	-1.4%
5.56x45mm M855	3	496	496	451	504	-1.5%
5.7x28mm SS193	4	1713	1863	1593	1758	-2.6%
.50 AE FMJ	4	785	830	740	808	-2.8%
5.45x39mm PS	3	504	504	474	519	-2.9%
12 Gauge00 AP-20	4	671	671	591	691	-2.9%
12 Gauge 000	4	1880	1920	1760	1940	-3.1%

7.62x39mm BP	4	1611	1681	1576	1664	-3.2%
9x39mm SP5	3	304	304	284	314	-3.2%
9x39mm SP6	4	1761	1761	1681	1821	-3.3%
45-70 Govt RN	3	794	824	524	824	-3.6%
.45 ACP FMJ	3	581	596	536	604	-3.7%
5.56x45mm M855A1	4	1521	1611	1461	1581	-3.8%
7.62x54R LPS	4	1770	1810	1730	1850	-4.3%
7.62x51mm BPZ	3	588	588	548	618	-4.9%
45-70 Govt FMJ	4	1213	1278	1148	1278	-5.1%
5.8x42mm DVP88	3	508	523	493	538	-5.6%
.45 ACP AP	4	1750	1855	1715	1872	-6.5%
7.62x39mm PS	3	506	506	491	544	-6.9%
4.6x30mm FMJ SX	4	1045	1120	1045	1132	-7.7%
7.62x54R T46M	3	542	562	522	592	-8.4%
.357 Magnum JHP	3	659	919	559	749	-12.0%

TOP5

12.7x55mm PS12A	3	+50.5%	834
.50 AE JHP	3	+28.6%	764
	5	+17.3%	7389
12 Gauge 8.5	3	+16.9%	363
5.45x39mm BS	5	+15.9%	4804

TOP5

.357 Magnum JHP	3	-12.0%	659
7.62x54R T46M	3	-8.4%	542
4.6x30mm FMJ SX	4	-7.7%	1045

7.62x39mm PS	3	-6.9%	506
.45 ACP AP	4	-6.5%	1750

TOP5

.357 Magnum FMJ	4	+10.3%	252%
12.7x55mm PS12A	3	+50.5%	101%
.50 AE JHP	3	+28.6%	81%
12 Gauge FTX	3	+10.8%	74%
5.7x28mm SS190	5	+12.2%	68%

vs 0

= ×0.87 –

|--|--|--|--|--|--|--|

3 vs ×0.87

→ = =

|--|--|--|--|--|

1. S11 9 4 ——— / /
2. → 3 ——— 3
3. ⚠️ ——— S10 4 1600→1715 5000→12004/5 3 8/30
4. .45 ACP 7.62×51 ——— .45 ACP MDR 7.62×51M14 .45 ACP FMJ7.62×51 BPZ /
5. ⚠️ ——— S11 /
- 3 ———

- 7.62×51 BPZ / .45 ACP FMJ 子弹 —— 测试 M14 步枪
- 4/5 测试报告 —— 测试报告

测试报告

测试报告 = 测试 × 0.87 ± 13% 测试报告 3/4/5 测试报告/moligod 测试报告
测试报告