

moligod · 2026-09-02

2026-09-02 68 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13%| SPIKE | moligod.com



3 +4.0%

4 +5.3%

5 +0.7%

68 26 / 26 / 16

68

					()	
12 Gauge 8.5	3	378	378	228	308	+22.7%
.300BLK	5	5718	5793	4143	4668	+22.5%
9*19mm CT	4	2813	2813	2093	2313	+21.6%
12 Gauge FTX	3	519	519	359	439	+18.2%
.45 ACP CT	4	2701	2701	2116	2318	+16.5%
7.62x54R BT	5	6574	6694	5854	5674	+15.9%
4.6x30mm Subsonic SX	3	387	387	282	334	+15.7%
12.7x55mm PS12B	5	5323	6043	3703	4603	+15.6%
5.45x39mm BT	4	1841	1841	1391	1604	+14.8%
5.8x42mm DBP10	4	1918	1918	1778	1690	+13.5%
5.56x45mm M855A1	4	1881	1911	1491	1671	+12.6%
	3	559	619	409	499	+12.0%
5.8*42mm DBP10+P	4	2471	2471	1946	2208	+11.9%
.45 ACP RIP	3	695	725	515	628	+10.8%
5.7x28mm L191	3	390	390	330	352	+10.6%
4.6x30mm FMJ SX	4	1420	1420	1220	1295	+9.7%
9x19mm RIP	3	688	688	558	628	+9.6%
6.8*51mm PLY-I	3	511	531	451	471	+8.5%
5.7x28mm R37.F	3	547	557	407	507	+7.9%
12.7x55mm PS12A	3	519	554	484	484	+7.2%

9x19mm PBP	4	1636	1636	1426	1531	+6.9%
9*39mm PAB-7	3	351	351	276	328	+6.8%
9x19mm AP6.3	3	351	351	336	328	+6.8%
.45 ACP AP	4	1925	1925	1785	1802	+6.8%
5.56x45mm M995	5	5447	5512	4732	5122	+6.3%
5.8x42mm DVP88	3	388	388	358	366	+6.2%
0.300BLK	4	1897	1897	1617	1792	+5.9%
00000000	4	1994	1994	1714	1889	+5.6%
5.45x39mm BS	5	5189	5244	4529	4942	+5.0%
9x39mm SP6	4	1721	1721	1561	1641	+4.9%
5.7x28mm SS193	4	1713	1713	1503	1638	+4.6%
5.8x42mm DVC12	5	5635	5635	5075	5390	+4.5%
4.6x30mm AP SX	5	4492	4547	4107	4300	+4.5%
7.62x51mm BPZ	3	468	508	428	448	+4.5%
7.62x54R LPS	4	1890	1930	1730	1810	+4.4%
12 Gauge 000	3	388	388	343	373	+4.0%
.50 AE FMJ	4	1280	1460	1100	1235	+3.6%
45-70 Govt RN	3	434	764	344	419	+3.6%
7.62x39mm PS	3	446	446	416	431	+3.5%
7.62x39mm AP	5	5721	5871	5046	5534	+3.4%
12.7x55mm PD12000	4	3567	3567	3167	3467	+2.9%
6.8x51mm Hybrid	5	5739	5929	5169	5596	+2.5%
9*39mm PAB-9	4	1526	1526	1351	1491	+2.3%
5.56x45mm M855	3	391	391	346	384	+2.0%
0.300BLK	3	452	497	422	444	+1.7%
.45 ACP FMJ	3	461	476	431	454	+1.7%
9x39mm BP	5	4614	4874	4224	4549	+1.4%
6.8x51mm FMJ	4	1754	1754	1664	1732	+1.3%
5.7x28mm SS190	5	5092	5807	3337	5027	+1.3%

7.62x39mm BP	4	1751	1786	1611	1734	+1.0%
6.8*51mm PLY-III	5	5751	6051	5301	5714	+0.7%
12 Gauge AP-20	4	471	511	431	471	0.0%
6.8*51mm PLY-II	4	1804	1804	1664	1804	0.0%
7.62x51mm M80	4	1538	1538	1458	1538	0.0%
7.62x54R T46M	3	422	442	382	422	0.0%
9x39mm SP5	3	344	364	324	344	0.0%
5.8*42mm DVC12+P	5	6533	6758	6383	6570	-0.6%
7.62x51mm M62	5	6267	6467	6167	6367	-1.6%
45-70 Govt FMJ	4	1473	1668	1343	1506	-2.2%
12 Gauge	4	1680	1720	1560	1740	-3.4%
12.7x55mm PS12	4	2112	2452	1602	2197	-3.9%
.357 Magnum FMJ	4	500	860	455	522	-4.3%
.357 Magnum 9"	3	208	218	183	223	-6.7%
.50 AE JHP	3	504	684	344	544	-7.4%
.357 Magnum JHP	3	539	1139	399	659	-18.2%
45-70 Govt FTX	5	4395	4675	4115	5515	-20.3%
5.45x39mm PS	3	384	399	354	532	-27.8%
	5	6664	7389	5069	13334	-50.0%

TOP5

12 Gauge 8.5	3	+22.7%	378
.300BLK	5	+22.5%	5718
9*19mm CT	4	+21.6%	2813
12 Gauge FTX	3	+18.2%	519
.45 ACP CT	4	+16.5%	2701

TOP5

	5	-50.0%	6664
5.45x39mm PS	3	-27.8%	384
45-70 Govt FTX	5	-20.3%	4395
.357 Magnum JHP	3	-18.2%	539
.50 AE JHP	3	-7.4%	504

TOP5

.357 Magnum JHP	3	-18.2%	185%
45-70 Govt RN	3	+3.6%	122%
.50 AE JHP	3	-7.4%	99%
.357 Magnum FMJ	4	-4.3%	89%
5.7x28mm SS190	5	+1.3%	74%

vs 68

 = ×0.87 –

	3	559	349 / 428 / 769	559 / 766 / 799	666	238 (55.5%)
45-70 Govt RN	3	434	314 / 408 / 944	374 / 655 / 824	570	162 (39.7%)
5.7x28mm L191	3	390	270 / 346 / 525	375 / 544 / 630	473	127 (36.9%)
12.7x55mm PS12A	3	519	414 / 535 / 799	519 / 799 / 939	695	161 (30.0%)
9x39mm SP5	3	344	284 / 368 / 524	404 / 534 / 664	464	97 (26.2%)
5.8x42mm DVP88	3	388	283 / 379 / 523	373 / 534 / 598	464	85 (22.4%)
7.62x54R T46M	3	422	262 / 472 / 622	402 / 606 / 682	527	55 (11.6%)
.45 ACP FMJ	3	461	386 / 477 / 626	439 / 608 / 701	529	52 (10.9%)
7.62x51mm BPZ	3	468	388 / 478 / 588	448 / 603 / 688	525	46 (9.7%)
9x19mm AP6.3	3	351	291 / 387 / 486	306 / 460 / 531	400	14 (3.5%)

7.62x39mm PS	3	446	356 / 510 / 641	416 / 604 / 716	526	16 (3.0%)
9*39mm PAB-7	3	351	276 / 376 / 471	366 / 442 / 531	385	8 (2.2%)
5.56x45mm M855	3	391	301 / 464 / 571	406 / 542 / 586	471	7 (1.6%)
5.45x39mm PS	3	384	354 / 485 / 740	429 / 547 / 695	476	-8 (-1.7%)
.300BLK	3	452	407 / 531 / 617	497 / 588 / 647	512	-19 (-3.6%)
4.6x30mm Subsonic SX	3	387	282 / 427 / 522	327 / 470 / 537	409	-18 (-4.2%)
12 Gauge	3	388	343 / 488 / 598	358 / 524 / 598	456	-32 (-6.5%)
.357 Magnum FMJ	4	500	455 / 543 / 1325	455 / 569 / 2030	495	-49 (-8.9%)
.357 Magnum 9" " "	3	208	183 / 258 / 293	173 / 269 / 293	234	-24 (-9.3%)
9x39mm SP6	4	1721	1521 / 1754 / 1921	1561 / 1828 / 2041	1591	-163 (-9.3%)
7.62x54R LPS	4	1890	1690 / 1880 / 2090	1650 / 1957 / 2290	1702	-177 (-9.4%)
9*39mm PAB-9	4	1526	1351 / 1685 / 1911	1386 / 1749 / 1911	1521	-164 (-9.7%)
5.7x28mm R37.F	3	547	407 / 606 / 647	397 / 626 / 677	545	-61 (-10.1%)
5.7x28mm SS193	4	1713	1443 / 1761 / 1923	1443 / 1799 / 1923	1565	-196 (-11.1%)
5.8x42mm DBP10	4	1918	1463 / 1918 / 2163	1393 / 1951 / 2233	1697	-221 (-11.5%)
6.8*51mm PLY-II	4	1804	1664 / 1973 / 2189	1629 / 2003 / 2224	1743	-231 (-11.7%)
6.8x51mm FMJ	4	1754	1619 / 1943 / 2204	1349 / 1969 / 2249	1713	-230 (-11.9%)
9x19mm RIP	3	688	458 / 723 / 798	438 / 729 / 788	634	-88 (-12.2%)
.45 ACP RIP	3	695	500 / 742 / 830	500 / 748 / 875	651	-91 (-12.3%)
7.62x39mm BP	4	1751	1471 / 1785 / 2066	1226 / 1800 / 2066	1566	-219 (-12.3%)
12 Gauge	4	1680	1560 / 1932 / 2160	1680 / 1944 / 2200	1692	-240 (-12.4%)
9x39mm BP	5	4614	3964 / 4543 / 4874	4094 / 4575 / 5199	3980	-563 (-12.4%)
12 Gauge FTX	3	519	359 / 516 / 711	379 / 518 / 911	451	-65 (-12.6%)
5.45x39mm BT	4	1841	1291 / 1799 / 1991	1291 / 1803 / 1941	1569	-230 (-12.8%)
12.7x55mm PS12	4	2112	1602 / 2624 / 3047	1942 / 2628 / 3523	2286	-338 (-12.9%)
5.56x45mm M855A1	4	1881	1431 / 1783 / 1971	1401 / 1784 / 1971	1552	-231 (-13.0%)
	4	1994	1714 / 1988 / 1994	1784 / 1987 / 1994	1729	-259 (-13.0%)
12 Gauge 8.5	3	378	213 / 365 / 393	213 / 364 / 393	317	-48 (-13.2%)

12.7x55mm PD12000	4	3567	3167 / 3580 / 4963	3067 / 3568 / 4067	3104	-476 (-13.3%)
4.6x30mm FMJ SX	4	1420	1195 / 1390 / 1545	1095 / 1385 / 1545	1205	-185 (-13.3%)
6.8*51mm PLY-I	3	511	411 / 520 / 531	371 / 517 / 588	449	-71 (-13.6%)
.45 ACP AP	4	1925	1575 / 1967 / 2135	1470 / 1942 / 2205	1690	-277 (-14.1%)
0.300BLK	4	1897	1512 / 1914 / 2107	1617 / 1888 / 2177	1643	-272 (-14.2%)
9x19mm PBP	4	1636	1366 / 1630 / 1816	1336 / 1600 / 1816	1392	-238 (-14.6%)
12.7x55mm PS12B	5	5323	3523 / 5070 / 6043	3343 / 4907 / 25303	4269	-800 (-15.8%)
.50 AE JHP	3	504	344 / 690 / 1890	404 / 658 / 844	572	-117 (-17.0%)
7.62x51mm M62	5	6267	6067 / 6402 / 6567	5567 / 6053 / 6467	5266	-1135 (-17.7%)
5.7x28mm SS190	5	5092	3207 / 4930 / 6717	3077 / 4637 / 7302	4034	-896 (-18.2%)
5.8*42mm DBP10+P	4	2471	1771 / 2398 / 2716	1806 / 2252 / 2401	1959	-440 (-18.3%)
12 Gauge00 AP-20	4	471	391 / 674 / 871	391 / 625 / 951	543	-130 (-19.4%)
5.56x45mm M995	5	5447	3367 / 5054 / 5512	3952 / 4670 / 5057	4063	-991 (-19.6%)
6.8x51mm Hybrid	5	5739	4979 / 5654 / 6024	4599 / 5228 / 5834	4548	-1106 (-19.6%)
5.45x39mm BS	5	5189	4199 / 4826 / 5409	3154 / 4450 / 4859	3871	-955 (-19.8%)
4.6x30mm AP SX	5	4492	3777 / 4296 / 4602	3172 / 3938 / 4712	3426	-870 (-20.2%)
.50 AE FMJ	4	1280	920 / 1320 / 2120	920 / 1210 / 1910	1053	-268 (-20.3%)
00000000	5	6664	4489 / 6982 / 21744	4199 / 6357 / 10144	5531	-1451 (-20.8%)
6.8*51mm PLY-III	5	5751	5076 / 5709 / 6051	4476 / 5177 / 5901	4504	-1205 (-21.1%)
0.300BLK	5	5718	3543 / 5326 / 5793	3318 / 4830 / 6468	4202	-1124 (-21.1%)
7.62x54R BT	5	6574	4654 / 6444 / 6814	4054 / 5822 / 6454	5065	-1378 (-21.4%)
45-70 Govt FTX	5	4395	3415 / 4135 / 6915	2855 / 3706 / 4255	3224	-911 (-22.0%)
5.8x42mm DVC12	5	5635	4865 / 5528 / 5985	4235 / 4945 / 5565	4303	-1226 (-22.2%)
.45 ACP CT	4	2701	1981 / 2334 / 2566	1621 / 2073 / 2386	1804	-531 (-22.7%)

.357 Magnum JHP	3	539	279 / 473 / 1119	259 / 420 / 519	365	-108 (-22.8%)
45-70 Govt FMJ	4	1473	1018 / 1564 / 1993	888 / 1388 / 1863	1207	-357 (-22.8%)
7.62x39mm AP	5	5721	4821 / 5512 / 6021	4371 / 4865 / 5946	4233	-1279 (-23.2%)
9*19mm CT	4	2813	1853 / 2388 / 2653	1213 / 2091 / 2333	1819	-569 (-23.8%)
7.62x51mm M80	4	1538	1418 / 1542 / 1618	938 / 1329 / 1738	1156	-386 (-25.0%)
5.8*42mm DVC12+P	5	6533	5783 / 6462 / 6983	4433 / 5436 / 6758	4729	-1733 (-26.8%)

3 vs ×0.87

 → = =

				/
9x39mm SP5	344	534	464	120 (35.0%)
12.7x55mm PS12A	519	799	695	176 (34.0%)
45-70 Govt RN	434	655	570	136 (31.2%)
7.62x54R T46M	422	606	527	105 (24.8%)
5.45x39mm PS	384	547	476	92 (24.0%)
5.7x28mm L191	390	544	473	83 (21.3%)
5.56x45mm M855	391	542	471	80 (20.5%)
5.8x42mm DVP88	388	534	464	76 (19.6%)
	559	766	666	107 (19.2%)
7.62x39mm PS	446	604	526	80 (17.9%)
12 Gauge	388	524	456	68 (17.6%)
.45 ACP FMJ	461	608	529	68 (14.8%)
9x19mm AP6.3	351	460	400	49 (14.1%)
.50 AE JHP	504	658	572	68 (13.5%)
.300BLK	452	588	512	60 (13.2%)
.357 Magnum 9 " "	208	269	234	26 (12.4%)
7.62x51mm BPZ	468	603	525	57 (12.1%)
9*39mm PAB-7	351	442	385	34 (9.6%)

4.6x30mm Subsonic SX	387	470	409	22 (5.7%)
5.7x28mm R37.F	547	626	545	-2 (-0.4%)
.45 ACP RIP	695	748	651	-44 (-6.4%)
9x19mm RIP	688	729	634	-54 (-7.8%)
6.8*51mm PLY-I	511	517	449	-62 (-12.1%)
12 Gauge FTX	519	518	451	-68 (-13.1%)
12 Gauge 8.5	378	364	317	-61 (-16.1%)
.357 Magnum JHP	539	420	365	-174 (-32.2%)

- 1. S11 9 4** — / /

2. → **3** — 3

 1/2-1/38/25-9/2

3. ⚠ — S10 4 1600→1715

5000→12004/5 3 8/30

4. **.45 ACP 7.62×51** — .45 ACP MDR 7.62×51 M14 .45 ACP FMJ 7.62×51 BPZ /

5. ⚠ — S11 /

 - 3 —
 - 7.62×51 BPZ / .45 ACP FMJ — M14
 - 4/5 —

 = × 0.8713% 3/4/5 moligod