

moligod 鋼材重量計算表・2026-09-08

2026-09-08 鋼材重量計算表 64 鋼材重量計算表 5 鋼材重量計算表 08-25~09-02 | 08-02~08-24 | 重量=長さ×0.87
13% SPIKE 重量計算 | moligod.com

 重量計算

3mm +4.5%

4mm +0.8%

5mm +0.2%

64 鋼材重量計算 / 24 鋼材重量計算 / 16 鋼材重量計算

重量計算

鋼材重量計算 64 鋼材重量計算表

鋼材	長さ	重量	重量	重量	重量(長さ)	重量
鋼材重量計算	4	1994	1994	1504	1644	+21.3%
5.7x28mm R37.F	3	487	487	337	407	+19.7%
12 Gauge 8.5mm	3	338	338	208	283	+19.4%
12 Gauge 鋼材 FTX	3	519	519	359	439	+18.2%
7.62x51mm BPZ	3	528	528	408	458	+15.3%
9x19mm PBP	4	1996	1996	1516	1756	+13.7%
7.62x54R T46M	3	502	522	362	442	+13.6%
5.45x39mm BT	4	1991	1991	1391	1766	+12.7%
5.56x45mm M855	3	466	466	361	414	+12.7%
鋼材.300BLK	3	542	542	422	482	+12.4%
5.8x42mm DVP88	3	493	493	388	440	+11.9%
鋼材.300BLK	4	2317	2317	1792	2072	+11.8%
5.56x45mm M855A1	4	2031	2091	1581	1836	+10.6%
5.7x28mm L191	3	480	495	375	435	+10.3%
4.6 x 30mm CT	4	2373	2373	1933	2153	+10.2%
5.7x28mm SS190	5	5027	9707	3337	4572	+10.0%
12.7x55mm PS12B	5	5143	5863	3523	4693	+9.6%
12 Gauge 鋼材 AP-20	4	471	471	391	431	+9.3%
7.62x39mm BP	4	1891	1891	1611	1734	+9.1%
12.7x55mm PS12	4	2197	2282	1602	2027	+8.4%

12 Gauge 000	3	388	388	313	358	+8.4%
9x19mm RIP	3	648	658	438	603	+7.5%
5.7x28mm SS193	4	2313	2313	1623	2163	+6.9%
.45 ACP RIP	3	845	920	575	792	+6.6%
7.62x54R LPS	4	2330	2330	1890	2190	+6.4%
5.8x42mm DBP10	4	2443	2478	1918	2303	+6.1%
7.62x51mm M80	4	1538	1538	1378	1458	+5.5%
6.8x51mm FMJ	4	2294	2294	1889	2182	+5.2%
00000000	5	5069	5939	3474	4852	+4.5%
.45 ACP Super	5	5847	5912	4807	5620	+4.0%
.357 Magnum 9000"00"	3	198	208	128	190	+3.9%
5.45x39mm BS	5	5244	6069	4694	5052	+3.8%
9x39mm SP5	3	284	304	224	274	+3.6%
7.62x51mm M62	5	6067	6067	5667	5867	+3.4%
7.62x39mm AP	5	5421	5796	4896	5271	+2.8%
5.56x45mm M995	5	5447	5577	4797	5317	+2.4%
5.8x42mm DVC12	5	4865	5075	3955	4760	+2.2%
7.62x39mm PS	3	431	491	386	424	+1.8%
9x39mm SP6	4	2201	2241	1841	2181	+0.9%
.45 ACP FMJ	3	506	506	431	506	0.0%
12 Gauge 000	4	1240	1240	1160	1240	0.0%
12.7x55mm PD12000	4	2867	2867	2667	2867	0.0%
4.6 x 30mm AP ST	5	3931	4481	3821	3931	0.0%
9x39mm BP	5	4419	4744	4094	4419	0.0%
4.6x30mm AP SX	5	4052	4327	2787	4080	-0.7%
6.8x51mm Hybrid	5	5074	5549	4789	5122	-0.9%
5.45x39mm PS	3	369	369	339	376	-2.0%
7.62x54R BT	5	5734	6094	5374	5854	-2.0%
.50 AE JHP	3	364	524	264	374	-2.7%

4.6x30mm FMJ SX	4	1120	1145	1070	1158	-3.2%
4.6x30mm Subsonic SX	3	222	282	207	230	-3.3%
.300BLK	5	5868	6318	5493	6130	-4.3%
	3	649	769	469	679	-4.4%
45-70 Govt FMJ	4	1213	1343	1018	1278	-5.1%
9x19mm AP6.3	3	396	396	366	418	-5.4%
.45 ACP AP	4	2205	2240	1890	2345	-6.0%
4.6 x 30mm FMJ ST	4	897	972	872	972	-7.7%
12.7x55mm PS12A	3	484	904	414	536	-9.8%
45-70 Govt RN	3	464	584	344	539	-13.9%
.357 Magnum JHP	3	579	879	439	699	-17.2%
12 Gauge DART	4	400	480	400	500	-20.0%
.50 AE FMJ	4	695	1010	650	875	-20.6%
45-70 Govt FTX	5	3415	3555	2435	5025	-32.0%
.357 Magnum FMJ	4	500	635	455	1130	-55.8%

TOP5

	4	+21.3%	1994
5.7x28mm R37.F	3	+19.7%	487
12 Gauge 8.5	3	+19.4%	338
12 Gauge FTX	3	+18.2%	519
7.62x51mm BPZ	3	+15.3%	528

TOP5

.357 Magnum FMJ	4	-55.8%	500
45-70 Govt FTX	5	-32.0%	3415
.50 AE FMJ	4	-20.6%	695

12 Gauge DART	4	-20.0%	400
.357 Magnum JHP	3	-17.2%	579

TOP5

5.7x28mm SS190	5	+10.0%	191%
12.7x55mm PS12A	3	-9.8%	118%
.357 Magnum JHP	3	-17.2%	100%
.50 AE JHP	3	-2.7%	98%
	5	+4.5%	71%

vs 59

= ×0.87 –

	3	649	349 / 442 / 769	559 / 767 / 799	668	226 (51.1%)
45-70 Govt RN	3	464	314 / 409 / 944	374 / 667 / 824	580	170 (41.6%)
5.7x28mm L191	3	480	270 / 350 / 525	375 / 543 / 630	473	122 (35.0%)
12.7x55mm PS12A	3	484	414 / 535 / 799	519 / 796 / 939	692	158 (29.5%)
9x39mm SP5	3	284	284 / 367 / 524	424 / 537 / 664	468	101 (27.6%)
5.8x42mm DVP88	3	493	283 / 380 / 523	373 / 530 / 598	461	81 (21.2%)
7.62x54R T46M	3	502	262 / 467 / 622	402 / 608 / 682	529	62 (13.3%)
.45 ACP FMJ	3	506	386 / 476 / 626	439 / 605 / 701	526	50 (10.6%)
7.62x51mm BPZ	3	528	388 / 478 / 588	468 / 607 / 668	528	50 (10.5%)
7.62x39mm PS	3	431	356 / 503 / 641	461 / 606 / 716	527	24 (4.7%)
9x19mm AP6.3	3	396	291 / 383 / 486	306 / 457 / 531	397	15 (3.9%)
5.56x45mm M855	3	466	301 / 455 / 571	406 / 542 / 586	472	17 (3.6%)
5.45x39mm PS	3	369	354 / 473 / 740	429 / 547 / 695	476	3 (0.5%)
.300BLK	3	542	407 / 523 / 617	512 / 590 / 647	513	-10 (-1.9%)

4.6x30mm Subsonic SX	3	222	282 / 423 / 522	327 / 468 / 522	407	-16 (-3.7%)
12 Gauge	3	388	328 / 476 / 598	358 / 523 / 598	455	-21 (-4.3%)
.357 Magnum FMJ	4	500	455 / 541 / 1325	455 / 584 / 2030	508	-33 (-6.1%)
.357 Magnum 9" "	3	198	158 / 253 / 293	173 / 267 / 288	233	-20 (-7.9%)
7.62x54R LPS	4	2330	1690 / 1878 / 2090	1690 / 1976 / 2290	1719	-159 (-8.5%)
9x39mm SP6	4	2201	1521 / 1745 / 1921	1561 / 1828 / 2041	1591	-154 (-8.8%)
12.7x55mm PS12	4	2197	1602 / 2575 / 3047	2197 / 2691 / 3047	2341	-234 (-9.1%)
5.7x28mm R37.F	3	487	407 / 597 / 647	397 / 623 / 657	542	-55 (-9.3%)
6.8x51mm FMJ	4	2294	1529 / 1921 / 2204	1349 / 1992 / 2249	1733	-188 (-9.8%)
5.8x42mm DBP10	4	2443	1463 / 1913 / 2163	1393 / 1978 / 2233	1721	-192 (-10.0%)
5.7x28mm SS193	4	2313	1443 / 1753 / 1923	1443 / 1810 / 1923	1575	-178 (-10.1%)
12 Gauge	4	1240	1560 / 1903 / 2160	1680 / 1957 / 2200	1702	-200 (-10.5%)
.45 ACP RIP	3	845	470 / 736 / 830	500 / 754 / 875	656	-80 (-10.9%)
7.62x39mm BP	4	1891	1471 / 1780 / 2066	1226 / 1810 / 2066	1575	-206 (-11.5%)
9x19mm RIP	3	648	458 / 716 / 798	438 / 728 / 788	634	-82 (-11.5%)
12.7x55mm PD12	4	2867	3167 / 3567 / 4963	3067 / 3622 / 4067	3151	-415 (-11.6%)
.50 AE JHP	3	364	324 / 667 / 1890	404 / 676 / 844	588	-78 (-11.8%)
12 Gauge AP-20	4	471	391 / 652 / 871	391 / 660 / 951	574	-78 (-11.9%)
5.56x45mm M855A1	4	2031	1431 / 1784 / 1971	1431 / 1803 / 1971	1569	-215 (-12.0%)
5.45x39mm BT	4	1991	1291 / 1794 / 1991	1341 / 1807 / 1941	1572	-222 (-12.4%)
12 Gauge FTX	3	519	359 / 515 / 711	379 / 518 / 911	451	-65 (-12.5%)
.45 ACP AP	4	2205	1575 / 1960 / 2135	1610 / 1970 / 2205	1714	-246 (-12.6%)
	4	1994	1680 / 1987 / 1994	1784 / 1988 / 1994	1729	-257 (-12.9%)
.300BLK	4	2317	1512 / 1911 / 2107	1617 / 1911 / 2177	1663	-248 (-13.0%)
9x19mm PBP	4	1996	1366 / 1629 / 1816	1336 / 1626 / 1816	1415	-215 (-13.2%)
12 Gauge 8.5	3	338	213 / 365 / 393	213 / 364 / 393	317	-49 (-13.3%)
4.6x30mm FMJ SX	4	1120	1195 / 1390 / 1545	1095 / 1382 / 1545	1202	-188 (-13.5%)
9x39mm BP	5	4419	3964 / 4545 / 4874	4094 / 4514 / 4874	3928	-618 (-13.6%)

12.7x55mm PS12B	5	5143	3523 / 5078 / 6043	3343 / 4914 / 25303	4275	-803 (-15.8%)
7.62x51mm M62	5	6067	6067 / 6392 / 6567	5567 / 6081 / 6467	5291	-1101 (-17.2%)
5.7x28mm SS190	5	5027	3207 / 4935 / 6717	3077 / 4668 / 7302	4062	-873 (-17.7%)
6.8x51mm Hybrid	5	5074	4979 / 5646 / 6024	4789 / 5278 / 5834	4592	-1055 (-18.7%)
.50 AE FMJ	4	695	920 / 1312 / 2120	920 / 1225 / 1910	1066	-247 (-18.8%)
45-70 Govt FMJ	4	1213	1018 / 1556 / 1993	1083 / 1442 / 1863	1255	-301 (-19.3%)
45-70 Govt FTX	5	3415	3415 / 4170 / 6915	2855 / 3856 / 4255	3354	-815 (-19.6%)
5.56x45mm M995	5	5447	3367 / 5075 / 5512	3952 / 4675 / 5057	4068	-1007 (-19.8%)
	5	5069	4489 / 6948 / 21744	4199 / 6377 / 10144	5548	-1400 (-20.1%)
5.45x39mm BS	5	5244	4199 / 4836 / 5409	3154 / 4406 / 4639	3834	-1002 (-20.7%)
7.62x54R BT	5	5734	4654 / 6430 / 6814	4054 / 5852 / 6454	5092	-1338 (-20.8%)
4.6x30mm AP SX	5	4052	3777 / 4304 / 4602	3172 / 3912 / 4712	3404	-901 (-20.9%)
5.8x42mm DVC12	5	4865	4865 / 5521 / 5985	4235 / 5018 / 5565	4366	-1155 (-20.9%)
.300BLK	5	5868	3543 / 5347 / 5793	3318 / 4863 / 6468	4231	-1117 (-20.9%)
7.62x51mm M80	4	1538	1418 / 1544 / 1658	938 / 1386 / 1738	1205	-339 (-21.9%)
7.62x39mm AP	5	5421	4821 / 5514 / 6021	4371 / 4858 / 5946	4226	-1287 (-23.3%)
.357 Magnum JHP	3	579	279 / 505 / 1139	299 / 424 / 519	369	-137 (-27.1%)

3 vs x0.87

 → = =

				/
4.6x30mm Subsonic SX	222	468	407	185 (83.3%)
9x39mm SP5	284	537	468	184 (64.6%)

.50 AE JHP	364	676	588	224 (61.6%)
12.7x55mm PS12A	484	796	692	208 (43.1%)
5.45x39mm PS	369	547	476	107 (29.0%)
45-70 Govt RN	464	667	580	116 (25.0%)
7.62x39mm PS	431	606	527	96 (22.3%)
.357 Magnum 9" "	198	267	233	35 (17.5%)
12 Gauge	388	523	455	67 (17.3%)
5.7x28mm R37.F	487	623	542	55 (11.3%)
7.62x54R T46M	502	608	529	27 (5.5%)
.45 ACP FMJ	506	605	526	20 (4.0%)
	649	767	668	19 (2.9%)
5.56x45mm M855	466	542	472	6 (1.3%)
9x19mm AP6.3	396	457	397	1 (0.4%)
5.7x28mm L191	480	543	473	-7 (-1.5%)
9x19mm RIP	648	728	634	-14 (-2.2%)
.300BLK	542	590	513	-29 (-5.3%)
12 Gauge 8.5	338	364	317	-21 (-6.3%)
5.8x42mm DVP88	493	530	461	-32 (-6.5%)
12 Gauge FTX	519	518	451	-68 (-13.2%)
.45 ACP RIP	845	754	656	-189 (-22.4%)
.357 Magnum JHP	579	424	369	-210 (-36.3%)
7.62x51mm BPZ	528	607	528	0 (-0.0%)

1. S11 9 4 — / /
2. → 3 — 3 1/2-1/38/25-9/2 -
3. ⚠ — S10 4 1600→1715 5000→12004/5 3 8/30

- 3 000000000000 — 00000000000000000000000000000000
- 7.62×51 BPZ / .45 ACP FMJ 00000000 — 00000 M14 00000000
- 4/5 000000000000 — 00000000000000000000

[illegible]

0.8713% 3/4/5 moligod