

moligod · 2026-09-25

2026-09-25 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13%| SPIKE | moligod.com



3 +14.8%

4 +10.3%

5 +6.8%

64 24 / 24 / 16

64

					()	
.357 Magnum 9" "	3	338	338	183	220	+53.3%
45-70 Govt FMJ	4	1408	2578	823	920	+53.0%
12 Gauge	3	568	568	298	403	+40.9%
5.7x28mm R37.F	3	607	617	377	447	+35.8%
.45 ACP RIP	3	965	995	560	740	+30.4%
12 Gauge 8.5" "	3	388	388	233	303	+28.1%
9x39mm SP5	3	284	324	204	224	+26.8%
4.6x30mm FMJ SX	4	1195	1270	945	958	+24.8%
.357 Magnum JHP	3	379	399	259	309	+22.7%
12 Gauge AP-20	4	551	1151	431	451	+22.2%
5.45x39mm BT	4	1866	1916	1291	1528	+22.1%
5.45x39mm PS	3	489	504	354	406	+20.3%
9x39mm SP6	4	2161	2201	1761	1801	+20.0%
5.56x45mm M855	3	541	556	406	451	+20.0%
12 Gauge	4	1920	2000	1720	1620	+18.5%
5.7x28mm SS193	4	2133	2223	1563	1803	+18.3%
4.6 x 30mm FMJ ST	4	972	1022	822	822	+18.2%
12 Gauge FTX	3	519	519	379	439	+18.2%
5.7x28mm SS190	5	5092	5612	4442	4344	+17.2%
9x19mm PBP	4	1876	1876	1366	1606	+16.8%

45-70 Govt FTX	5	3415	3975	2295	2925	+16.8%
12.7x55mm PD12	4	2967	3067	2567	2567	+15.6%
9x19mm RIP	3	758	758	508	658	+15.2%
5.7x28mm L191	3	525	555	405	458	+14.8%
7.62x51mm BPZ	3	548	628	428	478	+14.6%
5.56x45mm M855A1	4	1881	1881	1401	1641	+14.6%
9x19mm AP6.3	3	486	501	396	426	+14.1%
12.7x55mm PS12B	5	5143	5683	4603	4513	+14.0%
7.62x39mm PS	3	521	551	416	461	+13.0%
7.62x54R T46M	3	522	602	402	462	+13.0%
7.62x54R LPS	4	2130	2210	1810	1890	+12.7%
	5	5939	6664	4344	5359	+10.8%
12.7x55mm PS12	4	2197	2537	1687	1984	+10.7%
7.62x39mm BP	4	1786	1821	1506	1628	+9.7%
	4	1994	1994	1854	1819	+9.6%
5.8x42mm DVP88	3	538	583	433	493	+9.1%
4.6 x 30mm CT	4	2213	2253	1893	2033	+8.9%
5.8x42mm DBP10	4	2163	2373	1813	1988	+8.8%
.300BLK	3	557	602	452	512	+8.8%
7.62x54R BT	5	6094	6094	5374	5614	+8.6%
6.8x51mm FMJ	4	2114	2339	1844	1956	+8.1%
5.56x45mm M995	5	4992	5122	4407	4634	+7.7%
7.62x39mm AP	5	5121	5421	4671	4784	+7.1%
	3	709	799	559	664	+6.8%
.300BLK	4	1932	1932	1652	1810	+6.8%
5.8x42mm DVC12	5	5355	5635	4795	5040	+6.2%
5.45x39mm BS	5	4804	4859	4309	4529	+6.1%
7.62x51mm M80	4	1298	1298	1178	1238	+4.8%
.45 ACP AP	4	2065	2205	1785	1978	+4.4%

.45 ACP FMJ	3	566	596	461	544	+4.1%
6.8x51mm Hybrid	5	5074	5169	4694	4884	+3.9%
7.62x51mm M62	5	5967	5967	5667	5767	+3.5%
4.6x30mm AP SX	5	4217	4437	3887	4080	+3.4%
9x39mm BP	5	4679	4939	4159	4549	+2.9%
4.6 x 30mm AP ST	5	4206	4536	3876	4178	+0.7%
.45 ACP Super	5	5132	5392	4807	5100	+0.6%
12 Gauge DART	4	440	480	400	440	0.0%
4.6x30mm Subsonic SX	3	147	162	132	147	0.0%
.300BLK	5	5118	5418	4893	5156	-0.7%
45-70 Govt RN	3	554	734	494	644	-14.0%
.50 AE JHP	3	424	604	364	514	-17.5%
12.7x55mm PS12A	3	484	659	414	624	-22.4%
.50 AE FMJ	4	875	1010	695	1280	-31.6%
.357 Magnum FMJ	4	635	1040	500	1242	-48.9%

TOP5

.357 Magnum 9"	3	+53.3%	338
45-70 Govt FMJ	4	+53.0%	1408
12 Gauge	3	+40.9%	568
5.7x28mm R37.F	3	+35.8%	607
.45 ACP RIP	3	+30.4%	965

TOP5

.357 Magnum FMJ	4	-48.9%	635
.50 AE FMJ	4	-31.6%	875
12.7x55mm PS12A	3	-22.4%	484

.50 AE JHP	3	-17.5%	424
45-70 Govt RN	3	-14.0%	554

TOP5

45-70 Govt FMJ	4	+53.0%	213%
12 Gauge AP-20	4	+22.2%	167%
.357 Magnum FMJ	4	-48.9%	108%
12 Gauge	3	+40.9%	91%
.357 Magnum 9"	3	+53.3%	85%

vs 0

= ×0.87 –

|--|--|--|--|--|--|--|

3 vs ×0.87

→ = =

|--|--|--|--|--|

1. S11 9 4 — — / /
2. → 3 — — 3
3. ⚠ — — S10 4 1600→1715 5000→12004/5 3 8/30
4. .45 ACP 7.62×51 — — .45 ACP MDR 7.62×51M14 .45 ACP FMJ7.62×51 BPZ /
5. ⚠ — — S11 / /
- 3 — —

- $\text{moligod} = 0.87 \times 0.13 \times \frac{3}{4} \times \frac{5}{5} = 0.16725$