

moligod · 2026-09-28

2026-09-28 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13%| SPIKE | moligod.com



3 -3.1%

4 -6.8%

5 -0.1%

64 24 / 24 / 16

64

					()	
12 Gauge 8.5	3	378	378	238	306	+23.7%
12 Gauge FTX	3	519	519	359	439	+18.2%
	4	1994	1994	1364	1714	+16.3%
5.45x39mm BT	4	1816	1816	1366	1616	+12.4%
5.56x45mm M855A1	4	1821	1821	1521	1656	+10.0%
9x19mm PBP	4	1666	1666	1396	1516	+9.9%
9x19mm RIP	3	678	708	568	618	+9.7%
5.7x28mm R37.F	3	517	547	377	472	+9.5%
5.7x28mm SS190	5	4897	5287	3532	4474	+9.4%
.45 ACP RIP	3	815	920	560	770	+5.8%
12.7x55mm PS12B	5	5143	5143	3883	4873	+5.5%
	3	709	829	529	679	+4.4%
.300BLK	4	1792	1792	1652	1740	+3.0%
5.56x45mm M995	5	4927	5057	4537	4797	+2.7%
4.6 x 30mm FMJ ST	4	997	997	872	972	+2.6%
	5	5794	7099	4344	5649	+2.6%
5.7x28mm SS193	4	1863	2013	1563	1818	+2.5%
5.45x39mm BS	5	4749	4859	4309	4639	+2.4%
7.62x54R BT	5	5974	6094	5494	5854	+2.0%
.45 ACP Super	5	5132	5262	4742	5034	+1.9%

5.45x39mm PS	3	474	489	384	466	+1.6%
7.62x39mm AP	5	5046	5271	4671	4971	+1.5%
9x39mm BP	5	4614	4874	4159	4549	+1.4%
4.6x30mm AP SX	5	4217	4437	3832	4162	+1.3%
6.8x51mm Hybrid	5	4979	5074	4694	4932	+1.0%
.357 Magnum 9000"00"	3	263	268	188	260	+1.0%
12.7x55mm PD12000	4	2867	2867	2567	2867	0.0%
4.6x30mm Subsonic SX	3	147	147	132	147	0.0%
7.62x51mm M62	5	5867	5967	5567	5867	0.0%
0.300BLK	5	5118	5343	4893	5118	0.0%
4.6 x 30mm AP ST	5	4206	4481	3986	4261	-1.3%
12 Gauge 000	4	1800	1800	1400	1840	-2.2%
5.7x28mm L191	3	465	495	375	480	-3.1%
5.56x45mm M855	3	451	451	391	466	-3.2%
7.62x39mm BP	4	1541	1541	1436	1594	-3.3%
.45 ACP AP	4	1820	1925	1715	1908	-4.6%
4.6 x 30mm CT	4	2013	2173	1853	2113	-4.7%
7.62x51mm M80	4	1178	1218	1098	1238	-4.8%
5.8x42mm DVC12	5	4935	5495	4725	5215	-5.4%
12 Gauge 000	3	388	508	283	410	-5.5%
.45 ACP FMJ	3	491	506	446	521	-5.8%
4.6x30mm FMJ SX	4	1070	1070	970	1145	-6.6%
7.62x51mm BPZ	3	508	528	428	548	-7.3%
.50 AE JHP	3	364	444	304	394	-7.6%
7.62x54R T46M	3	462	482	382	502	-8.0%
0.300BLK	3	467	497	422	512	-8.8%
7.62x54R LPS	4	1810	1890	1690	1990	-9.0%
12 Gauge DART	4	400	480	360	440	-9.1%
5.8x42mm DVP88	3	448	493	418	493	-9.1%

5.8x42mm DBP10	4	1883	1988	1778	2076	-9.3%
45-70 Govt RN	3	554	794	464	614	-9.8%
12 Gauge AP-20	4	471	551	391	531	-11.3%
9x39mm SP6	4	1881	2001	1721	2121	-11.3%
12.7x55mm PS12A	3	484	904	414	554	-12.6%
9x19mm AP6.3	3	396	396	381	456	-13.2%
7.62x39mm PS	3	401	461	386	476	-15.8%
6.8x51mm FMJ	4	1799	1979	1799	2136	-15.8%
.357 Magnum JHP	3	419	499	359	499	-16.0%
12.7x55mm PS12	4	1772	2877	1432	2282	-22.3%
9x39mm SP5	3	224	264	204	294	-23.8%
45-70 Govt FMJ	4	1018	1213	888	1376	-26.0%
45-70 Govt FTX	5	3415	3975	2435	4675	-27.0%
.50 AE FMJ	4	740	920	695	1078	-31.3%
.357 Magnum FMJ	4	635	680	545	1242	-48.9%

TOP5

12 Gauge 8.5	3	+23.7%	378
12 Gauge FTX	3	+18.2%	519
	4	+16.3%	1994
5.45x39mm BT	4	+12.4%	1816
5.56x45mm M855A1	4	+10.0%	1821

TOP5

.357 Magnum FMJ	4	-48.9%	635
.50 AE FMJ	4	-31.3%	740
45-70 Govt FTX	5	-27.0%	3415

45-70 Govt FMJ	4	-26.0%	1018
9x39mm SP5	3	-23.8%	224

TOP5

12.7x55mm PS12A	3	-12.6%	118%
12.7x55mm PS12	4	-22.3%	101%
12 Gauge	3	-5.5%	80%
45-70 Govt RN	3	-9.8%	71%
.45 ACP RIP	3	+5.8%	64%

vs 0

= ×0.87 –

|--|--|--|--|--|--|--|

3 vs ×0.87

→ = =

|--|--|--|--|--|

1. S11 9 4 — / /
2. → 3 — 3
3. ⚠ — S10 4 1600→1715 5000→12004/5 3 8/30
4. .45 ACP 7.62×51 — .45 ACP MDR 7.62×51M14 .45 ACP FMJ7.62×51 BPZ /
5. ⚠ — S11 /
- 3 —

- 7.62×51 BPZ / .45 ACP FMJ — M14
- 4/5 —

= $\times 0.8713\%$ 3/4/5 moligod