

moligod · 2026-09-17

2026-09-17 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13%| SPIKE | moligod.com



3 +8.5%

4 +6.5%

5 +1.9%

64 24 / 24 / 16

64

					()	
5.45x39mm PS	3	399	459	279	302	+32.3%
	3	799	799	559	634	+26.0%
	5	7244	8114	4924	5939	+22.0%
12 Gauge 8.5	3	368	373	238	303	+21.5%
.357 Magnum 9" "	3	248	253	143	206	+20.7%
5.7x28mm R37.F	3	527	527	387	442	+19.2%
.45 ACP RIP	3	875	920	560	740	+18.2%
12 Gauge FTX	3	519	519	359	439	+18.2%
45-70 Govt FMJ	4	1083	1213	888	920	+17.7%
7.62x54R BT	5	5614	5614	3814	4774	+17.6%
5.56x45mm M855	3	481	496	406	414	+16.3%
5.7x28mm SS193	4	2193	2193	1593	1893	+15.8%
.45 ACP Super	5	5457	5522	4807	4774	+14.3%
	4	1994	1994	1364	1749	+14.0%
7.62x54R T46M	3	502	502	382	442	+13.6%
9x19mm RIP	3	708	708	488	628	+12.7%
5.7x28mm L191	3	465	480	345	412	+12.7%
12.7x55mm PS12B	5	5143	5503	3523	4603	+11.7%
.45 ACP AP	4	2345	2345	1820	2100	+11.7%
.45 ACP FMJ	3	521	521	431	468	+11.2%

5.8x42mm DBP10	4	2303	2303	1813	2076	+11.0%
5.45x39mm BS	5	4859	4969	4364	4392	+10.6%
5.8x42mm DVP88	3	478	523	403	433	+10.4%
7.62x51mm M80	4	1498	1538	1338	1358	+10.3%
7.62x39mm BP	4	1926	1926	1611	1751	+10.0%
7.62x54R LPS	4	2250	2250	1890	2050	+9.8%
5.56x45mm M855A1	4	1911	1911	1551	1746	+9.5%
0.300BLK	4	2247	2247	1792	2054	+9.4%
12 Gauge 00 AP-20	4	471	511	391	431	+9.3%
9x19mm PBP	4	1786	1786	1396	1636	+9.2%
7.62x39mm PS	3	461	491	386	424	+8.9%
5.45x39mm BT	4	1741	1791	1316	1604	+8.6%
7.62x51mm BPZ	3	508	528	408	468	+8.5%
12 Gauge 000	4	1560	1560	1320	1440	+8.3%
0.300BLK	3	512	527	422	474	+7.9%
4.6x30mm AP SX	5	4052	4272	3777	3804	+6.5%
12.7x55mm PS12	4	2112	2367	1602	1984	+6.4%
4.6 x 30mm CT	4	2333	2373	2013	2213	+5.4%
9x19mm AP6.3	3	381	381	366	366	+4.1%
12 Gauge 000	3	388	388	283	373	+4.0%
12.7x55mm PD12000	4	2767	2767	2567	2667	+3.7%
5.56x45mm M995	5	4992	4992	4537	4830	+3.4%
6.8x51mm FMJ	4	2114	2114	1979	2046	+3.3%
4.6x30mm FMJ SX	4	970	995	895	945	+2.6%
5.8x42mm DVC12	5	5565	5915	4935	5425	+2.6%
9x39mm SP6	4	1921	1921	1761	1881	+2.1%
0.300BLK	5	5493	5718	5193	5380	+2.1%
7.62x51mm M62	5	5967	6067	5567	5867	+1.7%
4.6x30mm Subsonic SX	3	162	192	147	162	0.0%

9x39mm SP5	3	264	264	224	264	0.0%
4.6 x 30mm AP ST	5	4041	4316	3766	4068	-0.7%
6.8x51mm Hybrid	5	4979	5359	4694	5026	-0.9%
7.62x39mm AP	5	5421	5946	4971	5496	-1.4%
9x39mm BP	5	4484	4939	4159	4582	-2.1%
.50 AE FMJ	4	785	1820	650	808	-2.8%
4.6 x 30mm FMJ ST	4	747	772	722	772	-3.2%
.50 AE JHP	3	524	724	364	544	-3.7%
12.7x55mm PS12A	3	449	519	414	466	-3.8%
.357 Magnum FMJ	4	545	635	455	568	-4.0%
12 Gauge DART	4	440	600	400	500	-12.0%
5.7x28mm SS190	5	4962	5027	3402	6554	-24.3%
.357 Magnum JHP	3	359	579	299	479	-25.1%
45-70 Govt RN	3	434	794	344	614	-29.3%
45-70 Govt FTX	5	3275	3415	2855	4885	-33.0%

TOP5

5.45x39mm PS	3	+32.3%	399
	3	+26.0%	799
	5	+22.0%	7244
12 Gauge 8.5	3	+21.5%	368
.357 Magnum 9"	3	+20.7%	248

TOP5

45-70 Govt FTX	5	-33.0%	3275
45-70 Govt RN	3	-29.3%	434
.357 Magnum JHP	3	-25.1%	359

5.7x28mm SS190	5	-24.3%	4962
12 Gauge DART	4	-12.0%	440

TOP5

.50 AE FMJ	4	-2.8%	180%
45-70 Govt RN	3	-29.3%	131%
.50 AE JHP	3	-3.7%	99%
.357 Magnum JHP	3	-25.1%	94%
.357 Magnum 9"	3	+20.7%	77%

vs 59

= ×0.87 –

	3	799	349 / 442 / 769	559 / 760 / 799	661	220 (49.7%)
45-70 Govt RN	3	434	314 / 409 / 944	374 / 649 / 764	565	155 (38.0%)
5.7x28mm L191	3	465	270 / 350 / 525	375 / 549 / 630	477	127 (36.3%)
12.7x55mm PS12A	3	449	414 / 535 / 799	519 / 790 / 939	687	152 (28.4%)
9x39mm SP5	3	264	284 / 367 / 524	424 / 529 / 624	460	93 (25.5%)
5.8x42mm DVP88	3	478	283 / 380 / 523	373 / 530 / 583	461	81 (21.3%)
7.62x54R T46M	3	502	262 / 467 / 622	502 / 611 / 682	531	64 (13.7%)
.45 ACP FMJ	3	521	386 / 476 / 626	439 / 607 / 701	528	53 (11.0%)
7.62x51mm BPZ	3	508	388 / 478 / 588	488 / 606 / 668	527	50 (10.4%)
7.62x39mm PS	3	461	356 / 503 / 641	491 / 613 / 716	533	30 (5.9%)
9x19mm AP6.3	3	381	291 / 383 / 486	306 / 458 / 531	398	16 (4.1%)
5.56x45mm M855	3	481	301 / 455 / 571	406 / 543 / 586	472	17 (3.7%)
5.45x39mm PS	3	399	354 / 473 / 740	459 / 547 / 594	476	2 (0.5%)
.357 Magnum FMJ	4	545	455 / 541 / 1325	455 / 619 / 2030	538	-3 (-0.5%)

0.300BLK	3	512	407 / 523 / 617	512 / 590 / 632	513	-10 (-1.9%)
12 Gauge 000	3	388	328 / 476 / 598	403 / 532 / 598	463	-13 (-2.8%)
12 Gauge00 AP-20	4	471	391 / 652 / 871	551 / 719 / 951	626	-26 (-4.0%)
4.6x30mm Subsonic SX	3	162	282 / 423 / 522	327 / 465 / 522	405	-18 (-4.3%)
7.62x54R LPS	4	2250	1690 / 1878 / 2090	1770 / 2038 / 2290	1773	-105 (-5.6%)
.357 Magnum 9000"00"	3	248	158 / 253 / 293	173 / 268 / 288	233	-20 (-7.7%)
12.7x55mm PS12	4	2112	1602 / 2575 / 3047	2282 / 2718 / 3047	2365	-211 (-8.2%)
12 Gauge 000	4	1560	1560 / 1903 / 2160	1760 / 2006 / 2200	1745	-157 (-8.3%)
9x39mm SP6	4	1921	1521 / 1745 / 1921	1601 / 1834 / 2001	1595	-149 (-8.6%)
5.7x28mm R37.F	3	527	407 / 597 / 647	397 / 625 / 647	544	-53 (-8.9%)
6.8x51mm FMJ	4	2114	1529 / 1921 / 2204	1349 / 2002 / 2249	1742	-179 (-9.3%)
5.8x42mm DBP10	4	2303	1463 / 1913 / 2163	1638 / 1991 / 2233	1732	-181 (-9.4%)
5.7x28mm SS193	4	2193	1443 / 1753 / 1923	1443 / 1820 / 1923	1583	-169 (-9.7%)
12.7x55mm PD12000	4	2767	3167 / 3567 / 4963	3167 / 3693 / 4067	3213	-354 (-9.9%)
.45 ACP RIP	3	875	470 / 736 / 830	530 / 759 / 875	661	-75 (-10.2%)
7.62x39mm BP	4	1926	1471 / 1780 / 2066	1506 / 1823 / 2066	1586	-194 (-10.9%)
7.62x51mm M80	4	1498	1418 / 1544 / 1658	1378 / 1582 / 1738	1376	-168 (-10.9%)
9x19mm RIP	3	708	458 / 716 / 798	438 / 730 / 788	635	-80 (-11.2%)
.45 ACP AP	4	2345	1575 / 1960 / 2135	1645 / 1998 / 2205	1738	-222 (-11.3%)
0.300BLK	4	2247	1512 / 1911 / 2107	1652 / 1944 / 2177	1691	-220 (-11.5%)
9x19mm PBP	4	1786	1366 / 1629 / 1816	1366 / 1651 / 1816	1437	-192 (-11.8%)
5.56x45mm M855A1	4	1911	1431 / 1784 / 1971	1461 / 1804 / 1971	1569	-215 (-12.0%)
12 Gauge00 FTX	3	519	359 / 515 / 711	379 / 518 / 911	451	-65 (-12.5%)
5.45x39mm BT	4	1741	1291 / 1794 / 1991	1341 / 1805 / 1941	1570	-224 (-12.5%)
45-70 Govt FMJ	4	1083	1018 / 1556 / 1993	1213 / 1561 / 1863	1358	-198 (-12.7%)
00000000	4	1994	1680 / 1987 / 1994	1784 / 1989 / 1994	1731	-256 (-12.9%)
12 Gauge 8.50000	3	368	213 / 365 / 393	213 / 365 / 388	318	-48 (-13.1%)
4.6x30mm FMJ SX	4	970	1195 / 1390 / 1545	1095 / 1375 / 1520	1197	-193 (-13.9%)

12.7x55mm PS12B	5	5143	3523 / 5078 / 6043	3343 / 5022 / 25303	4369	-709 (-14.0%)
.50 AE JHP	3	524	324 / 667 / 1890	404 / 656 / 804	571	-96 (-14.4%)
9x39mm BP	5	4484	3964 / 4545 / 4874	4094 / 4472 / 4809	3891	-655 (-14.4%)
7.62x51mm M62	5	5967	6067 / 6392 / 6567	5567 / 6225 / 6467	5416	-976 (-15.3%)
	5	7244	4489 / 6948 / 21744	4344 / 6712 / 10144	5839	-1108 (-16.0%)
5.7x28mm SS190	5	4962	3207 / 4935 / 6717	3077 / 4746 / 7302	4129	-805 (-16.3%)
45-70 Govt FTX	5	3275	3415 / 4170 / 6915	2855 / 4003 / 4255	3483	-687 (-16.5%)
.50 AE FMJ	4	785	920 / 1312 / 2120	965 / 1248 / 1910	1086	-226 (-17.2%)
6.8x51mm Hybrid	5	4979	4979 / 5646 / 6024	4789 / 5376 / 5834	4677	-969 (-17.2%)
7.62x54R BT	5	5614	4654 / 6430 / 6814	4054 / 6041 / 6454	5256	-1174 (-18.3%)
.300BLK	5	5493	3543 / 5347 / 5793	3318 / 5007 / 6468	4356	-992 (-18.5%)
5.56x45mm M995	5	4992	3367 / 5075 / 5512	4212 / 4738 / 5057	4122	-953 (-18.8%)
5.8x42mm DVC12	5	5565	4865 / 5521 / 5985	4375 / 5153 / 5565	4483	-1038 (-18.8%)
4.6x30mm AP SX	5	4052	3777 / 4304 / 4602	3557 / 3960 / 4712	3446	-859 (-20.0%)
5.45x39mm BS	5	4859	4199 / 4836 / 5409	3154 / 4402 / 4639	3830	-1006 (-20.8%)
7.62x39mm AP	5	5421	4821 / 5514 / 6021	4446 / 4984 / 5946	4336	-1178 (-21.4%)
.357 Magnum JHP	3	359	279 / 505 / 1139	299 / 432 / 519	376	-129 (-25.6%)

3 vs ×0.87

→ = =

				/
4.6x30mm Subsonic SX	162	465	405	243 (149.8%)
9x39mm SP5	264	529	460	196 (74.2%)
12.7x55mm PS12A	449	790	687	238 (53.0%)
45-70 Govt RN	434	649	565	131 (30.2%)
12 Gauge	388	532	463	75 (19.2%)

5.45x39mm PS	399	547	476	77 (19.2%)
7.62x39mm PS	461	613	533	72 (15.6%)
.50 AE JHP	524	656	571	47 (8.9%)
7.62x54R T46M	502	611	531	29 (5.9%)
.357 Magnum JHP	359	432	376	17 (4.8%)
9x19mm AP6.3	381	458	398	17 (4.5%)
7.62x51mm BPZ	508	606	527	19 (3.8%)
5.7x28mm R37.F	527	625	544	17 (3.2%)
5.7x28mm L191	465	549	477	12 (2.7%)
.45 ACP FMJ	521	607	528	7 (1.4%)
.300BLK	512	590	513	1 (0.3%)
5.56x45mm M855	481	543	472	-9 (-1.8%)
5.8x42mm DVP88	478	530	461	-17 (-3.6%)
.357 Magnum 9"	248	268	233	-15 (-6.0%)
9x19mm RIP	708	730	635	-73 (-10.3%)
12 Gauge FTX	519	518	451	-68 (-13.1%)
12 Gauge 8.5"	368	365	318	-50 (-13.7%)
	799	760	661	-138 (-17.2%)
.45 ACP RIP	875	759	661	-214 (-24.5%)

1. S11 9 4 — / /

2. → 3 — 3

1/2-1/38/25-9/2

3. ⚠ — S10 4 1600→1715 5000→12004/5 3 8/30

4. .45 ACP 7.62×51 — .45 ACP MDR 7.62×51M14 .45 ACP FMJ7.62×51 BPZ /

5. ⚠ — S11 /

🌐

- $\text{moligod} = \frac{\text{moligod}}{\text{moligod}} \times 0.87 \pm 13\%$