

moligod · 2026-10-04

2026-10-04 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13% SPIKE | moligod.com



3 +0.4%

4 +0.8%

5 +4.2%

64 24 / 24 / 16

64

					()	
12 Gauge 8.5	3	358	368	228	303	+18.2%
5.45x39mm BS	5	4749	4749	4749	4144	+14.6%
.50 AE JHP	3	564	644	404	494	+14.2%
5.7x28mm R37.F	3	567	607	417	497	+14.1%
5.8x42mm DBP10	4	1953	2023	1848	1726	+13.2%
	5	7244	7244	6809	6446	+12.4%
12.7x55mm PS12A	3	589	659	449	536	+9.8%
12 Gauge DART	4	480	480	400	440	+9.1%
.45 ACP RIP	3	815	890	680	762	+6.9%
6.8x51mm Hybrid	5	5264	5264	5074	4932	+6.7%
4.6 x 30mm AP ST	5	4536	4536	4426	4261	+6.5%
12.7x55mm PS12B	5	4963	5143	4963	4693	+5.8%
.357 Magnum JHP	3	739	779	519	699	+5.7%
	4	1994	1994	1924	1889	+5.6%
7.62x39mm AP	5	5046	5046	4971	4821	+4.7%
12.7x55mm PD12	4	3367	3367	3267	3217	+4.7%
12 Gauge	3	508	508	478	486	+4.6%
4.6x30mm AP SX	5	4382	4382	4272	4190	+4.6%
12 Gauge FTX	3	699	879	459	669	+4.5%
7.62x51mm M62	5	5967	5967	5967	5717	+4.4%

4.6 x 30mm FMJ ST	4	972	997	972	934	+4.0%
.357 Magnum FMJ	4	590	590	500	568	+4.0%
9x19mm RIP	3	658	768	558	633	+3.9%
0.300BLK	5	5118	5118	5043	4930	+3.8%
9x39mm BP	5	4679	4679	4614	4516	+3.6%
5.56x45mm M995	5	4927	4927	4862	4764	+3.4%
7.62x54R BT	5	6094	6094	5974	5914	+3.0%
.50 AE FMJ	4	830	830	695	808	+2.8%
45-70 Govt FTX	5	3275	3415	3135	3205	+2.2%
4.6 x 30mm CT	4	1973	2013	1853	1933	+2.1%
5.8x42mm DVC12	5	5285	5285	5215	5180	+2.0%
.45 ACP Super	5	5002	5002	4937	4904	+2.0%
7.62x51mm M80	4	1258	1258	1258	1238	+1.6%
5.7x28mm SS193	4	1893	2013	1593	1863	+1.6%
.357 Magnum 90000"00"	3	263	303	203	263	0.0%
4.6x30mm FMJ SX	4	1145	1145	1070	1145	0.0%
4.6x30mm Subsonic SX	3	147	147	147	147	0.0%
45-70 Govt FMJ	4	1213	1213	1083	1213	0.0%
5.45x39mm BT	4	1566	1741	1316	1566	0.0%
9x19mm AP6.3	3	321	336	321	321	0.0%
0.300BLK	4	1722	1792	1582	1722	0.0%
9x19mm PBP	4	1516	1666	1336	1531	-1.0%
7.62x39mm BP	4	1576	1576	1506	1594	-1.1%
5.56x45mm M855	3	481	526	451	488	-1.5%
5.56x45mm M855A1	4	1551	1671	1461	1581	-1.9%
12.7x55mm PS12	4	1772	1772	1687	1814	-2.3%
.45 ACP AP	4	1890	2030	1785	1942	-2.7%
7.62x54R LPS	4	1930	1970	1770	1990	-3.0%
9x39mm SP6	4	1921	2001	1801	1981	-3.0%

7.62x54R T46M	3	582	582	542	602	-3.3%
6.8x51mm FMJ	4	1934	1934	1844	2002	-3.4%
12 Gauge	4	1920	2080	1840	2000	-4.0%
7.62x39mm PS	3	521	521	491	544	-4.1%
.300BLK	3	527	587	512	557	-5.4%
5.45x39mm PS	3	489	519	474	519	-5.8%
12 Gauge AP-20	4	591	631	551	631	-6.3%
7.62x51mm BPZ	3	588	588	548	628	-6.4%
.45 ACP FMJ	3	536	551	506	574	-6.5%
9x39mm SP5	3	284	284	264	304	-6.6%
	3	799	799	739	859	-7.0%
5.7x28mm L191	3	495	510	465	532	-7.0%
5.8x42mm DVP88	3	508	523	478	553	-8.1%
45-70 Govt RN	3	674	854	554	749	-10.0%
5.7x28mm SS190	5	4897	4897	4702	5612	-12.7%

TOP5

12 Gauge 8.5	3	+18.2%	358
5.45x39mm BS	5	+14.6%	4749
.50 AE JHP	3	+14.2%	564
5.7x28mm R37.F	3	+14.1%	567
5.8x42mm DBP10	4	+13.2%	1953

TOP5

5.7x28mm SS190	5	-12.7%	4897
45-70 Govt RN	3	-10.0%	674
5.8x42mm DVP88	3	-8.1%	508

5.7x28mm L191	3	-7.0%	495
	3	-7.0%	799

TOP5

12 Gauge FTX	3	+4.5%	92%
12 Gauge 8.5	3	+18.2%	61%
.50 AE JHP	3	+14.2%	59%
45-70 Govt RN	3	-10.0%	54%
.357 Magnum JHP	3	+5.7%	50%

vs 0

= ×0.87 –

|--|--|--|--|--|--|--|

3 vs ×0.87

→ = =

|--|--|--|--|--|

1. S11 9 4 — / /

2. → 3 — 3

3. ⚠ — S10 4 1600→1715 5000→12004/5 3 8/30

4. .45 ACP 7.62×51 — .45 ACP MDR 7.62×51M14 .45 ACP FMJ7.62×51 BPZ /

5. ⚠ — S11 /

• 3 —

- 7.62×51 BPZ / .45 ACP FMJ 子弹 —— 使用 M14 步枪
- 4/5 子弹 —— 子弹击中目标

子弹击中目标

子弹击中目标 = 子弹 × 0.87 ± 13% 子弹击中目标 3/4/5 子弹击中目标/moligod 报告
子弹击中目标