

moligod · 2026-09-04

2026-09-04 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13% SPIKE | moligod.com



3 +12.0%

4 +22.4%

5 -3.8%

64 24 / 24 / 16

59

					()	
9x19mm PBP	4	2536	2566	1426	1561	+62.5%
.45 ACP RIP	3	965	965	515	598	+61.5%
5.7x28mm SS193	4	2523	2553	1473	1638	+54.0%
45-70 Govt RN	3	644	644	314	419	+53.7%
9x39mm SP6	4	2521	2521	1601	1641	+53.6%
5.45x39mm BT	4	2441	2441	1441	1591	+53.4%
5.56x45mm M855	3	541	556	391	368	+46.8%
5.56x45mm M855A1	4	2541	2571	1461	1731	+46.8%
9x19mm AP6.3	3	501	501	366	344	+45.9%
5.8x42mm DBP10	4	2548	2548	1778	1830	+39.2%
.300BLK	4	2562	2562	1722	1862	+37.6%
.45 ACP AP	4	2555	2590	1750	1890	+35.2%
6.8x51mm FMJ	4	2339	2339	1593	1732	+35.1%
4.6x30mm FMJ SX	4	1670	1695	1270	1270	+31.5%
5.8x42mm DVP88	3	508	508	388	388	+30.9%
.300BLK	3	602	602	437	467	+28.9%
7.62x39mm BP	4	2206	2206	1611	1734	+27.3%
7.62x54R T46M	3	522	522	382	412	+26.7%
.45 ACP FMJ	3	596	596	476	476	+25.2%
7.62x39mm PS	3	566	566	431	454	+24.8%

12 Gauge 8.5	3	383	388	238	310	+23.3%
.357 Magnum 9" "	3	228	228	148	188	+21.3%
.300BLK	5	5793	5943	5418	4780	+21.2%
5.7x28mm L191	3	465	495	390	390	+19.2%
12.7x55mm PS12	4	2452	2452	1942	2070	+18.5%
5.7x28mm SS190	5	5222	5937	4767	4442	+17.6%
7.62x54R LPS	4	2130	2130	1690	1830	+16.4%
12 Gauge FTX	3	519	559	339	449	+15.6%
9x19mm RIP	3	728	728	478	633	+15.0%
9x39mm SP5	3	404	464	324	354	+14.1%
12 Gauge AP-20	4	511	511	391	451	+13.3%
7.62x51mm BPZ	3	508	528	428	468	+8.5%
12 Gauge	3	388	388	238	358	+8.4%
	4	1994	1994	1364	1854	+7.6%
12.7x55mm PS12B	5	4783	5323	3703	4513	+6.0%
	3	589	649	379	559	+5.4%
12 Gauge	4	1720	1720	1400	1649	+4.3%
5.7x28mm R37.F	3	527	587	387	507	+3.9%
5.45x39mm BS	5	4914	5024	4529	4776	+2.9%
5.56x45mm M995	5	5057	5902	4927	5090	-0.6%
4.6x30mm AP SX	5	4217	5097	3997	4272	-1.3%
5.8x42mm DVC12	5	5215	5495	4935	5285	-1.3%
12.7x55mm PS12A	3	519	589	449	536	-3.3%
7.62x39mm AP	5	4971	5421	4671	5346	-7.0%
9x39mm BP	5	4224	4614	4094	4549	-7.1%
12.7x55mm PD12	4	3067	3367	2967	3317	-7.5%
.357 Magnum FMJ	4	500	590	455	545	-8.3%
7.62x51mm M80	4	1458	1738	1298	1618	-9.9%
6.8x51mm Hybrid	5	4884	6367	4694	5502	-11.2%

4.6x30mm Subsonic SX	3	297	387	252	342	-13.2%
7.62x54R BT	5	5254	6214	5134	6214	-15.4%
	5	5069	6664	4779	6012	-15.7%
45-70 Govt FMJ	4	1213	1798	1018	1440	-15.8%
7.62x51mm M62	5	5267	6367	5167	6267	-16.0%
.50 AE FMJ	4	965	1550	830	1280	-24.6%
45-70 Govt FTX	5	3275	4955	3135	4395	-25.5%
.50 AE JHP	3	304	524	284	484	-37.2%
.357 Magnum JHP	3	419	759	339	769	-45.5%
5.45x39mm PS	3	534	549	369	6355	-91.6%

TOP5

9x19mm PBP	4	+62.5%	2536
.45 ACP RIP	3	+61.5%	965
5.7x28mm SS193	4	+54.0%	2523
45-70 Govt RN	3	+53.7%	644
9x39mm SP6	4	+53.6%	2521

TOP5

5.45x39mm PS	3	-91.6%	534
.357 Magnum JHP	3	-45.5%	419
.50 AE JHP	3	-37.2%	304
45-70 Govt FTX	5	-25.5%	3275
.50 AE FMJ	4	-24.6%	965

TOP5

--	--	--	--

.357 Magnum JHP	3	-45.5%	124%
45-70 Govt RN	3	+53.7%	105%
.45 ACP RIP	3	+61.5%	87%
.50 AE FMJ	4	-24.6%	87%
.50 AE JHP	3	-37.2%	85%

000 vs 000 000000 59 000000000000

00 = 00000×0.87 – 000000000000000000000000

00	0 0	000	000 0/0/0	000 0/0/0	00000 0	0000
000000	3	589	349 / 442 / 769	559 / 768 / 799	668	226 (51.2%)
45-70 Govt RN	3	644	314 / 409 / 944	374 / 665 / 824	579	169 (41.3%)
5.7x28mm L191	3	465	270 / 350 / 525	375 / 545 / 630	474	124 (35.4%)
12.7x55mm PS12A	3	519	414 / 535 / 799	519 / 801 / 939	696	162 (30.2%)
9x39mm SP5	3	404	284 / 367 / 524	424 / 537 / 664	467	100 (27.4%)
5.8x42mm DVP88	3	508	283 / 380 / 523	373 / 534 / 598	464	84 (22.1%)
7.62x54R T46M	3	522	262 / 467 / 622	402 / 607 / 682	528	61 (13.0%)
.45 ACP FMJ	3	596	386 / 476 / 626	439 / 608 / 701	529	53 (11.2%)
7.62x51mm BPZ	3	508	388 / 478 / 588	468 / 606 / 688	527	50 (10.4%)
7.62x39mm PS	3	566	356 / 503 / 641	461 / 605 / 716	527	23 (4.7%)
9x19mm AP6.3	3	501	291 / 383 / 486	306 / 460 / 531	400	17 (4.6%)
5.56x45mm M855	3	541	301 / 455 / 571	406 / 542 / 586	472	16 (3.6%)
5.45x39mm PS	3	534	354 / 473 / 740	429 / 547 / 695	476	3 (0.6%)
0.300BLK	3	602	407 / 523 / 617	512 / 589 / 647	513	-11 (-2.0%)
4.6x30mm Subsonic SX	3	297	282 / 423 / 522	327 / 470 / 537	409	-14 (-3.2%)
12 Gauge 000	3	388	328 / 476 / 598	358 / 524 / 598	456	-19 (-4.1%)
.357 Magnum 9000"0 0"	3	228	158 / 253 / 293	173 / 268 / 293	234	-19 (-7.5%)
.357 Magnum FMJ	4	500	455 / 541 / 1325	455 / 573 / 2030	499	-42 (-7.8%)

9x39mm SP6	4	2521	1521 / 1745 / 1921	1561 / 1832 / 2041	1593	-151 (-8.7%)
7.62x54R LPS	4	2130	1690 / 1878 / 2090	1690 / 1969 / 2290	1713	-165 (-8.8%)
5.7x28mm R37.F	3	527	407 / 597 / 647	397 / 625 / 667	544	-53 (-9.0%)
6.8x51mm FMJ	4	2339	1529 / 1921 / 2204	1349 / 1983 / 2249	1725	-196 (-10.2%)
12.7x55mm PS12	4	2452	1602 / 2575 / 3047	1942 / 2651 / 3523	2307	-269 (-10.4%)
5.7x28mm SS193	4	2523	1443 / 1753 / 1923	1443 / 1804 / 1923	1570	-183 (-10.4%)
5.8x42mm DBP10	4	2548	1463 / 1913 / 2163	1393 / 1964 / 2233	1708	-204 (-10.7%)
12 Gauge	4	1720	1560 / 1903 / 2160	1680 / 1951 / 2200	1697	-205 (-10.8%)
.45 ACP RIP	3	965	470 / 736 / 830	500 / 752 / 875	654	-82 (-11.1%)
9x19mm RIP	3	728	458 / 716 / 798	438 / 729 / 788	634	-81 (-11.4%)
7.62x39mm BP	4	2206	1471 / 1780 / 2066	1226 / 1804 / 2066	1570	-211 (-11.8%)
12.7x55mm PD12	4	3067	3167 / 3567 / 4963	3067 / 3594 / 4067	3127	-439 (-12.3%)
5.45x39mm BT	4	2441	1291 / 1794 / 1991	1291 / 1806 / 1941	1571	-223 (-12.4%)
12 Gauge FTX	3	519	359 / 515 / 711	379 / 518 / 911	451	-65 (-12.5%)
5.56x45mm M855A1	4	2541	1431 / 1784 / 1971	1401 / 1788 / 1971	1555	-228 (-12.8%)
9x39mm BP	5	4224	3964 / 4545 / 4874	4094 / 4555 / 5134	3963	-582 (-12.8%)
	4	1994	1680 / 1987 / 1994	1784 / 1988 / 1994	1730	-257 (-12.9%)
.45 ACP AP	4	2555	1575 / 1960 / 2135	1610 / 1959 / 2205	1704	-256 (-13.1%)
12 Gauge 8.5	3	383	213 / 365 / 393	213 / 364 / 393	317	-48 (-13.3%)
4.6x30mm FMJ SX	4	1670	1195 / 1390 / 1545	1095 / 1386 / 1545	1206	-184 (-13.3%)
.300BLK	4	2562	1512 / 1911 / 2107	1617 / 1897 / 2177	1651	-260 (-13.6%)
.50 AE JHP	3	304	324 / 667 / 1890	404 / 661 / 844	575	-92 (-13.8%)
9x19mm PBP	4	2536	1366 / 1629 / 1816	1336 / 1609 / 1816	1400	-229 (-14.1%)
12 Gauge AP-20	4	511	391 / 652 / 871	391 / 634 / 951	552	-100 (-15.4%)
12.7x55mm PS12B	5	4783	3523 / 5078 / 6043	3343 / 4906 / 25303	4268	-809 (-15.9%)
7.62x51mm M62	5	5267	6067 / 6392 / 6567	5567 / 6059 / 6467	5271	-1120 (-17.5%)
5.7x28mm SS190	5	5222	3207 / 4935 / 6717	3077 / 4644 / 7302	4040	-894 (-18.1%)

6.8x51mm Hybrid	5	4884	4979 / 5646 / 6024	4694 / 5245 / 5834	4563	-1083 (-19.2%)
.50 AE FMJ	4	965	920 / 1312 / 2120	920 / 1216 / 1910	1058	-254 (-19.4%)
	5	5069	4489 / 6948 / 21744	4199 / 6414 / 10144	5581	-1367 (-19.7%)
5.56x45mm M995	5	5057	3367 / 5075 / 5512	3952 / 4671 / 5057	4064	-1011 (-19.9%)
5.45x39mm BS	5	4914	4199 / 4836 / 5409	3154 / 4432 / 4749	3856	-980 (-20.3%)
4.6x30mm AP SX	5	4217	3777 / 4304 / 4602	3172 / 3927 / 4712	3417	-888 (-20.6%)
7.62x54R BT	5	5254	4654 / 6430 / 6814	4054 / 5831 / 6454	5073	-1357 (-21.1%)
45-70 Govt FMJ	4	1213	1018 / 1556 / 1993	1083 / 1407 / 1863	1224	-332 (-21.3%)
.300BLK	5	5793	3543 / 5347 / 5793	3318 / 4837 / 6468	4208	-1139 (-21.3%)
45-70 Govt FTX	5	3275	3415 / 4170 / 6915	2855 / 3760 / 4255	3271	-899 (-21.5%)
5.8x42mm DVC12	5	5215	4865 / 5521 / 5985	4235 / 4976 / 5565	4329	-1191 (-21.6%)
7.62x39mm AP	5	4971	4821 / 5514 / 6021	4371 / 4859 / 5946	4228	-1286 (-23.3%)
7.62x51mm M80	4	1458	1418 / 1544 / 1658	938 / 1346 / 1738	1171	-374 (-24.2%)
.357 Magnum JHP	3	419	279 / 505 / 1139	299 / 424 / 519	369	-136 (-27.0%)

3 vs ×0.87

 → = =

				/
.50 AE JHP	304	661	575	271 (89.1%)
4.6x30mm Subsonic SX	297	470	409	112 (37.7%)
12.7x55mm PS12A	519	801	696	177 (34.2%)
12 Gauge	388	524	456	68 (17.6%)
9x39mm SP5	404	537	467	63 (15.6%)
	589	768	668	79 (13.4%)
7.62x51mm BPZ	508	606	527	19 (3.8%)

5.7x28mm R37.F	527	625	544	17 (3.2%)
.357 Magnum 9" " " "	228	268	234	6 (2.4%)
5.7x28mm L191	465	545	474	9 (2.0%)
7.62x54R T46M	522	607	528	6 (1.2%)
7.62x39mm PS	566	605	527	-39 (-6.9%)
5.8x42mm DVP88	508	534	464	-44 (-8.6%)
45-70 Govt RN	644	665	579	-65 (-10.2%)
5.45x39mm PS	534	547	476	-58 (-10.8%)
.45 ACP FMJ	596	608	529	-67 (-11.2%)
.357 Magnum JHP	419	424	369	-50 (-11.9%)
5.56x45mm M855	541	542	472	-69 (-12.8%)
9x19mm RIP	728	729	634	-94 (-12.9%)
12 Gauge FTX	519	518	451	-68 (-13.1%)
.300BLK	602	589	513	-89 (-14.8%)
12 Gauge 8.5" " "	383	364	317	-66 (-17.2%)
9x19mm AP6.3	501	460	400	-101 (-20.2%)
.45 ACP RIP	965	752	654	-311 (-32.2%)

□ □ □ □ □ □ □ □ □ □

1. **S11** **9** **4** — / /
 2. → **3** — 3
1/2-1/38/25-9/2
-
8/30
 3. ⚠ — S10 **4** **1600→171** **5**
5000→1200 **4/5** **3** **8/30**
 4. **.45 ACP** **7.62×51** — .45 ACP **MDR**
7.62×51 **M14** .45 ACP FMJ **7.62×51 BPZ** /
 5. ⚠ — S11 / /
🌐
- 3 —
 - 7.62×51 BPZ / .45 ACP FMJ — **M14**

- $\text{moligod} = \frac{\text{moligod}}{\text{moligod}} \times 0.87 \pm 13\%$