

moligod · 2026-09-16

2026-09-16 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13%| SPIKE | moligod.com



3 +9.1%

4 +3.1%

5 +4.6%

64 24 / 24 / 16

64

					()	
	3	799	799	469	589	+35.7%
.357 Magnum 9" "	3	263	263	143	200	+31.2%
.45 ACP RIP	3	890	905	575	732	+21.5%
12 Gauge 8.5	3	373	373	233	308	+21.1%
7.62x54R T46M	3	502	502	382	422	+19.0%
	4	1994	1994	1504	1679	+18.8%
9x19mm RIP	3	688	688	558	583	+18.0%
9x39mm SP5	3	264	324	204	224	+17.9%
12 Gauge FTX	3	519	519	359	449	+15.6%
5.45x39mm BS	5	4914	5079	3704	4254	+15.5%
.45 ACP FMJ	3	506	521	416	438	+15.4%
5.7x28mm R37.F	3	527	527	357	457	+15.3%
5.56x45mm M855	3	466	466	361	406	+14.8%
.45 ACP AP	4	2380	2380	1820	2082	+14.3%
5.7x28mm SS193	4	2223	2223	1563	1953	+13.8%
7.62x39mm BP	4	1891	1891	1611	1681	+12.5%
9x19mm PBP	4	1816	1816	1456	1621	+12.0%
.300BLK	4	2282	2282	1827	2037	+12.0%
4.6x30mm AP SX	5	4107	4382	3227	3667	+12.0%
12.7x55mm PS12B	5	5143	5683	3523	4603	+11.7%

5.8x42mm DBP10	4	2338	2338	1813	2093	+11.7%
5.45x39mm BT	4	1791	1816	1391	1604	+11.7%
0.300BLK	3	512	527	422	460	+11.4%
7.62x51mm BPZ	3	488	528	408	438	+11.4%
5.7x28mm SS190	5	4962	9707	3402	4474	+10.9%
5.45x39mm PS	3	324	324	279	294	+10.2%
4.6 x 30mm CT	4	2413	2413	2013	2193	+10.0%
5.7x28mm L191	3	435	480	345	398	+9.4%
00000000	5	7099	7099	4779	6519	+8.9%
7.62x54R LPS	4	2210	2210	1890	2030	+8.9%
5.8x42mm DVP88	3	463	493	388	426	+8.8%
12.7x55mm PS12	4	2112	2452	1517	1942	+8.8%
45-70 Govt FMJ	4	1018	1018	823	953	+6.8%
5.56x45mm M855A1	4	1911	1941	1551	1791	+6.7%
7.62x39mm PS	3	416	491	356	394	+5.7%
.45 ACP Super	5	5522	5587	3962	5230	+5.6%
7.62x54R BT	5	5614	5614	3934	5374	+4.5%
7.62x51mm M80	4	1418	1418	1298	1358	+4.4%
9x19mm AP6.3	3	381	381	351	366	+4.1%
.357 Magnum JHP	3	319	699	259	309	+3.2%
12 Gauge 000	4	1520	1560	1320	1480	+2.7%
5.56x45mm M995	5	5057	5057	4602	4927	+2.6%
4.6x30mm FMJ SX	4	995	1020	895	970	+2.6%
45-70 Govt FTX	5	3275	6915	2995	3205	+2.2%
7.62x51mm M62	5	5967	6067	5667	5867	+1.7%
5.8x42mm DVC12	5	5495	5845	5005	5425	+1.3%
9x39mm SP6	4	1961	1961	1801	1941	+1.0%
7.62x39mm AP	5	5421	6021	4971	5384	+0.7%
12.7x55mm PD12000	4	2767	2767	2567	2767	0.0%

4.6 x 30mm AP ST	5	4041	4536	3766	4041	0.0%
6.8x51mm FMJ	4	2114	2114	1979	2114	0.0%
.300BLK	5	5568	5793	4968	5568	0.0%
9x39mm BP	5	4484	5004	4159	4549	-1.4%
6.8x51mm Hybrid	5	4979	5359	4694	5074	-1.9%
12 Gauge	3	388	388	358	410	-5.5%
.357 Magnum FMJ	4	545	680	455	590	-7.6%
.50 AE FMJ	4	785	965	650	852	-7.9%
4.6x30mm Subsonic SX	3	162	192	162	177	-8.5%
4.6 x 30mm FMJ ST	4	772	797	747	847	-8.9%
.50 AE JHP	3	504	704	384	574	-12.2%
45-70 Govt RN	3	494	794	434	614	-19.5%
12 Gauge DART	4	400	600	400	500	-20.0%
12.7x55mm PS12A	3	484	519	414	642	-24.6%
12 Gauge AP-20	4	471	471	391	771	-38.9%

TOP5

	3	+35.7%	799
.357 Magnum 9"	3	+31.2%	263
.45 ACP RIP	3	+21.5%	890
12 Gauge 8.5"	3	+21.1%	373
7.62x54R T46M	3	+19.0%	502

TOP5

12 Gauge AP-20	4	-38.9%	471
12.7x55mm PS12A	3	-24.6%	484
12 Gauge DART	4	-20.0%	400

45-70 Govt RN	3	-19.5%	494
.50 AE JHP	3	-12.2%	504

TOP5

5.7x28mm SS190	5	+10.9%	185%
.357 Magnum JHP	3	+3.2%	170%
45-70 Govt FTX	5	+2.2%	131%
.357 Magnum 9"	3	+31.2%	84%
.50 AE JHP	3	-12.2%	83%

vs 59

= ×0.87 –

	3	799	349 / 442 / 769	559 / 758 / 799	660	218 (49.3%)
45-70 Govt RN	3	494	314 / 409 / 944	374 / 652 / 794	567	158 (38.5%)
5.7x28mm L191	3	435	270 / 350 / 525	375 / 546 / 630	475	125 (35.7%)
12.7x55mm PS12A	3	484	414 / 535 / 799	519 / 783 / 939	681	146 (27.4%)
9x39mm SP5	3	264	284 / 367 / 524	424 / 526 / 624	458	91 (24.9%)
5.8x42mm DVP88	3	463	283 / 380 / 523	373 / 525 / 583	457	77 (20.2%)
7.62x54R T46M	3	502	262 / 467 / 622	502 / 610 / 682	531	63 (13.6%)
.45 ACP FMJ	3	506	386 / 476 / 626	439 / 606 / 701	527	51 (10.8%)
7.62x51mm BPZ	3	488	388 / 478 / 588	488 / 604 / 668	525	47 (9.9%)
7.62x39mm PS	3	416	356 / 503 / 641	491 / 610 / 716	531	28 (5.5%)
5.56x45mm M855	3	466	301 / 455 / 571	406 / 542 / 586	472	17 (3.6%)
9x19mm AP6.3	3	381	291 / 383 / 486	306 / 455 / 531	396	13 (3.4%)
5.45x39mm PS	3	324	354 / 473 / 740	429 / 547 / 594	476	2 (0.5%)
.357 Magnum FMJ	4	545	455 / 541 / 1325	455 / 621 / 2030	540	-1 (-0.2%)

300BLK	3	512	407 / 523 / 617	512 / 590 / 632	513	-10 (-1.9%)
12 Gauge	3	388	328 / 476 / 598	403 / 530 / 598	461	-14 (-3.0%)
4.6x30mm Subsonic SX	3	162	282 / 423 / 522	327 / 464 / 522	403	-19 (-4.5%)
12 Gauge AP-20	4	471	391 / 652 / 871	511 / 709 / 951	617	-35 (-5.4%)
7.62x54R LPS	4	2210	1690 / 1878 / 2090	1690 / 2017 / 2290	1754	-124 (-6.6%)
.357 Magnum 9" "	3	263	158 / 253 / 293	173 / 267 / 288	233	-20 (-7.9%)
12.7x55mm PS12	4	2112	1602 / 2575 / 3047	2282 / 2710 / 3047	2357	-218 (-8.5%)
12 Gauge	4	1520	1560 / 1903 / 2160	1760 / 1994 / 2200	1735	-168 (-8.8%)
9x39mm SP6	4	1961	1521 / 1745 / 1921	1561 / 1825 / 2001	1588	-157 (-9.0%)
5.7x28mm R37.F	3	527	407 / 597 / 647	397 / 624 / 647	543	-54 (-9.1%)
5.7x28mm SS193	4	2223	1443 / 1753 / 1923	1443 / 1818 / 1923	1582	-171 (-9.7%)
5.8x42mm DBP10	4	2338	1463 / 1913 / 2163	1638 / 1983 / 2233	1725	-188 (-9.8%)
6.8x51mm FMJ	4	2114	1529 / 1921 / 2204	1349 / 1992 / 2249	1733	-187 (-9.8%)
.45 ACP RIP	3	890	470 / 736 / 830	530 / 758 / 875	660	-76 (-10.3%)
12.7x55mm PD12	4	2767	3167 / 3567 / 4963	3167 / 3668 / 4067	3191	-375 (-10.5%)
7.62x39mm BP	4	1891	1471 / 1780 / 2066	1226 / 1821 / 2066	1584	-196 (-11.0%)
9x19mm RIP	3	688	458 / 716 / 798	438 / 729 / 788	635	-81 (-11.3%)
.45 ACP AP	4	2380	1575 / 1960 / 2135	1645 / 1990 / 2205	1731	-229 (-11.7%)
300BLK	4	2282	1512 / 1911 / 2107	1652 / 1934 / 2177	1683	-228 (-11.9%)
5.56x45mm M855A1	4	1911	1431 / 1784 / 1971	1461 / 1803 / 1971	1569	-215 (-12.1%)
9x19mm PBP	4	1816	1366 / 1629 / 1816	1366 / 1645 / 1816	1431	-198 (-12.1%)
12 Gauge FTX	3	519	359 / 515 / 711	379 / 518 / 911	451	-65 (-12.5%)
5.45x39mm BT	4	1791	1291 / 1794 / 1991	1341 / 1804 / 1941	1570	-224 (-12.5%)
7.62x51mm M80	4	1418	1418 / 1544 / 1658	1178 / 1553 / 1738	1351	-193 (-12.5%)
.50 AE JHP	3	504	324 / 667 / 1890	404 / 668 / 844	581	-86 (-12.9%)
	4	1994	1680 / 1987 / 1994	1784 / 1988 / 1994	1730	-257 (-12.9%)
12 Gauge 8.5	3	373	213 / 365 / 393	213 / 365 / 388	317	-48 (-13.1%)
45-70 Govt FMJ	4	1018	1018 / 1556 / 1993	1213 / 1536 / 1863	1337	-219 (-14.1%)

4.6x30mm FMJ SX	4	995	1195 / 1390 / 1545	1095 / 1371 / 1520	1192	-198 (-14.2%)
12.7x55mm PS12B	5	5143	3523 / 5078 / 6043	3343 / 4996 / 25303	4346	-731 (-14.4%)
9x39mm BP	5	4484	3964 / 4545 / 4874	4094 / 4475 / 4809	3893	-653 (-14.4%)
7.62x51mm M62	5	5967	6067 / 6392 / 6567	5567 / 6201 / 6467	5395	-997 (-15.6%)
5.7x28mm SS190	5	4962	3207 / 4935 / 6717	3077 / 4734 / 7302	4118	-816 (-16.5%)
45-70 Govt FTX	5	3275	3415 / 4170 / 6915	2855 / 3973 / 4255	3457	-713 (-17.1%)
6.8x51mm Hybrid	5	4979	4979 / 5646 / 6024	4789 / 5366 / 5834	4668	-978 (-17.3%)
	5	7099	4489 / 6948 / 21744	4344 / 6602 / 10144	5744	-1204 (-17.3%)
.50 AE FMJ	4	785	920 / 1312 / 2120	965 / 1236 / 1910	1076	-236 (-18.0%)
7.62x54R BT	5	5614	4654 / 6430 / 6814	4054 / 6012 / 6454	5230	-1200 (-18.7%)
5.56x45mm M995	5	5057	3367 / 5075 / 5512	4212 / 4728 / 5057	4114	-961 (-18.9%)
.300BLK	5	5568	3543 / 5347 / 5793	3318 / 4982 / 6468	4335	-1013 (-18.9%)
5.8x42mm DVC12	5	5495	4865 / 5521 / 5985	4375 / 5130 / 5565	4463	-1058 (-19.2%)
4.6x30mm AP SX	5	4107	3777 / 4304 / 4602	3557 / 3948 / 4712	3434	-870 (-20.2%)
5.45x39mm BS	5	4914	4199 / 4836 / 5409	3154 / 4400 / 4639	3828	-1008 (-20.8%)
7.62x39mm AP	5	5421	4821 / 5514 / 6021	4446 / 4961 / 5946	4316	-1198 (-21.7%)
.357 Magnum JHP	3	319	279 / 505 / 1139	299 / 430 / 519	374	-131 (-26.0%)

3 vs x0.87

 → = =

				/
4.6x30mm Subsonic SX	162	464	403	241 (149.1%)
9x39mm SP5	264	526	458	194 (73.5%)
5.45x39mm PS	324	547	476	152 (46.8%)
12.7x55mm PS12A	484	783	681	197 (40.7%)

7.62x39mm PS	416	610	531	115 (27.7%)
12 Gauge	388	530	461	73 (18.9%)
.357 Magnum JHP	319	430	374	55 (17.3%)
.50 AE JHP	504	668	581	77 (15.2%)
45-70 Govt RN	494	652	567	73 (14.8%)
5.7x28mm L191	435	546	475	40 (9.3%)
7.62x51mm BPZ	488	604	525	37 (7.6%)
7.62x54R T46M	502	610	531	29 (5.7%)
.45 ACP FMJ	506	606	527	21 (4.2%)
9x19mm AP6.3	381	455	396	15 (3.9%)
5.7x28mm R37.F	527	624	543	16 (3.1%)
5.56x45mm M855	466	542	472	6 (1.3%)
.300BLK	512	590	513	1 (0.2%)
5.8x42mm DVP88	463	525	457	-6 (-1.3%)
9x19mm RIP	688	729	635	-53 (-7.8%)
.357 Magnum 9" "	263	267	233	-30 (-11.6%)
12 Gauge FTX	519	518	451	-68 (-13.1%)
12 Gauge 8.5	373	365	317	-56 (-14.9%)
	799	758	660	-139 (-17.4%)
.45 ACP RIP	890	758	660	-230 (-25.9%)

1. S11 9 4 — / /

2. → 3 — 3

1/2-1/3 8/25-9/2 -

3. ⚠ — S10 4 1600→171 5

5000→1200 4/5 3 8/30

4. .45 ACP 7.62×51 — .45 ACP MDR

7.62×51 M14 .45 ACP FMJ 7.62×51 BPZ /

5. ⚠ — S11 / /
- 🔮
- 3 —
 - 7.62×51 BPZ / .45 ACP FMJ — M14
 - 4/5 —

= × 0.8713% 3/4/5 / moligod