

moligod · 2026-09-06

2026-09-06 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13%| SPIKE | moligod.com



3 +7.0%

4 +6.0%

5 +1.9%

64 24 / 24 / 16

vs 59

= ×0.87 – () 13

			/ /	/ /		
	3	709	349 / 442 / 769	559 / 768 / 799	668	226 (51.2%)
45-70 Govt RN	3	614	314 / 409 / 944	374 / 667 / 824	580	171 (41.7%)
5.7x28mm L191	3	495	270 / 350 / 525	375 / 544 / 630	473	123 (35.1%)
12.7x55mm PS12A	3	554	414 / 535 / 799	519 / 803 / 939	699	164 (30.6%)
9x39mm SP5	3	304	284 / 367 / 524	424 / 540 / 664	470	103 (28.2%)
5.8x42mm DVP88	3	493	283 / 380 / 523	373 / 532 / 598	463	83 (21.9%)
7.62x54R T46M	3	522	262 / 467 / 622	402 / 608 / 682	529	62 (13.2%)
7.62x51mm BPZ	3	568	388 / 478 / 588	468 / 608 / 688	529	51 (10.7%)
.45 ACP FMJ	3	581	386 / 476 / 626	439 / 605 / 701	526	50 (10.6%)
7.62x39mm PS	3	431	356 / 503 / 641	461 / 605 / 716	526	23 (4.6%)
9x19mm AP6.3	3	471	291 / 383 / 486	306 / 458 / 531	399	16 (4.2%)
5.56x45mm M855	3	496	301 / 455 / 571	406 / 542 / 586	472	17 (3.6%)
5.45x39mm PS	3	414	354 / 473 / 740	429 / 547 / 695	476	2 (0.5%)
.300BLK	3	587	407 / 523 / 617	512 / 590 / 647	513	-10 (-2.0%)
4.6x30mm Subsonic SX	3	237	282 / 423 / 522	327 / 470 / 537	409	-14 (-3.2%)
12 Gauge	3	388	328 / 476 / 598	358 / 523 / 598	455	-20 (-4.3%)
.357 Magnum FMJ	4	545	455 / 541 / 1325	455 / 579 / 2030	503	-38 (-7.0%)

.357 Magnum 9" 1"	3	238	158 / 253 / 293	173 / 268 / 293	233	-20 (-7.7%)
7.62x54R LPS	4	2610	1690 / 1878 / 2090	1690 / 1977 / 2290	1720	-158 (-8.4%)
9x39mm SP6	4	2681	1521 / 1745 / 1921	1561 / 1833 / 2041	1594	-150 (-8.6%)
5.7x28mm R37.F	3	507	407 / 597 / 647	397 / 624 / 657	543	-55 (-9.1%)
12.7x55mm PS12	4	2282	1602 / 2575 / 3047	2112 / 2687 / 3217	2338	-238 (-9.2%)
6.8x51mm FMJ	4	2609	1529 / 1921 / 2204	1349 / 1992 / 2249	1733	-187 (-9.8%)
5.8x42mm DBP10	4	2723	1463 / 1913 / 2163	1393 / 1977 / 2233	1720	-193 (-10.1%)
5.7x28mm SS193	4	2433	1443 / 1753 / 1923	1443 / 1808 / 1923	1573	-179 (-10.2%)
12 Gauge 1000	4	1280	1560 / 1903 / 2160	1680 / 1953 / 2200	1699	-203 (-10.7%)
.45 ACP RIP	3	905	470 / 736 / 830	500 / 753 / 875	655	-81 (-11.0%)
9x19mm RIP	3	678	458 / 716 / 798	438 / 728 / 788	634	-82 (-11.5%)
12.7x55mm PD12000	4	2967	3167 / 3567 / 4963	3067 / 3625 / 4067	3154	-413 (-11.6%)
7.62x39mm BP	4	1926	1471 / 1780 / 2066	1226 / 1801 / 2066	1567	-214 (-12.0%)
5.45x39mm BT	4	2016	1291 / 1794 / 1991	1341 / 1809 / 1941	1574	-220 (-12.3%)
5.56x45mm M855A1	4	2121	1431 / 1784 / 1971	1401 / 1797 / 1971	1563	-220 (-12.4%)
12 Gauge100 FTX	3	519	359 / 515 / 711	379 / 518 / 911	451	-65 (-12.5%)
.45 ACP AP	4	2695	1575 / 1960 / 2135	1610 / 1965 / 2205	1710	-251 (-12.8%)
.50 AE JHP	3	404	324 / 667 / 1890	404 / 667 / 844	580	-86 (-13.0%)
1000000	4	1994	1680 / 1987 / 1994	1784 / 1988 / 1994	1729	-257 (-13.0%)
12 Gauge 8.50000	3	333	213 / 365 / 393	213 / 364 / 393	317	-49 (-13.3%)
9x39mm BP	5	4419	3964 / 4545 / 4874	4094 / 4532 / 5004	3943	-603 (-13.3%)
1.300BLK	4	2317	1512 / 1911 / 2107	1617 / 1904 / 2177	1657	-254 (-13.3%)
4.6x30mm FMJ SX	4	1395	1195 / 1390 / 1545	1095 / 1384 / 1545	1204	-186 (-13.4%)
9x19mm PBP	4	1996	1366 / 1629 / 1816	1336 / 1620 / 1816	1409	-220 (-13.5%)
12 Gauge100 AP-20	4	511	391 / 652 / 871	391 / 645 / 951	561	-91 (-13.9%)
12.7x55mm PS12B	5	5143	3523 / 5078 / 6043	3343 / 4910 / 25303	4272	-806 (-15.9%)
7.62x51mm M62	5	6067	6067 / 6392 / 6567	5567 / 6068 / 6467	5279	-1113 (-17.4%)

- 3 报告 — 报告
- 7.62×51 BPZ / .45 ACP FMJ 报告 — M14 报告
- 4/5 报告 — 报告

报告 报告

报告 = 报告 × 0.8713% 报告 3/4/5 报告/moligod 报告
报告