

moligod · 2026-09-12

2026-09-12 64 3/4 5 08-25~09-02 | 08-02~08-24 | =×0.87
13% SPIKE | moligod.com



3 +17.2%

4 +12.0%

5 +7.3%

64 24 / 24 / 16

64

					()	
.45 ACP RIP	3	935	950	515	635	+47.2%
12 Gauge 8.5	3	383	383	193	278	+37.8%
.357 Magnum 9"	3	278	278	158	203	+36.9%
9x19mm AP6.3	3	486	516	366	366	+32.8%
9x39mm SP5	3	324	364	224	244	+32.8%
5.7x28mm R37.F	3	547	547	347	427	+28.1%
5.56x45mm M855	3	541	541	391	428	+26.3%
.45 ACP FMJ	3	596	611	416	476	+25.2%
12.7x55mm PS12	4	2537	2792	1687	2027	+25.2%
9x19mm RIP	3	688	688	418	553	+24.4%
	5	6664	6809	5069	5359	+24.4%
4.6x30mm FMJ SX	4	1170	1245	970	945	+23.8%
.50 AE FMJ	4	1100	1280	830	898	+22.6%
5.8x42mm DBP10	4	2723	2898	1848	2268	+20.1%
5.7x28mm L191	3	540	540	420	450	+20.0%
.300BLK	3	587	602	452	490	+19.9%
4.6 x 30mm CT	4	2533	2533	1973	2113	+19.9%
12 Gauge	4	1720	1840	1320	1440	+19.4%
7.62x51mm BPZ	3	568	608	508	478	+18.8%
12.7x55mm PS12B	5	5683	5863	3703	4783	+18.8%

5.7x28mm SS193	4	2373	2433	1683	1998	+18.8%
	4	1994	1994	1924	1679	+18.8%
5.45x39mm BT	4	1941	1966	1341	1641	+18.3%
9x39mm SP6	4	2521	2561	1881	2141	+17.7%
12 Gauge	3	403	508	283	343	+17.5%
.45 ACP AP	4	2590	2625	1855	2205	+17.5%
7.62x54R LPS	4	2570	2570	1890	2190	+17.4%
7.62x54R T46M	3	522	522	462	452	+15.5%
5.45x39mm PS	3	399	474	309	346	+15.2%
5.8x42mm DVP88	3	523	553	403	456	+14.8%
5.7x28mm SS190	5	5287	5742	3662	4637	+14.0%
	3	739	769	529	649	+13.9%
9x19mm PBP	4	1906	1906	1456	1681	+13.4%
.300BLK	4	2352	2387	1862	2090	+12.6%
6.8x51mm FMJ	4	2699	2834	2114	2406	+12.2%
5.56x45mm M855A1	4	2001	2031	1521	1806	+10.8%
45-70 Govt RN	3	644	764	464	584	+10.3%
7.62x39mm PS	3	491	536	386	446	+10.1%
12 Gauge AP-20	4	471	551	391	431	+9.3%
12 Gauge FTX	3	519	599	359	479	+8.4%
.357 Magnum FMJ	4	590	590	455	545	+8.3%
5.56x45mm M995	5	5707	5772	5057	5284	+8.0%
5.8x42mm DVC12	5	5775	5985	5005	5355	+7.8%
9x39mm BP	5	4939	5004	4484	4614	+7.0%
4.6x30mm AP SX	5	4217	4327	3832	3942	+7.0%
12.7x55mm PD12	4	3067	3167	2767	2867	+7.0%
6.8x51mm Hybrid	5	5454	5549	5074	5122	+6.5%
.50 AE JHP	3	584	704	384	554	+5.4%
7.62x54R BT	5	5854	5974	5254	5614	+4.3%

7.62x39mm AP	5	5721	5871	5121	5496	+4.1%
5.45x39mm BS	5	5189	5354	3484	4996	+3.9%
.45 ACP Super	5	5652	5847	5132	5457	+3.6%
7.62x51mm M62	5	6067	6067	5967	5867	+3.4%
4.6 x 30mm AP ST	5	4041	4316	3601	3931	+2.8%
300BLK	5	5793	6018	5418	5680	+2.0%
45-70 Govt FMJ	4	1083	1213	888	1083	0.0%
45-70 Govt FTX	5	3135	6915	2995	3135	0.0%
7.62x39mm BP	4	1821	1996	1576	1838	-1.0%
4.6 x 30mm FMJ ST	4	797	822	772	810	-1.5%
7.62x51mm M80	4	1418	1498	1298	1458	-2.7%
4.6x30mm Subsonic SX	3	192	222	162	207	-7.2%
12.7x55mm PS12A	3	554	694	449	659	-15.9%
12 Gauge DART	4	400	600	400	500	-20.0%
.357 Magnum JHP	3	399	679	299	529	-24.6%

TOP5

.45 ACP RIP	3	+47.2%	935
12 Gauge 8.5	3	+37.8%	383
.357 Magnum 9"	3	+36.9%	278
9x19mm AP6.3	3	+32.8%	486
9x39mm SP5	3	+32.8%	324

TOP5

.357 Magnum JHP	3	-24.6%	399
12 Gauge DART	4	-20.0%	400
12.7x55mm PS12A	3	-15.9%	554

4.6x30mm Subsonic SX	3	-7.2%	192
7.62x51mm M80	4	-2.7%	1418

TOP5

45-70 Govt FTX	5	0.0%	131%
.357 Magnum JHP	3	-24.6%	127%
12 Gauge 8.5	3	+37.8%	98%
.45 ACP RIP	3	+47.2%	84%
.50 AE JHP	3	+5.4%	83%

vs 59

= ×0.87 –

	3	739	349 / 442 / 769	559 / 767 / 799	667	225 (51.0%)
45-70 Govt RN	3	644	314 / 409 / 944	374 / 666 / 824	579	170 (41.5%)
5.7x28mm L191	3	540	270 / 350 / 525	375 / 546 / 630	475	125 (35.6%)
12.7x55mm PS12A	3	554	414 / 535 / 799	519 / 794 / 939	691	156 (29.2%)
9x39mm SP5	3	324	284 / 367 / 524	424 / 536 / 644	466	100 (27.3%)
5.8x42mm DVP88	3	523	283 / 380 / 523	373 / 530 / 583	461	81 (21.2%)
7.62x54R T46M	3	522	262 / 467 / 622	462 / 612 / 682	532	65 (13.8%)
7.62x51mm BPZ	3	568	388 / 478 / 588	488 / 608 / 668	529	51 (10.7%)
.45 ACP FMJ	3	596	386 / 476 / 626	439 / 604 / 701	525	50 (10.4%)
7.62x39mm PS	3	491	356 / 503 / 641	461 / 608 / 716	529	26 (5.1%)
5.56x45mm M855	3	541	301 / 455 / 571	406 / 544 / 586	473	17 (3.8%)
9x19mm AP6.3	3	486	291 / 383 / 486	306 / 456 / 531	397	14 (3.7%)
5.45x39mm PS	3	399	354 / 473 / 740	429 / 548 / 695	477	3 (0.7%)
.300BLK	3	587	407 / 523 / 617	512 / 590 / 647	514	-10 (-1.9%)

12 Gauge	3	403	328 / 476 / 598	388 / 528 / 598	459	-17 (-3.5%)
.357 Magnum FMJ	4	590	455 / 541 / 1325	455 / 599 / 2030	521	-20 (-3.7%)
4.6x30mm Subsonic SX	3	192	282 / 423 / 522	327 / 466 / 522	406	-17 (-4.0%)
.357 Magnum 9" "	3	278	158 / 253 / 293	173 / 268 / 288	233	-19 (-7.7%)
7.62x54R LPS	4	2570	1690 / 1878 / 2090	1690 / 1992 / 2290	1733	-145 (-7.7%)
12.7x55mm PS12	4	2537	1602 / 2575 / 3047	2197 / 2711 / 3047	2359	-217 (-8.4%)
9x39mm SP6	4	2521	1521 / 1745 / 1921	1561 / 1834 / 2001	1596	-149 (-8.5%)
12 Gauge AP-20	4	471	391 / 652 / 871	431 / 684 / 951	595	-57 (-8.7%)
5.8x42mm DBP10	4	2723	1463 / 1913 / 2163	1393 / 1998 / 2233	1738	-175 (-9.1%)
6.8x51mm FMJ	4	2699	1529 / 1921 / 2204	1349 / 2004 / 2249	1744	-177 (-9.2%)
5.7x28mm R37.F	3	547	407 / 597 / 647	397 / 623 / 647	542	-56 (-9.3%)
12 Gauge	4	1720	1560 / 1903 / 2160	1720 / 1975 / 2200	1718	-184 (-9.7%)
5.7x28mm SS193	4	2373	1443 / 1753 / 1923	1443 / 1819 / 1923	1583	-170 (-9.7%)
.50 AE JHP	3	584	324 / 667 / 1890	404 / 687 / 844	598	-69 (-10.3%)
12.7x55mm PD12	4	3067	3167 / 3567 / 4963	3167 / 3671 / 4067	3194	-373 (-10.5%)
.45 ACP RIP	3	935	470 / 736 / 830	530 / 756 / 875	657	-78 (-10.6%)
9x19mm RIP	3	688	458 / 716 / 798	438 / 729 / 788	634	-82 (-11.4%)
7.62x39mm BP	4	1821	1471 / 1780 / 2066	1226 / 1810 / 2066	1575	-205 (-11.5%)
.45 ACP AP	4	2590	1575 / 1960 / 2135	1610 / 1987 / 2205	1728	-232 (-11.8%)
5.56x45mm M855A1	4	2001	1431 / 1784 / 1971	1461 / 1809 / 1971	1573	-210 (-11.8%)
5.45x39mm BT	4	1941	1291 / 1794 / 1991	1341 / 1808 / 1941	1573	-221 (-12.3%)
.300BLK	4	2352	1512 / 1911 / 2107	1652 / 1926 / 2177	1675	-235 (-12.3%)
12 Gauge FTX	3	519	359 / 515 / 711	379 / 518 / 911	451	-65 (-12.5%)
9x19mm PBP	4	1906	1366 / 1629 / 1816	1336 / 1637 / 1816	1424	-205 (-12.6%)
	4	1994	1680 / 1987 / 1994	1784 / 1988 / 1994	1730	-257 (-12.9%)
12 Gauge 8.5	3	383	213 / 365 / 393	213 / 364 / 393	317	-48 (-13.2%)
4.6x30mm FMJ SX	4	1170	1195 / 1390 / 1545	1095 / 1373 / 1545	1194	-196 (-14.1%)
9x39mm BP	5	4939	3964 / 4545 / 4874	4094 / 4489 / 4809	3906	-640 (-14.1%)

12.7x55mm PS12B	5	5683	3523 / 5078 / 6043	3343 / 4936 / 25303	4294	-783 (-15.4%)
7.62x51mm M62	5	6067	6067 / 6392 / 6567	5567 / 6124 / 6467	5328	-1063 (-16.6%)
5.7x28mm SS190	5	5287	3207 / 4935 / 6717	3077 / 4714 / 7302	4101	-834 (-16.9%)
45-70 Govt FMJ	4	1083	1018 / 1556 / 1993	1148 / 1480 / 1863	1287	-269 (-17.3%)
6.8x51mm Hybrid	5	5454	4979 / 5646 / 6024	4789 / 5319 / 5834	4627	-1019 (-18.0%)
45-70 Govt FTX	5	3135	3415 / 4170 / 6915	2855 / 3910 / 4255	3402	-768 (-18.4%)
7.62x51mm M80	4	1418	1418 / 1544 / 1658	938 / 1444 / 1738	1256	-288 (-18.7%)
.50 AE FMJ	4	1100	920 / 1312 / 2120	965 / 1218 / 1910	1060	-252 (-19.2%)
5.56x45mm M995	5	5707	3367 / 5075 / 5512	3952 / 4704 / 5057	4092	-983 (-19.4%)
7.62x54R BT	5	5854	4654 / 6430 / 6814	4054 / 5910 / 6454	5142	-1288 (-20.0%)
.300BLK	5	5793	3543 / 5347 / 5793	3318 / 4915 / 6468	4276	-1071 (-20.0%)
5.8x42mm DVC12	5	5775	4865 / 5521 / 5985	4235 / 5072 / 5565	4412	-1108 (-20.1%)
	5	6664	4489 / 6948 / 21744	4199 / 6329 / 10144	5506	-1441 (-20.7%)
4.6x30mm AP SX	5	4217	3777 / 4304 / 4602	3172 / 3916 / 4712	3407	-897 (-20.9%)
5.45x39mm BS	5	5189	4199 / 4836 / 5409	3154 / 4398 / 4639	3826	-1010 (-20.9%)
7.62x39mm AP	5	5721	4821 / 5514 / 6021	4371 / 4894 / 5946	4258	-1256 (-22.8%)
.357 Magnum JHP	3	399	279 / 505 / 1139	299 / 425 / 519	370	-136 (-26.8%)

3 vs x0.87

 → = =

				/
4.6x30mm Subsonic SX	192	466	406	214 (111.3%)
9x39mm SP5	324	536	466	142 (44.0%)
12.7x55mm PS12A	554	794	691	137 (24.8%)

5.45x39mm PS	399	548	477	78 (19.5%)
12 Gauge	403	528	459	56 (13.9%)
7.62x39mm PS	491	608	529	38 (7.7%)
.50 AE JHP	584	687	598	14 (2.4%)
7.62x54R T46M	522	612	532	10 (1.9%)
5.7x28mm R37.F	547	623	542	-5 (-1.0%)
7.62x51mm BPZ	568	608	529	-39 (-6.9%)
.357 Magnum JHP	399	425	370	-29 (-7.3%)
9x19mm RIP	688	729	634	-54 (-7.8%)
	739	767	667	-72 (-9.7%)
45-70 Govt RN	644	666	579	-65 (-10.0%)
.45 ACP FMJ	596	604	525	-71 (-11.9%)
5.8x42mm DVP88	523	530	461	-62 (-11.9%)
5.7x28mm L191	540	546	475	-65 (-12.1%)
.300BLK	587	590	514	-73 (-12.5%)
5.56x45mm M855	541	544	473	-68 (-12.6%)
12 Gauge FTX	519	518	451	-68 (-13.2%)
.357 Magnum 9 " "	278	268	233	-45 (-16.2%)
12 Gauge 8.5	383	364	317	-66 (-17.2%)
9x19mm AP6.3	486	456	397	-89 (-18.4%)
.45 ACP RIP	935	756	657	-278 (-29.7%)

1. S11 9 4 — / /

2. → 3 — 3

3. ⚠ — S10 4 1600→171 5 5000→1200 4/5 3 8/30

4. .45 ACP 7.62×51 — .45 ACP MDR

- 3 0000000000 — 00000000000000000000000000000000
- 7.62×51 BPZ / .45 ACP FMJ 00000000 — 0000 M14 00000000
- 4/5 000000000000 — 00000000000000000000

$\text{moligod} = \frac{\text{moligod}}{\text{moligod}} \times 0.87 \pm 13\%$