Rajalakshmi Engineering College

Name: MANOJ KUMAR E

Email: 240801195@rajalakshmi.edu.in

Roll no: 2116240801195

Phone: 9087134017

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_COD_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

Input Format

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

Output Format

The output prints the singly linked list elements, after inserting them at the beginning.

2116240801195

2116240801105

2116240801105

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 5
78 89 34 51 67
Output: 67 51 34 89 78
Answer
#include <stdio.h>
#include <stdlib.h>
struct Node {
  int data:
  struct Node* next;
};
// You are using GCC
void insertAtFront(struct Node** head,int v){
  if(head==NULL){
    *head=(struct Node*)malloc(sizeof(struct Node));
    struct Node* temp = *head;
    temp->data=v;
    temp->next=NULL
  else{
    struct Node* temp=*head;
    struct Node* newnode=(struct Node*)malloc(sizeof(struct Node));
    newnode->data=v;
    newnode->next=temp;
    *head=newnode;
```

```
void printList(struct Node* head){
      struct Node* temp=head;
         while(temp!=NULL){
           printf("%d ",temp->data);
           temp=temp->next;
         }
       }
       int main(){
         struct Node* head = NULL;
                                                                               2176240801795
scanf("%d", &n);
         for (int i = 0; i < n; i++) {
           scanf("%d", &activity);
           insertAtFront(&head, activity);
         }
         printList(head);
         struct Node* current = head;
         while (current != NULL) {
                                                                               2176240801795
rvodi
current = cu
free(temp);
           struct Node* temp = current;
                          21162408017
           current = current->next;
```

Status: Correct Marks: 10/10

2116240801195

2116240801195

2176240801795

2176240801705