COMPSCI 589 Final Project - Spring 2026

Due **May 8**, 11:55 pm Eastern Time

Introduction

- Each group member was responsible for evaluating the performance of at least one unique algorithm implemented during the semester on each dataset
- The algorithms tested in this project were chosen from the pool of: k-NN, Decision Trees, multinomial Naive Bayes, Random Forests, and Neural Networks
- All work was done in the shared github repository https://github.com/1985lxw/589_final_project

---

- **Katherine** trained the neural networks algorithm on all four datasets. She tested three hyperparameters: the architecture, the λ (regularization) parameter, and the α (learning rate) parameter.
- **Tiffany** implemented KNN and Random Forest. She evaluated the hyperparameters k for kNN and ntree for random forest.
- **Xing-Wei** implemented Decision Trees

Experiments and Analyses

1 The Hand-Written Digits Recognition Dataset

1.1 Neural Networks Algorithm

TODO

1.2 KNN

k	Accuracy	F1 Score
1	0.988571	0.989391
3	0.986857	0.987597
5	0.986286	0.987128
7	0.986286	0.987206
9	0.982857	0.984203
11	0.980571	0.982039
13	0.980000	0.980917
15	0.980571	0.982108
17	0.977143	0.978787
19	0.976000	0.977379
21	0.974857	0.976219
23	0.972571	0.974215
25	0.969714	0.971757
27	0.966286	0.968297
29	0.968571	0.970363
31	0.967429	0.968898
33	0.961714	0.963689
35	0.964571	0.966932
37	0.963429	0.965532
39	0.963429	0.965328
41	0.960571	0.962805
43	0.961143	0.962758
45	0.959429	0.961605
47	0.956571	0.959014
49	0.957714	0.960383
51	0.955429	0.958529

Figure 1: Handwritten Digits Accuracy Distribution

As k increases, the general trend for the performance is that it decreases. This is expected, as too large k values can lead to too generalized performance. Although, the overall performance is still generally high with the lowest accuracy and F1 score being around 0.96. The best configuration for this model based on this graph is at $k = 1$. We chose KNN for this dataset because the same numbers would be in similar places in 64-dimensional space, so we thought this algorithm would perform well (which it did!).

1.3 Random Forest

ntree	1	5	10	20	30	40	50
Accuracy	0.968223	0.969386	0.993427	1.0	0.996774	0.997059	1.0
Precision	0.954737	1.000000	1.000000	1.0	1.000000	1.000000	1.0
Recall	0.980000	0.934332	0.985000	1.0	0.993333	0.994118	1.0
F1 Score	0.962738	0.965294	0.992204	1.0	0.996552	0.996970	1.0



Figure 2: Digits Accuracy and F1 Score Distribution

Technically the highest accuracy and f1 occurs at ntree=20 and ntree=50 because the accuracy and f1 are both 1 with those values, but it is likely that the model is overfit. Becuase of this, it may be better to use a value of ntree=5 even though the performance is technically a little lower at an accuracy of 0.969386 and an f1 score of 0.965294. We chose random forest for digits because this dataset has a lot of attributes (64) so in order for a decision tree to perform as well, it would have to be very complex. In contrast, with a random forest each tree can be less complex and still perform well.

2 The Oxford Parkinson's Disease Detection Dataset

2.1 Neural Networks Algorithm

TODO

2.2 KNN

k	Accuracy	F1 Score
1	0.966667	0.978033
3	0.944444	0.963738
5	0.944444	0.964514
7	0.944444	0.965475
9	0.927778	0.954590
11	0.900000	0.937926
13	0.872222	0.922714
15	0.861111	0.915862
17	0.850000	0.910674
19	0.838889	0.903946
21	0.811111	0.890880
23	0.827778	0.899946
25	0.850000	0.912620
27	0.838889	0.906579
29	0.838889	0.906613
31	0.844444	0.909247
33	0.866667	0.922270
35	0.872222	0.924905
37	0.872222	0.924716
39	0.850000	0.912842
41	0.855556	0.915269
43	0.833333	0.903978
45	0.844444	0.909831
47	0.822222	0.897769
49	0.827778	0.900780
51	0.816667	0.895134

Figure 3: Parkinsons Accuracy Distribution

Again like the digits dataset, as k increases, the general performance decreases. However, the difference between the highest and the lowest performing k value is much larger this time. The best configuration for this model

based on this graph is at $k = 1$. We chose KNN for this dataset because the algorithm performs well on both numerical data, and also this dataset is not that large so it would perform relatively fast.

2.3 Random Forest

ntree	1	5	10	20	30	40	50
Accuracy	0.805556	0.794444	0.816667	0.833333	0.850000	0.838889	0.850000
Precision	0.836293	0.843709	0.853481	0.853754	0.861730	0.854793	0.872728
Recall	0.935714	0.907143	0.928571	0.950000	0.964286	0.957143	0.950000
F1 Score	0.881610	0.872319	0.887543	0.898543	0.909364	0.902490	0.908122



Figure 4: Parkinsons Accuracy and F1 Score Distribution

The best accuracy happens at ntree=30,50 at 85%. As ntree increases, the accuracy and F1 score generally increases with only a small dip by 2% at around 40 trees. We chose random forest because the dataset is very small: we didn't want a decision tree to overfit on the data, as the tend to do.

3 The Rice Grain Dataset

3.1 Neural Networks Algorithm

TODO

3.2 KNN

k	Accuracy	F1 Score
1	0.886614	0.867819
3	0.909974	0.894640
5	0.918898	0.904873
7	0.923885	0.910538
9	0.922047	0.908377
11	0.922835	0.909521
13	0.924409	0.911221
15	0.925984	0.913105
17	0.925984	0.912772
19	0.927034	0.914136
21	0.926509	0.913226
23	0.927034	0.914092
25	0.928084	0.915473
27	0.925984	0.912969
29	0.925459	0.912357
31	0.928346	0.915703
33	0.926509	0.913735
35	0.925984	0.912977
37	0.926509	0.913497
39	0.927559	0.915076
41	0.927034	0.914137
43	0.927559	0.914960
45	0.924934	0.911821
47	0.927559	0.914945
49	0.927559	0.914773
51	0.928084	0.915623



Figure 5: Rice Accuracy and F1 Score Distribution

After k=1, the performance gradually increases until it hits a plateau at around 92%. I would say the best configuration is at k=7 since it achieves basically the same performance as the higher k values but with a much

smaller k value and therefore much faster runtime. We chose KNN for this dataset because there are only a few numerical attributes, which may aid total runtime, and KNN performs well for numerical data.

3.3 Decision Trees Algorithm

We chose to test decision trees on the rice dataset because it has a moderate number of features (7) and a relatively large number of samples (3810), which allows us to explore how different tree depths and minimum split sizes affect performance.

```
Tuning for dataset with 3810 rows and 7 features.
Testing Depths: [2, 3, 5, 7, 9, 11]
Testing Splits: [190, 381, 571, 762]

Depth    | Split    | Test Acc   | Test F1
-------------------------------------------
2        | 190      | 0.9215     | 0.9192
2        | 381      | 0.9228     | 0.9205
2        | 571      | 0.9226     | 0.9202
2        | 762      | 0.9239     | 0.9215
3        | 190      | 0.9234     | 0.9210
3        | 381      | 0.9213     | 0.9189
3        | 571      | 0.9202     | 0.9179
3        | 762      | 0.9239     | 0.9215
5        | 190      | 0.9213     | 0.9189
5        | 381      | 0.9234     | 0.9210
5        | 571      | 0.9226     | 0.9202
5        | 762      | 0.9239     | 0.9215
7        | 190      | 0.9223     | 0.9199
7        | 381      | 0.9226     | 0.9203
7        | 571      | 0.9215     | 0.9192
7        | 762      | 0.9239     | 0.9215
9        | 190      | 0.9234     | 0.9210
9        | 381      | 0.9220     | 0.9197
9        | 571      | 0.9239     | 0.9215
9        | 762      | 0.9239     | 0.9215
11       | 190      | 0.9223     | 0.9199
11       | 381      | 0.9220     | 0.9197
11       | 571      | 0.9218     | 0.9194
11       | 762      | 0.9239     | 0.9215

==============================
BEST CONFIGURATION:
Max Depth: 11
Min Split: 762
F1 Score:  0.9215
==============================



Final Results:
Training Accuracy: 0.9239
Training F1 Score: 0.9216
Testing Accuracy: 0.9239
Testing F1 Score: 0.9215
```

For both models, the training scores are highly concentrated around 0.92, while the testing scores are more spread out, with a mean around 0.923 for accuracy and 0.922 for F1 score. The training performance suggests



Figure 6: Rice Accuracy Distribution



Figure 7: Rice F1 Score Distribution

that the models have high stability and low bias, however, the testing performance indicates that there may be some sensitivity to the specific training data used in each fold. Since the mean training scores are very close to the mean testing scores, it suggests that the models are robust and are not overfitting. Decision trees can easily split numerical features to find precise boundaries, so they are well-suited for the rice dataset, which consists of numerical attributes.

4 The Credit Approval Dataset

4.1 Neural Networks Algorithm

TODO

4.2 KNN

k	Accuracy	F1 Score
1	0.806250	0.780158
3	0.859375	0.845093
5	0.864062	0.853219
7	0.873437	0.864596
9	0.862500	0.854968
11	0.865625	0.858536
13	0.856250	0.848834
15	0.860938	0.854310
17	0.862500	0.858192
19	0.864062	0.860247
21	0.865625	0.860856
23	0.857812	0.853120
25	0.864062	0.858874
27	0.867188	0.863106
29	0.857812	0.854402
31	0.860938	0.856263
33	0.868750	0.865578
35	0.857812	0.852417
37	0.862500	0.857252
39	0.864062	0.856573
41	0.860938	0.853287
43	0.856250	0.848844
45	0.862500	0.855567
47	0.860938	0.854175
49	0.864062	0.856989
51	0.856250	0.849728

Figure 8: Credit Approval Accuracy and F1 Score Distribution

Similar to the rice data set, the performance increases after k=1 (though more sharply for this dataset) and begins a relative plateau in performance. However, there are slightly more fluctuations in this plateau with an average fluctuation of about ±1%. The best performance is at $k = 7$ at 87% accuracy and 86% F1 score. We

chose KNN for this dataset because it is robust on categorical and numerical data, and it is a relatively small dataset meaning that it will run relatively fast for KNN.

4.3 Decision Trees Algorithm

```
Tuning for dataset with 653 rows and 15 features.
Testing Depths: [2, 4, 6, 8, 10, 12]
Testing Splits: [32, 65, 97, 130]

Depth    | Split    | Test Acc   | Test F1
-------------------------------------------
2        | 32       | 0.8622     | 0.8621
2        | 65       | 0.8639     | 0.8636
2        | 97       | 0.8622     | 0.8622
2        | 130      | 0.8622     | 0.8620
4        | 32       | 0.8378     | 0.8358
4        | 65       | 0.8482     | 0.8473
4        | 97       | 0.8588     | 0.8580
4        | 130      | 0.8577     | 0.8566
6        | 32       | 0.8318     | 0.8293
6        | 65       | 0.8302     | 0.8288
6        | 97       | 0.8501     | 0.8491
6        | 130      | 0.8610     | 0.8606
8        | 32       | 0.8378     | 0.8356
8        | 65       | 0.8576     | 0.8568
8        | 97       | 0.8496     | 0.8489
8        | 130      | 0.8620     | 0.8612
10       | 32       | 0.8377     | 0.8356
10       | 65       | 0.8409     | 0.8397
10       | 97       | 0.8437     | 0.8423
10       | 130      | 0.8504     | 0.8495
12       | 32       | 0.8375     | 0.8350
12       | 65       | 0.8451     | 0.8439
12       | 97       | 0.8668     | 0.8654
12       | 130      | 0.8635     | 0.8626

==============================
BEST CONFIGURATION:
Max Depth: 12
Min Split: 97
F1 Score:  0.8654
==============================


Final Results:
Training Accuracy: 0.8746
Training F1 Score: 0.8741
Testing Accuracy: 0.8606
Testing F1 Score: 0.8601
```



Figure 9: Credit Approval Accuracy Distribution

Figure 10: Credit Approval F1 Score Distribution

	Handwritten Digits		Parkinson's		Rice Grains		Credit Approval	
	Accuracy	F1-Score	Accuracy	F1-Score	Accuracy	F1-Score	Accuracy	F1-Scor
Neural Networks								
K-Nearest Neighbors	0.97109	0.97281	0.866239	0.92118	0.9237	0.91048	0.86009	0.85289
Decision Trees/Random Forest	0.989267	0.98767	0.82698	0.75305	0.9239	0.9215	0.8606	0.8601

Extra Credit

We did the following extra credit tasks. Describe what you did as part of that task and present the corresponding results. Any source code you develop should be included in your Gradescope submission.

[QE.1] [Extra Credit Question #1] (10 Points)

You may earn up to 10 extra points if you analyze all four datasets using an additional algorithm. In other words, you would be evaluating more than two algorithms on each of the datasets discussed in Section 1.

[QE.2] [Extra Credit Question #2] (10 Points)

You may earn up to 10 extra points if you select a new challenging dataset and evaluate the performance of different algorithms on it. A challenging dataset should necessarily include both categorical and numerical attributes and have more than two classes; or it should be a dataset where you have to classify images.

[QE.3] [Extra Credit Question #3] (15 Points)

You may earn up to 15 extra points if you combine different algorithms and construct an ensemble. For instance, you could create an ensemble composed of three neural networks (each with a different architecture) and a random forest. The ensemble would be trained as described in class: each algorithm would be trained on its own bootstrap dataset, and so on. The final predictions would then be determined by majority voting. Evaluate your ensemble algorithm on all four datasets discussed in Section 1.

[QE.3] [Extra Credit Question #3] (15 Points)

You may earn up to 15 extra points if you implement a new type of algorithm—a non-trivial variant of one of the algorithms studied in class. If you choose to do so, you should evaluate its performance on all four datasets.