
```
SVMdl=fitcsvm(w,Y,'Holdout',0.3,'ClassNames',
{'Faulty','Faultless'},'BoxConstraint',0.86,'KernelScale',0.32,'Standardize',t
rue);
Compactmdl=SVMdl.Trained{1};
```

```
A=test(SVMdl.Partition)
wtest=w(A,:)
Ytest=Y(A,:)
L=loss(Compactmdl,wtest,Ytest,'LossFun','classifcost')
[labelnew,score1]=predict(Compactmdl,tp)
excl2=table(pl(1:10),labelnew(1:10),score1(1:10,2))
```

A =

100×1 logical array

```
1
1
1
1
0
1
1
1
0
0
0
0
0
1
0
0
0
1
0
0
1
1
1
0
0
0
0
0
1
0
0
0
0
0
0
```

0
0
0
0
0
1
0
1
0
1
0
0
0
1
0
1
0
0
0
0
1
0
0
0
1
0
1
1
0
0
0
0
1
0
0
0
0
0
1
0
0
1
1
0
1
0
0
1
0
1

0
0
0
0
0
0
0
0
0
1
0
0

wtest =

Columns 1 through 7

0.4200	0.3900	0.3700	0.3500	0.3300	4.0000	3.2000
0.4400	0.4200	0.3900	0.3700	0.3500	4.0000	3.3000
0.3500	0.2100	0.1500	0.1300	0.1300	4.0000	3.4000
0.2900	0.2100	0.1700	0.1300	0.1100	4.0000	3.5000
1.7100	1.4400	1.2100	0.8500	0.7600	4.0000	3.2000
0.7400	0.6800	0.6000	0.4200	0.3900	4.0000	3.2000
0.2900	0.1900	0.1700	0.1300	0.1300	4.0000	3.4000
0.2500	0.2100	0.1900	0.1700	0.1500	4.0000	3.5000
0.9700	0.8500	0.7000	0.6600	0.4400	4.0000	3.1000
1.2500	0.8400	0.7000	0.6000	0.5200	4.0000	3.2000
1.2600	0.9100	0.7000	0.6000	0.4400	4.0000	3.1000
0.2500	0.2100	0.1900	0.1500	0.1300	4.0000	3.5000
1.6400	0.6200	0.6000	0.5800	0.5400	4.0000	3.3000
1.0900	1.0700	0.9900	0.9900	0.9700	1.0000	0.0600
0.2100	0.1500	0.1300	0.1300	0.1100	4.0000	3.6000
0.3900	0.3700	0.2900	0.2900	0.2700	4.0000	3.1000
0.9900	0.8700	0.9100	0.9100	0.8700	0.0500	0.0400
0.9700	0.8900	0.8000	0.8500	0.8700	0.0500	0.0400
0.4400	0.3300	0.2300	0.1900	0.1500	4.0000	3.3000
1.1500	1.0500	0.9700	0.9500	0.8900	0.0500	0.0300
0.9700	0.8700	0.9500	0.8700	0.8500	0.0400	0.0300
1.4400	0.9100	0.7000	0.5400	0.4400	4.0000	3.1000
1.6000	0.6800	0.6200	0.5800	0.5200	4.0000	3.1000
0.9100	0.7400	0.6200	0.5000	0.4400	4.0000	3.2000
0	0	0	0	0	4.0000	4.0000
0.9900	0.7600	0.6400	0.5000	0.4600	4.0000	3.4000
0.9700	0	0.8900	1.0700	0.8500	0.4000	0.3000
0.3700	0.2100	0.1700	0.1300	0.1300	4.0000	3.0000
0.2900	0.2100	0.1700	0.1300	0.1300	4.0000	3.2000
0.3500	0.2700	0.2100	0.1900	0.1700	4.0000	3.5000

Columns 8 through 9

3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000

3.7000	2.0000
3.7000	2.0000
3.7000	2.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	2.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	1.0000
3.7000	2.0000
3.7000	1.0000
3.7000	2.0000

Ytest =

30×1 cell array

```
{'Faultless'}  
{'Faultless'}  
{'Faulty' }  
{'Faulty' }  
{'Faultless'}  
{'Faultless'}  
{'Faulty' }  
{'Faulty' }  
{'Faultless'}  
{'Faultless'}  
{'Faultless'}  
{'Faulty' }  
{'Faultless'}  
{'Faulty' }  
{'Faulty' }  
{'Faultless'}  
{'Faulty' }  
{'Faulty' }  
{'Faulty' }  
{'Faulty' }  
{'Faultless'}  
{'Faulty' }  
{'Faulty' }  
{'Faulty' }  
{'Faulty' }  
{'Faulty' }  
{'Faultless'}
```

```

{'Faultless'}
{'Faultless'}
{'Faulty'   }
{'Faultless'}
{'Faulty'   }
{'Faulty'   }
{'Faulty'   }
{'Faulty'   }
{'Faulty'   }

```

L =

```
0.0969
```

labelnew =

10×1 cell array

```

{'Faultless'}
{'Faulty'   }
{'Faulty'   }
{'Faultless'}
{'Faulty'   }
{'Faultless'}
{'Faulty'   }
{'Faultless'}
{'Faultless'}
{'Faultless'}

```

score1 =

```

-4.3057    4.3057
 4.1483   -4.1483
 0.5970   -0.5970
-4.6223    4.6223
 5.2500   -5.2500
-0.5384    0.5384
 4.8886   -4.8886
-0.5150    0.5150
-1.7120    1.7120
-0.9139    0.9139

```

excl2 =

10×3 table

<i>Var1</i>	<i>Var2</i>	<i>Var3</i>
{'Faultless'}	{'Faultless'}	4.3057
{'Faulty' }	{'Faulty' }	-4.1483

{'Faulty' }	{'Faulty' }	-0.59698
{'Faultless'}	{'Faultless'}	4.6223
{'Faulty' }	{'Faulty' }	-5.25
{'Faultless'}	{'Faultless'}	0.53839
{'Faulty' }	{'Faulty' }	-4.8886
{'Faultless'}	{'Faultless'}	0.51499
{'Faultless'}	{'Faultless'}	1.712
{'Faultless'}	{'Faultless'}	0.91387

Published with MATLAB® R2025b