```
[mysql > insert into profiles value (1,'田中 実','012-345-6789',30,'1994-02-01');
Query OK, 1 row affected (0.00 sec)
[mysal > select * from profiles;
profilesID I name I tel I age I birthday I
 1 | 田中 実 | 012-345-6789 | 30 | 1994-02-01 |
+----+
1 row in set (0.00 sec)
[mysql > insert into profiles value (2, '鈴木 茂', '090-1122-3344', 37, '1987-08-12');
Query OK, 1 row affected (0.00 sec)
[mysql > insert into profiles value (3,'鈴木 実','080-5566-7788',24,'2000-12-24');
Query OK, 1 row affected (0.01 sec)
[mysql > insert into profiles value (4,'佐藤 清','012-0987-6543',19,'2005-08-01');
Query OK, 1 row affected (0.01 sec)
[mysql > insert into profiles value (5,'高橋 清','090-9900-1234',24,'2000-12-24');
Query OK, 1 row affected (0.01 sec)
mysql > select * from profiles;
+-----+
 profilesID | name | tel | lage | birthday |
      1 | 田中実 | 012-345-6789 | 30 | 1994-02-01 |
        2 | 鈴木 茂 | 090-1122-3344 | 37 | 1987-08-12 |
        3 | 鈴木 実 | 080-5566-7788 | 24 | 2000-12-24 |
        4 | 佐藤清 | 012-0987-6543 | 19 | 2005-08-01 |
        5 | 高橋 清 | 090-9900-1234 | 24 | 2000-12-24 |
5 rows in set (0.00 sec)
```

```
[mysql > delete from profiles where birthday="2000-12-24";
Query OK, 2 rows affected (0.01 sec)
mysql > select * from profiles;
  profilesID | name
                           l tel
                                           l age
                                                   l birthday
               田中
                    実
                                               30 | 1994-02-01
                           I 012-345-6789 I
                           I 090-1122-3344 I
           2 |
               吉田
                    茂
                                                     1987-08-12 I
                                               37 I
               佐藤
                           I 012-0987-6543 I
                                                    2005-08-01
 rows in set (0.01 sec)
```