PromoGuard — Project Status Report

Current state, completed features, remaining work, and a realistic route to publication

Report date: 26 October 2026

Version: 0.1.0 | **Platform:** Windows Electron

Assessment: Working local prototype; not yet public-production ready.

PROJECT MATURITY (planning estimate, not test coverage)

Bottom line
About **61% limited public-beta readiness** by the weighted planning estimate. Allow **25-40 focused working days** (roughly 5-8 weeks) for a polished signed beta, assuming owner configuration and review resources are available. This is not a launch guarantee.

1. Executive status — in one sentence

PromoGuard is a feature-rich, locally tested **read-only crypto campaign research prototype** with 112 passing automated tests and a successful Windows installer build, but live integrations, evidence snapshots, clean-machine install acceptance, accessibility/release work, and signing remain incomplete, so estimate **about 61% ready for a narrowly scoped public beta** and **roughly 25–40 focused working days** to a polished signed beta if owner decisions, credentials, reviews, and test resources are available.

> *Percent complete is an engineering planning estimate against a defined limited public-beta scope. It is not a code-coverage number, guarantee of quality, claim of earnings, or statement that every feature works in production.*

2. Overall status at a glance

Measure	Current estimate	What it means
Working local prototype	**~80%**	Most of the desktop shell, local review workflows, and supporting services exist; some features are intentionally inactive
Limited public-beta readiness	**~61%**	A planning score for a release limited to campaign research, discovery, and optional read-only wallet views
Full aspirational roadmap	**~30%**	Markets, evidence revision history, extension framework, paper research, backup/restore, and broader support are planned or incomplete
Automated tests	**112 passed / 0 failed**	Existing automated suite result recorded 26 October 2026; provider behavior is mocked
Public production readiness	**Not established**	Live acceptance, clean install, signing, accessibility, independent security and legal reviews have not been demonstrated

Why use three percentages'

“Project complete” depends on the target. The **prototype** is substantially built. A **limited beta** still needs real-world acceptance and release safeguards. The **full roadmap** includes optional modules that are not required for a first limited beta. One percentage without a scope would be misleading.

Readiness bar chart

The bars are approximate maturity assessments, not test coverage.



Beta readiness estimate: weighted planning model

This model makes the 61% estimate inspectable. The weights add to 100%; the scores are judgments based on the dated status and test reports.

Readiness area	Weight	Current score	Weighted contribution
Desktop shell and core navigation	15%	90%	13.5
Campaign review and evidence quality	20%	65%	13.0
Discovery operations	10%	65%	6.5
Read-only wallet integration readiness	10%	45%	4.5
Privacy and security controls	15%	70%	10.5
Installer, upgrade and release operations	15%	35%	5.25
Accessibility, support and user recovery	15%	50%	7.5
Weighted total	**100%**		**60.75% ≈ 61%**

The estimate should be revised after clean-profile acceptance, owner-provided testnet configuration, and an accessibility/release review.

3. What has been built

Application and user experience

- Windows Electron desktop application with a responsive, navigable seven-view workspace.
- Electron-isolated renderer, narrow preload bridge, content security policy, and local SQLite persistence.
- Direct `renderer\index.html` browser preview stays static and clearly explains that secure desktop services are unavailable there; it is not a substitute for `npm start`.
- Windows launch script (`Start PromoGuard.bat`) and NSIS installer build configuration.
- Layout smoke checks recorded at 390px and 1180px viewport widths.

Campaign review and discovery

- Campaign records with separate assertions for payment conditions and project/source attestation.
- Allow-list gate, review statuses/reasons/history, search/filter, expiry handling, and minimum reward threshold.
- Conservative behavior for missing terms, invalid dates, and zero rewards; unresolved facts stay unverified.
- RSS/Atom/GDELT feed parsing, duplicate handling, URL/redirect/response-size limits, retry/rate-limit handling, and scheduled-discovery consent.
- Feed and settings management, local notifications, alerts, and review activity.

Wallet, claims, AI and privacy

- Optional TON Connect and WalletConnect/EVM source paths with consent-gated public data lookups.
- Network checks, encrypted local session/configuration storage, provider-scoped lookup consent revocation and erasure.
- Claim preflight and limited monitoring only; no claim submission or complete receipt-proof flow.
- Local advisory AI and consent-gated read-only MCP tools; neither can override deterministic campaign policy.
- No supported seed phrase/private key entry, signing, approvals, transfers, trading, deposits, or payouts.
- Narrow EPIPE handling for the reported closed-output-pipe condition; other stream errors are not silently suppressed.

Engineering and verification already recorded

- 112 automated tests pass; they cover policy, database migrations, feed safety, mocked wallet/provider paths, claims preflight, consent, storage and logging.
- JavaScript syntax checks and Electron smoke checks pass at mobile and desktop sizes.
- `npm audit` and production-only audit reported zero advisories at the time recorded.
- Windows NSIS build succeeds, and the packaged executable passed a smoke-mode launch.
- Database migration v10 preserves existing notification rows while storing notification messages.

4. Feature-by-feature status

Feature / section	Status	What works now	What remains / limitation
Overview	**Implemented**	Local counts, recent campaigns, safety guidance and shortcuts	Counts are not earnings, balances or performance claims
PromoGuard campaign review	**Implemented, evidence-limited**	Create/review records, separate attestations, status/reasons, history, search/filter and conservative expiry	Does not fetch/store reproducible official-terms snapshots or independently certify sources
Discover leads	**Implemented, live validation pending**	RSS/Atom/GDELT parsing, deduplication, safety limits, manual/scheduled consent	Real feed reliability, long-running schedule behavior and broad social discovery are not certified
Markets	**Unavailable by design**	Honest provider-not-configured state	No market provider, live quotes, charting or provider licensing/attribution
Predictions (Paper)	**Inactive**	Clear inactive/demo state	No live odds/outcomes; only valueless, unmistakably simulated future work is acceptable
Wallet Center	**Implemented in source; live acceptance pending**	TON/EVM connection paths, optional read-only lookups, network checks, consent and local erasure	Owner configuration and real testnet pairing/RPC, provider terms and outage acceptance are unverified
Claims	**Partial / preflight only**	Preflight checks and limited monitoring	No automated submission; no complete campaign-specific receipt verification
Activity	**Implemented locally**	Local counters, notifications, alerts and claim-preflight records	Does not health-check external services or prove a campaign payout
Settings & AI	**Implemented, optional setup required**	Threshold/domain/feed settings, local AI configuration, consent-gated MCP	Ollama/model setup and real AI-provider behavior require owner setup; AI can be wrong
Browser preview	**Implemented as static preview**	Informational browser-mode notice; secure controls are unavailable	Must launch desktop app for database, wallet, feed and AI services
Windows packaging	**Build verified; release acceptance incomplete**	NSIS installer can be generated and packaged app smoke-tested	Unsigned, default icon, no clean-profile install/upgrade/uninstall or retention acceptance
Accessibility and user support	**Not certified**	Responsive smoke coverage exists	Keyboard/screen-reader/contrast review, support, recovery and incident process remain

5. What has happened so far

1. **Product direction clarified:** PromoGuard is a local evidence/research product, not an exchange or earnings service.
2. **App organization improved:** the existing UI was organized into seven navigable views, with responsive layout and a safer browser-preview message.
3. **Campaign policy hardened:** expiry, zero-reward, missing-terms and separate-attestation behavior were corrected and regression-tested.
4. **Data/settings workflows improved:** notification message persistence, feed management, threshold controls, and wallet lookup consent revocation/erasure were corrected.
5. **Wallet and storage paths hardened:** asynchronous OS-backed safe storage and clearer read-only/provider consent boundaries were implemented.
6. **Runtime and packaging issues fixed:** SQLite/Electron compatibility and Windows builder configuration were corrected; narrow EPIPE handling addresses the reported terminal pipe error.
7. **Verification completed:** tests, syntax, two viewport smoke sizes, dependency audits and package smoke were recorded as passing.
8. **Future roadmap documented:** a phased upgrade plan now exists in Markdown and PDF, including evidence provenance, testnets, curated add-ons, market-provider gates, and privacy boundaries.

The browser-preview warning is not the underlying application being broken: a `file://` preview cannot access Electron's secure services. Run `npm start` or double-click `Start PromoGuard.bat` to use the desktop app.

6. Project workflow — what happens and what comes next

Current user flow



Wallet lookups require separate consent; claim preflight does not submit or prove payment.

“Eligible for further review” is not independent verification, claim approval or payment proof.

Upgrade sequence



7. What is needed to upgrade and publish professionally

P0 — Release foundation

- Install the existing build on a clean Windows profile or VM.
- Test first launch, persistence, restart, upgrade over an older build, uninstall, reinstall, and documented data retention/deletion.
- Decide publisher identity, app icon, supported Windows versions, code-signing certificate, update channel and rollback process.
- Provide release notes, checksums, contact/support route, privacy/data-retention statement, and a vulnerability reporting process.

P0 — Evidence provenance

- Add user-triggered, safe HTTPS terms capture with redirect/DNS/IP checks and response/time/size limits.
- Save source URL, capture time, content hash, version and fetch error; keep snapshots rather than silently overwriting.
- Invalidate a prior campaign review when required terms change.
- Keep unknown, stale, conflicting and failed-to-fetch evidence visibly distinct.

P1 — Live integration acceptance

- TON: owner-hosted HTTPS manifest and dedicated testnet wallet.
- WalletConnect/EVM: owner-created Reown project ID and verified testnet RPC configuration.
- Test consent, network mismatch, provider timeout/rate limit, disconnect/reconnect, revocation and erasure.
- Document provider privacy terms and what address/network metadata may be disclosed.

P1 — Product finish and trust

- Keyboard navigation, screen reader labels, contrast, zoom, visible focus and reduced-motion checks.

- Safe edit/archive/export/backup and restore design; test database migration from existing user data.
- Clear stale/error/empty states and no fake health checks, prices, odds, campaign facts or claims.
- Independent security review before broad distribution; legal/privacy review for intended jurisdictions.

Later / optional

- Curated first-party feed packs or review checklists with limited permissions.
- Market quotes only after provider licensing, attribution, timestamps, currency, freshness and outage behavior are approved.
- Paper research only if unmistakably simulated, no money, no redeemable points and no payout.
- Backup/restore and any web companion only after data protection and threat-model review.

Explicitly not in scope for a safe first release

No exchange, trading, custody, wallet signing, token approvals, transfers, automated claim submission, deposits, staking, yield, real-money predictions, payouts, earnings guarantees, or Aadhaar/national-ID collection. Any change to this boundary requires a separate product, legal/compliance and security approval—not just a disclaimer.

8. How long until publication'

There is no honest exact launch date until the owner supplies test credentials/configuration and selects release scope. The following are **focused working-day ranges**, assuming one experienced engineer can work on the project without unrelated interruptions. Calendar time can be longer.

Release target	Estimate	Includes	Excludes / assumptions
Private hands-on pilot	**7–12 working days** (about 2–3 weeks)	Clean-profile install test, focused UX fixes, owner-run testnet acceptance, beta limitations clearly disclosed	Not a signed broad public launch; depends on owner credentials and available test device
Limited public beta, read-only research scope	**25–40 working days** (about 5–8 weeks)	Release/data lifecycle, campaign evidence improvements, live testnet/provider acceptance, accessibility, packaging/signing decisions, release documentation and regression time	Third-party account approval, signing-certificate procurement, external legal/security review, provider delays may add time
Broader product roadmap	**Several months, phase-gated**	Market data, richer add-ons, optional paper research, backup/restore and potential platform expansion	Not needed for a limited beta; provider/legal scope is not yet decided

Suggested schedule for a limited public beta

```
Week 1     Clean install/upgrade tests; decide scope, publisher and data retention
Weeks 2–3  Evidence snapshots, campaign review explanation and change invalidation
Week 4     Feed/provider hardening; owner runs TON/EVM testnet acceptance
Week 5     Accessibility, privacy, support and security review; fix blocking findings
Weeks 6–8  Signing/build/release rehearsal, regression, contingency and go/no-go
```

The schedule is a planning estimate, not a commitment. If the target is a small private pilot that intentionally excludes live wallets and public marketing, a shorter timeline may be feasible. A public production launch should not be declared solely because a build succeeds or tests pass.

9. Top blockers and owner inputs

Blocker / decision	Who must provide it	Why it blocks or affects schedule
Target release: private pilot or public beta	Product owner	Defines which acceptance, support and sign-off gates apply
Windows clean-profile test machine	Product owner / QA	Installer install, upgrade and uninstall behavior is unknown
TON HTTPS manifest and test wallet	Product owner	Required to validate real TON pairing
Reown project ID and EVM testnet RPC	Product owner	Required for WalletConnect/EVM live acceptance; do not commit secrets
Publisher identity and code-signing decision	Product owner	Public installer trust and distribution need a real publisher
Privacy/retention/support decisions	Product owner	Required before collecting user feedback or distributing broadly
Market data provider and license	Product owner	Markets cannot be implemented honestly without a chosen source
Independent accessibility/security/legal review	Owner / reviewers	Required according to release scope and risk tolerance

10. Go/no-go checklist

Do not call the release “public-ready” until all release-scope criteria pass:

- [ ] Clean Windows profile: install, launch, persist, upgrade, uninstall, reinstall, and data behavior verified.
- [ ] All campaign leads remain unverified until required evidence is present and reviewed.
- [ ] Evidence changes and provider errors cannot produce success-shaped results.
- [ ] Real testnet wallet flows pass consent, wrong-network, provider-failure, revoke and erase checks—or live wallet views are disabled for the release.
- [ ] No signing, approval, transfer, secret phrase, automated claim or financial execution surface exists.
- [ ] Keyboard/accessibility review passes critical workflows.
- [ ] Installer publisher, signing, update/rollback and support details are decided and documented.
- [ ] No unresolved critical/high security findings; audit and dependency review re-run on the release candidate.
- [ ] Privacy, retention, limitations and no-earnings-guarantee disclosures are understandable.
- [ ] Final build, version, checksums, test results and release notes are archived.

11. Final assessment

PromoGuard has moved beyond a static mock-up: it has an Electron shell, working local campaign/feed/settings workflows, conservative policy gates, optional wallet integration code, AI/MCP advisory paths, local persistence, and a meaningful regression suite. However, “implemented in code” does not equal “validated with a real provider,” and a successful installer build does not equal an accepted installation.

Current recommendation: proceed to a **limited read-only beta preparation**, starting with clean-profile installation and evidence provenance. Keep Markets unavailable until a licensed data source is chosen, keep Predictions inactive or strictly valueless, and keep claims preflight-only. Reassess the readiness percentage after each release gate passes.

Sources used

The assessment is based on PROJECT_STATUS.md (implementation/status inventory), PROJECT_AUDIT.md (source review and outstanding risks), TEST_REPORT.md (verification results and limitations), FUTURE_UPGRADE_PLAN.md (future phases), and `package.json` (version, runtime and build scripts).

How to interpret the estimates

The 61% figure is a weighted planning judgment for a limited read-only beta, using the categories and weights shown above. It is not automatically calculated from lines of code, completed tasks, or test count. Prototype maturity and roadmap completion use different scopes, so they are deliberately different numbers. The working-day estimate assumes one experienced engineer focused on the project; it excludes time waiting for provider account approval, a signing certificate, external reviewers, legal advice, or owner decisions. Re-estimate after each milestone and record which acceptance gates have actually passed.