Cucumber Report

Start : Dec 15, 4:35:52.096 AM	End : Dec 15, 4:41:22.112 AM	Duration : 5 m 30.016 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 0	PASSED - 38 FAILED - 1 SKIPPED - 10

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Back, Forward & Firm Order	5 m 30.016 s	4	3	1	0	49	38	1	10

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@core	4	3	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Back, Forward & Firm Order	4	3	1	0	5 m 30.016 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Back, Forward & Firm Order	Scenario 1: Dealer Backward Order	11	11	0	0	1 m 45.794 s
2	Back, Forward & Firm Order	Scenario 2: Import File for Dealer Forward Orders	11	11	0	0	31.577 s
3	Back, Forward & Firm Order	Scenario 4: Partially Met Dealer Vehicle Orders	14	14	0	0	56.740 s
4	Back, Forward & Firm Order	Scenario 5: MC Order(Finalize forward order SOP%)	13	2	1	10	2 m 15.852 s

Back, Forward & Firm Order

FAILED	DURATION - 5 m 30.016 s	Scenarios Total - 4 Pass - 3 Fail - 1 Skip - 0	Steps Total - 49 Pass - 38 Fail - 1 Skip - 10
/ 4:35:52.096 AM // 4:41:22.112 AM /			

Scenario 1: Dealer Backward Order

| PASSED	DURATION - 1 m 45.794 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0
/ 4:35:52.112 AM // 4:37:37.906 AM /			
Back, Forward & Firm Order			
@core			

#	Step / Hook Details	Status	Duration
1	Given Set up dealer email address	PASSED	10.837 s
2	Then Open MA Vehicle Url and login with Ringwood dealer	PASSED	8.147 s
3	And Navigate to Vehicle Order Page	PASSED	11.268 s
4	And Enter model "200SAH5G15P", colour "25D" and trim "D4H"	PASSED	6.578 s
5	Then Click on Search	PASSED	5.082 s
6	And Validate "No vehicle was found" message	PASSED	20.059 s
7	And Click on Submit Back Order	PASSED	0.362 s
8	Then Navigate to Stock Locator Page	PASSED	15.264 s
9	And Search for required Model	PASSED	6.153 s
10	And Click on "Back Order" folder	PASSED	5.283 s
11	Then Validate the generated request number	PASSED	10.349 s

Scenario 2: Import File for Dealer Forward Orders

PASSED	*DURATION - 31.577 s*	Steps
/ 4:37:37.922 AM // 4:38:09.499 AM /		Total - 11
		Pass - 11
Back, Forward & Firm Order		Fail - 0
@core		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Open MA MCOrder Url and login with user SBZHOU	PASSED	6.518 s
2	Then Navigate to Load Forward Orders page	PASSED	5.653 s
3	And Enter Forward id as "A23-11-2" and click on "Load Allocations"	PASSED	0.423 s
4	And Click on "Check Forward Order" button	PASSED	3.185 s
5	And Enter Open Date and Cut off date of 1 day	PASSED	8.493 s
6	Then Import the Text file	PASSED	2.107 s
7	And Validate "SOP%" message if any	PASSED	0.328 s
8	And Validate vehicle count for each group	PASSED	0.072 s
9	And Expand First Group	PASSED	0.138 s
10	And Validate vehicle count for each dealer	PASSED	0.021 s
11	Then click on Save	PASSED	0.038 s

Scenario 4: Partially Met Dealer Vehicle Orders

PASSED	*DURATION - 56.740 s*	Steps
/ 4:38:09.511 AM // 4:39:06.251 AM /		Total - 14
		Pass - 14
Back, Forward & Firm Order		Fail - 0
@core		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Open MA Vehicle Url and login with Essendon dealer	PASSED	10.059 s
2	Then Navigate to Forward Orders Entry page	PASSED	11.046 s

#	Step / Hook Details	Status	Duration
3	And Validate Order and Back Order components	PASSED	0.274 s
4	And Validate Forward order Id with Cut Off Date	PASSED	0.001 s
5	And Search For same Model in Place Order	PASSED	0.490 s
6	Then Select forward Id from Dropdown	PASSED	0.108 s
7	Then Select multi color by using Keyboard	PASSED	10.013 s
8	And Click on Fill Selected BackOrders	PASSED	5.051 s
9	Then Click on SOP Summary	PASSED	0.071 s
10	And Validate "Forward Order SOP Summary" pop-up	PASSED	3.029 s
11	And Close SOP Summary Pop-up	PASSED	0.079 s
12	Then Navigate to Stock Locator Page from Forward Order Entry Page	PASSED	5.413 s
13	And Click on "Forward Order" folder	PASSED	6.836 s
14	And Validate total forward count	PASSED	0.172 s

Scenario 5: MC Order(Finalize forward order SOP%)

FAILED	*DURATION - 2 m 15.852 s*	**Steps**
/ 4:39:06.260 AM // 4:41:22.112 AM /		Total - 13
		Pass - 2
Back, Forward & Firm Order		Fail - 1
		Skip - 10
@core		

#	Step / Hook Details	Status	Duration
1	Given Open MA MCOrder Url and login with user SBZHOU	PASSED	16.146 s
2	Then Navigate to Forward Order Dates	PASSED	10.020 s
3	And Enter forward order ID and click on Search on forward order dates Page	FAILED	1 m 44.920 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //input[@id='forwardOrderId'] (tried for 100 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at Utility.UtlActions.waitForElement(UtlActions.java:58)
	    at Utility.UtlActions.setText(UtlActions.java:39)
	    at pom.pages.finalizeForwardOrderSOPPage.enterForwardIdValue(finalizeForwardOrderSOPPage.java:55)
	    at StepDefs.BackForwardFirmOrderStepDefinition.		

#	Step / Hook Details	Status	Duration
	enterForwardOrderIDAndClickOnSearchOnForwardOrderDatesPage(BackForwardFirmOrderStepDefinition.java:467)		
	at ?.Enter forward order ID and click on Search on forward order dates Page(file:///C:/Core%20Automation/testing-automation/src/test/resources/feature/BackForwardFirmOrder.feature:69)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='forwardOrderId']"} (Session info: MicrosoftEdge=120.0.2210.61) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows Server 2019', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_311' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [9fc692fbaffc217fca28e3863a878fbc, findElement {using=xpath, value=//input[@id='forwardOrderId']}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.61, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:50153}, msedge: {msedgedriverVersion: 120.0.2210.61 (50ab4bd76cf1..., userDataDir: C:\Users\SMOHAP~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50153/devtoo..., se:cdpVersion: 120.0.2210.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9fc692fbaffc217fca28e3863a878fbc		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:174)		
	at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at Utility.UtlActions.waitForElement(UtlActions.java:58)		
	at Utility.UtlActions.setText(UtlActions.java:39)		
	at pom.pages.finalizeForwardOrderSOPPage.enterForwardIdValue(finalizeForwardOrderSOPPage.java:55)		
	at StepDefs.BackForwardFirmOrderStepDefinition.enterForwardOrderIDAndClickOnSearchOnForwardOrderDatesPage(BackForwardFirmOrderStepDefinition.java:467)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		

#	Step / Hook Details	Status	Duration
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) * Not displayable characters are replaced by '?'.		
4	And Double Click on retrieved forwardId	SKIPPED	0.000 s
5	Then Update cutoff date to -2 days back date	SKIPPED	0.000 s
6	Then Navigate to Finalize forward order SOP%	SKIPPED	0.000 s
7	And Enter forward order ID and click on Search	SKIPPED	0.000 s
8	And Validate all the placed order with status as MET & Not MET	SKIPPED	0.000 s
9	Then click on Finalize	SKIPPED	0.000 s
10	And Validate Only MET forward orders still be there	SKIPPED	0.000 s
11	Then Open MA Vehicle Url and login with Ringwood dealer	SKIPPED	0.000 s
12	And Navigate to Forward Orders Entry page	SKIPPED	0.000 s
13	And Validate No longer listed to change	SKIPPED	0.000 s
	AFTER - StepDefs.Hooks.tearDown(io.cucumber.java.Scenario) Scenario_5:_MC_Order(Finalize_forward_order_SOP%) 	PASSED	0.256 s