

Cucumber Report

22-Dec-2023, 3:05:08 pm

Start : Dec 22, 3:04:48.222 pm

End : Dec 22, 3:05:06.337 pm

Duration : 18.115 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 62




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Back And Forward Order</u>	18.115 s	5	0	5	0	62	0	0	62

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@core	5	0	5	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Back And Forward Order</u>	5	0	5	0	18.115 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Back And Forward Order</u>	<u>Scenario 1: Dealer Backward Order</u>	11	0	0	11	9.301 s
2	<u>Back And Forward Order</u>	<u>Scenario 2: Import File for Dealer Forward Orders</u>	11	0	0	11	2.162 s
3	<u>Back And Forward Order</u>	<u>Scenario 3: Fully Met Dealer Vehicle Orders</u>	13	0	0	13	2.162 s
4	<u>Back And Forward Order</u>	<u>Scenario 4: Partially Met Dealer Vehicle Orders</u>	14	0	0	14	2.048 s
5	<u>Back And Forward Order</u>	<u>Scenario 5: MC Order(Finalize forward order SOP%)</u>	13	0	0	13	2.395 s


Back And Forward Order

FAILED	DURATION - 18.115 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 62 Pass - 0 Fail - 0 Skip - 62	
/ 3:04:48.222 pm // 3:05:06.337 pm /					



Scenario 1: Dealer Backward Order

<div>FAILED</div> <div>DURATION - 9.301 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 11</div>	
<div>/ 3:04:48.225 pm // 3:04:57.526 pm /</div>				
<div>Back And Forward Order</div>				
<div>@core</div>				


#	Step / Hook Details	Status	Duration
	BEFORE - StepDefs.Hooks.setUp(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: MicrosoftEdge=120.0.2210.77) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [52298cb98878c60df55ab9797cf67603, get {url=https://uat-erp-dealer.mazda.com.au/Accounts/ui/}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.77, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62631}, msedge: {msedgedriverVersion: 120.0.2210.89 (5e09c01c1fa4..., userDataDir: C:\Users\SHUBHA~1\INT\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62631/devtoo..., se:cdpVersion: 120.0.2210.77, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 52298cb98878c60df55ab9797cf67603 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	8.777 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at common.shared.Test.BaseTest_Core.lunchApplication(BaseTest_Core.java:91) at StepDefs.Hooks.setUp(Hooks.java:18) </pre>		
1	Given Set up dealer email address	SKIPPED	0.004 s
2	Then Open MA Vehicle Url and login with Ringwood dealer	SKIPPED	0.003 s
3	And Navigate to Vehicle Order Page	SKIPPED	0.001 s
4	And Enter model "200SAH5G15P", colour "25D" and trim "D4H"	SKIPPED	0.001 s
5	Then Click on Search	SKIPPED	0.000 s
6	And Validate "No vehicle was found" message	SKIPPED	0.001 s
7	And Click on Submit Back Order	SKIPPED	0.001 s
8	Then Navigate to Stock Locator Page	SKIPPED	0.000 s
9	And Search for required Model	SKIPPED	0.000 s
10	And Click on "Back Order" folder	SKIPPED	0.000 s
11	Then Validate the generated request number	SKIPPED	0.001 s
	AFTER - StepDefs.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.164 s
	Scenario_1:_Dealer_Backward_Order		
			



Scenario 2: Import File for Dealer Forward Orders

<div>FAILED</div> <div>DURATION - 2.162 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 11</div>	
<div>/ 3:04:57.546 pm // 3:04:59.708 pm /</div>				
<div>Back And Forward Order</div>				
<div>@core</div>				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - StepDefs.Hooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: MicrosoftEdge=120.0.2210.77) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [5c8eb28e3cf128ec5b9783d0e14ce481, get {url=https://uat-erp-dealer.mazda.com.au/MCOOrders/ui/}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.77, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62658}, msedge: {msedgedriverVersion: 120.0.2210.89 (5e09c01c1fa4..., userDataDir: C:\Users\SHUBHA~1\INT\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62658/devtoo..., se:cdpVersion: 120.0.2210.77, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5c8eb28e3cf128ec5b9783d0e14ce481</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at common.shared.Test.BaseTest_Core.lunchApplication(BaseTest_Core.java:91) at StepDefs.Hooks.setUp(Hooks.java:22)</p>	FAILED	1.517 s
1	Given Open MA MCOOrder Url and login with user SBZHOU	SKIPPED	0.001 s
2	Then Navigate to Load Forward Orders page	SKIPPED	0.001 s
3	And Enter Forward id as "A23-11-11" and click on "Load Allocations"	SKIPPED	0.000 s
4	And Click on "Check Forward Order" button	SKIPPED	0.001 s
5	And Enter Open Date and Cut off date of 3 day	SKIPPED	0.000 s
6	Then Import the Text file	SKIPPED	0.000 s
7	And Validate "SOP%" message if any	SKIPPED	0.000 s
8	And Validate vehicle count for each group	SKIPPED	0.000 s
9	And Expand First Group	SKIPPED	0.000 s
10	And Validate vehicle count for each dealer	SKIPPED	0.000 s
11	Then click on Save	SKIPPED	0.000 s
	AFTER - StepDefs.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.149 s

#	Step / Hook Details	Status	Duration
	<p>Scenario_2:_Import_File_for_Dealer_Forward_Orders</p> 		



Scenario 3: Fully Met Dealer Vehicle Orders

<div>FAILED</div> <div>DURATION - 2.162 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 13</div>	
<div>/ 3:04:59.715 pm // 3:05:01.877 pm /</div>				
<div>Back And Forward Order</div>				
<div>@core</div>				


#	Step / Hook Details	Status	Duration
	<p>BEFORE - StepDefs.Hooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: MicrosoftEdge=120.0.2210.77) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6b4ed1631e587e1311b0f936ae6f9a62, get {url=https://uat-erp-dealer.mazda.com.au/Vehicles/ui/}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.77, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62684}, msedge: {msedgedriverVersion: 120.0.2210.89 (5e09c01c1fa4..., userDataDir: C:\Users\SHUBHA~1\INT\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62684/devtoo..., se:cdpVersion: 120.0.2210.77, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b4ed1631e587e1311b0f936ae6f9a62 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p>	FAILED	1.649 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at common.shared.Test.BaseTest_Core.lunchApplication(BaseTest_Core.java:91) at StepDefs.Hooks.setUp(Hooks.java:26)		
1	Given Open MA Vehicle Url and login with Ringwood dealer	SKIPPED	0.000 s
2	Then Navigate to Forward Orders Entry page	SKIPPED	0.000 s
3	And Validate Order and Back Order components	SKIPPED	0.000 s
4	And Validate Forward order Id with Cut Off Date	SKIPPED	0.000 s
5	And Validate all groups with count displayed for that dealer	SKIPPED	0.000 s
6	Then Click on SOP Summary	SKIPPED	0.000 s
7	And Validate "Forward Order SOP Summary" pop-up	SKIPPED	0.001 s
8	And Validate minimum order quantity in SOP summary pop-up	SKIPPED	0.000 s
9	And Close SOP Summary Pop-up	SKIPPED	0.001 s
10	Then Navigate to Stock Locator Page from Forward Order Entry Page	SKIPPED	0.000 s
11	And Click on "Forward Order" folder	SKIPPED	0.000 s
12	And Validate total forward count	SKIPPED	0.000 s
13	And Logout from the application	SKIPPED	0.001 s
	AFTER - StepDefs.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.165 s
	Scenario_3: _Fully_Met_Dealer_Vehicle_Orders		



Scenario 4: Partially Met Dealer Vehicle Orders

<div>FAILED</div> <div>DURATION - 2.048 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 14</div>	
/ 3:05:01.887 pm // 3:05:03.935 pm /				
Back And Forward Order				
@core				

#	Step / Hook Details	Status	Duration
	BEFORE - StepDefs.Hooks.setUp(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: MicrosoftEdge=120.0.2210.77) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [ccabe416241f2991d23928a3e08dddb7, get {url=https://uat-erp-dealer.mazda.com.au/Vehicles/ui/}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.77, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62708}, msedge: {msedgedriverVersion: 120.0.2210.89 (5e09c01c1fa4..., userDataDir: C:\Users\SHUBHA~1\INTVAppDa..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62708/devtoo..., se:cdpVersion: 120.0.2210.77, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ccabe416241f2991d23928a3e08dddb7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at common.shared.Test.BaseTest_Core.lunchApplication(BaseTest_Core.java:91) at StepDefs.Hooks.setUp(Hooks.java:30)	FAILED	1.496 s
1	Given Open MA Vehicle Url and login with Essendon dealer	SKIPPED	0.001 s
2	Then Navigate to Forward Orders Entry page	SKIPPED	0.000 s
3	And Validate Order and Back Order components	SKIPPED	0.000 s
4	And Validate Forward order Id with Cut Off Date	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	And Search For same Model in Place Order	SKIPPED	0.000 s
6	Then Select forward Id from Dropdown	SKIPPED	0.000 s
7	Then Select multi color by using Keyboard	SKIPPED	0.000 s
8	And Click on Fill Selected BackOrders	SKIPPED	0.001 s
9	Then Click on SOP Summary	SKIPPED	0.000 s
10	And Validate "Forward Order SOP Summary" pop-up	SKIPPED	0.000 s
11	And Close SOP Summary Pop-up	SKIPPED	0.001 s
12	Then Navigate to Stock Locator Page from Forward Order Entry Page	SKIPPED	0.000 s
13	And Click on "Forward Order" folder	SKIPPED	0.000 s
14	And Validate total forward count	SKIPPED	0.000 s
	AFTER - StepDefs.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.151 s
	Scenario_4:_Partially_Met_Dealer_Vehicle_Orders		
			

Scenario 5: MC Order(Finalize forward order SOP%)

FAILED	DURATION - 2.395 s		Steps Total - 13 Pass - 0 Fail - 0 Skip - 13	
/ 3:05:03.942 pm // 3:05:06.337 pm /				
Back And Forward Order				
@core				

#	Step / Hook Details	Status	Duration
	BEFORE - StepDefs.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	1.804 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: MicrosoftEdge=120.0.2210.77) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [4a800a86578783fec15449d2c65e825b, get {url=https://uat-erp-dealer.mazda.com.au/MCOrders/ui/}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.77, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62732}, msedge: {msedgedriverVersion: 120.0.2210.89 (5e09c01c1fa4...,		

#	Step / Hook Details	Status	Duration
	userDataDir: C:\Users\SHUBHA~1\INT\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62732/devtoo..., se:cdpVersion: 120.0.2210.77, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4a800a86578783fec15449d2c65e825b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at common.shared.Test.BaseTest_Core.lunchApplication(BaseTest_Core.java:91) at StepDefs.Hooks.setUp(Hooks.java:34)		
1	Given Open MA MCOOrder Url and login with user SBZHOU	SKIPPED	0.000 s
2	Then Navigate to Forward Order Dates	SKIPPED	0.000 s
3	And Enter forward order ID and click on Search on forward order dates Page	SKIPPED	0.000 s
4	And Double Click on retrieved forwardId	SKIPPED	0.001 s
5	Then Update cutoff date to -2 days back date	SKIPPED	0.000 s
6	Then Navigate to Finalize forward order SOP%	SKIPPED	0.000 s
7	And Enter forward order ID and click on Search	SKIPPED	0.000 s
8	And Validate all the placed order with status as MET & Not MET	SKIPPED	0.000 s
9	Then click on Finalize	SKIPPED	0.000 s
10	And Validate Only MET forward orders still be there	SKIPPED	0.000 s
11	Then Open MA Vehicle Url and login with Ringwood dealer	SKIPPED	0.000 s
12	And Navigate to Forward Orders Entry page	SKIPPED	0.000 s
13	And Validate changes in Dealer Login	SKIPPED	0.000 s
	AFTER - StepDefs.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.125 s
	Scenario_5:_MC_Order(Finalize_forward_order_SOP%)		

#	Step / Hook Details	Status	Duration
	<div></div>		