

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <!-- Meta Info -->

    <meta charset="UTF-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Personal assistance - Dashboard</title>

    <!-- Styles -->

    <link rel="stylesheet" href="static/styles.css" />

    <!-- For plain html -->

    <link rel="stylesheet" href="../../static/styles.css" />

  </head>

  <body>

    <div class="flex flex-no-wrap">

      <!-- Sidebar starts -->

      <div class="fixed">

        <div class="w-64 h-screen sm:relative bg-primary-blue-light shadow flex-col justify-between hidden sm:flex">

          <div class="px-8 h-full">

            <div class="h-16 w-full flex items-center">

              

            </div>

            <ul class="mt-12">

              <li class="flex w-full justify-between text-white cursor-pointer items-center mb-6">

                <a href="/dashboard" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">

                  <object type="image/svg+xml" data="../../static/svg/dashboard.svg"></object>

                  <span class="text-sm ml-2">Dashboard</span>

                </a>

              </li>

            </ul>

          </div>

        </div>

      </div>

    </div>

  </body>

</html>
```

```
<li class="flex w-full justify-between text-gray-400 hover:text-gray-300 cursor-pointer items-center mb-6">
```

```
<a href="/schedule" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
```

```
<object type="image/svg+xml" data="../../../static/svg/plugin-inactive.svg"></object>
```

```
<span class="text-sm ml-2">Schedule</span>
```

```
</a>
```

```
<div class="py-1 px-3 bg-white rounded text-primary-blue-light flex items-center justify-center text-xs"></div>
```

```
</li>
```

```
<li class="flex w-full justify-between text-gray-400 hover:text-gray-300 cursor-pointer items-center mb-6">
```

```
<a href="/medicines" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
```

```
<object type="image/svg+xml" data="../../../static/svg/compass-inactive.svg"></object>
```

```
<span class="text-sm ml-2">Medicines</span>
```

```
</a>
```

```
</li>
```

```
<li class="flex w-full justify-between text-gray-400 hover:text-gray-300 cursor-pointer items-center mb-6">
```

```
<a href="/prescription" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
```

```
<object type="image/svg+xml" data="../../../static/svg/plugin-inactive.svg"></object>
```

```
<span class="text-sm ml-2">Prescription</span>
```

```
</a>
```

```
</li>
```

```
<li class="flex w-full justify-between text-gray-400 hover:text-gray-300 cursor-pointer items-center">
```

```
<a href="/logout" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
```

```
<object type="image/svg+xml" data="../../../static/svg/settings-inactive.svg"></object>
```

```
<span class="text-sm ml-2">Logout</span>
```

```
</a>
```


</div>

</div>

</div>

<div class="w-64 z-40 fixed h-screen bg-primary-blue-light shadow flex-col justify-between sm:hidden transition duration-150 ease-in-out" id="mobile-nav">

<button aria-label="toggle sidebar" id="openSideBar" class="h-10 w-10 bg-primary-blue-light absolute right-0 mt-16 -mr-10 flex items-center shadow rounded-tr rounded-br justify-center cursor-pointer focus:outline-none focus:ring-2 focus:ring-offset-2 rounded focus:ring-gray-800" onclick="sidebarHandler(true)">

<svg xmlns="http://www.w3.org/2000/svg" class="icon icon-tabler icon-tabler-adjustments" width="20" height="20" viewBox="0 0 24 24" stroke-width="1.5" stroke="#FFFFFF" fill="none" stroke-linecap="round" stroke-linejoin="round">

<path stroke="none" d="M0 0h24v24H0z" />

<circle cx="6" cy="10" r="2" />

<line x1="6" y1="4" x2="6" y2="8" />

<line x1="6" y1="12" x2="6" y2="20" />

<circle cx="12" cy="16" r="2" />

<line x1="12" y1="4" x2="12" y2="14" />

<line x1="12" y1="18" x2="12" y2="20" />

<circle cx="18" cy="7" r="2" />

<line x1="18" y1="4" x2="18" y2="5" />

<line x1="18" y1="9" x2="18" y2="20" />

</svg>

</button>

<button aria-label="Close sidebar" id="closeSideBar" class="hidden h-10 w-10 bg-gray-800 absolute right-0 mt-16 -mr-10 flex items-center shadow rounded-tr rounded-br justify-center cursor-pointer text-white" onclick="sidebarHandler(false)">

<svg xmlns="http://www.w3.org/2000/svg" class="icon icon-tabler icon-tabler-x" width="20" height="20" viewBox="0 0 24 24" stroke-width="1.5" stroke="currentColor" fill="none" stroke-linecap="round" stroke-linejoin="round">

<path stroke="none" d="M0 0h24v24H0z" />

<line x1="18" y1="6" x2="6" y2="18" />

```

        <line x1="6" y1="6" x2="18" y2="18" />
    </svg>
</button>
<div class="flex flex-col px-8 h-full">
    <div class="h-14 w-full flex items-center">
        
    </div>
    <ul class="mt-12">
        <li class="flex w-full justify-between text-white cursor-pointer items-center mb-6">
            <a href="/dashboard" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
                <object type="image/svg+xml" data="../../static/svg/dashboard.svg"></object>
                <span class="text-sm ml-2">Dashboard</span>
            </a>
        </li>
        <li class="flex w-full justify-between text-gray-400 hover:text-gray-300 cursor-pointer items-center mb-6">
            <a href="/schedule" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
                <object type="image/svg+xml" data="../../static/svg/plugin-inactive.svg"></object>
                <span class="text-sm ml-2">Schedule</span>
            </a>
            <div class="py-1 px-3 bg-white rounded text-primary-blue-light flex items-center justify-center text-xs"></div>
        </li>
        <li class="flex w-full justify-between text-gray-400 hover:text-gray-300 cursor-pointer items-center mb-6">
            <a href="/medicines" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
                <object type="image/svg+xml" data="../../static/svg/compass-inactive.svg"></object>
                <span class="text-sm ml-2">Medicines</span>
            </a>
        </li>
    </ul>

```

```
<li class="flex w-full justify-between text-gray-400 hover:text-gray-300 cursor-pointer items-center mb-6">
```

```
<a href="/prescription" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
```

```
<object type="image/svg+xml" data="../../static/svg/plugin-inactive.svg"></object>
```

```
<span class="text-sm ml-2">Prescription</span>
```

```
</a>
```

```
</li>
```

```
<li class="flex w-full justify-between text-gray-400 hover:text-gray-300 cursor-pointer items-center">
```

```
<a href="/login" class="flex items-center focus:outline-none focus:ring-2 focus:ring-white">
```

```
<i class="fas fa-door-open"></i>
```

```
<span class="text-sm ml-2">Logout</span>
```

```
</a>
```

```
</li>
```

```
</ul>
```

```
<div class="h-full"></div>
```

```
<div class="px-8 border-t border-gray-400">
```

```
<ul class="w-full flex items-center justify-between bg-primary-blue-light">
```

```
<li class="cursor-pointer text-white pt-5 pb-3">
```

```
<button aria-label="show notifications" class="focus:outline-none focus:ring-2 rounded focus:ring-gray-300">
```

```
<i class="fas fa-bell"></i>
```

```
</button>
```

```
</li>
```

```
<li class="cursor-pointer text-white pt-5 pb-3">
```

```
<button aria-label="open chats" class="focus:outline-none focus:ring-2 rounded focus:ring-gray-300">
```

```
<i class="fas fa-comments"></i>
```

```
</button>
```

```
</li>
```

```
<li class="cursor-pointer text-white pt-5 pb-3">
```

```

        <button aria-label="open settings" class="focus:outline-none focus:ring-2 rounded
focus:ring-gray-300">
            <i class="fas fa-cog"></i>
        </button>
    </li>
    <li class="cursor-pointer text-white pt-5 pb-3">
        <button aria-label="open logs" class="focus:outline-none cursor-pointer focus:ring-2
rounded focus:ring-gray-300">
            <i class="fas fa-plus"></i>
        </button>
    </li>
</ul>
</div>
</div>
</div>
<!-- Sidebar ends -->
<!-- Container Start -->
<div class="sm:ml-64 w-full">
    <div class="container mx-auto h-64 md:w-4/5 w-full flex flex-col flex-no-wrap">
        <div class="bg-primary-blue-light mx-5 px-8 my-5 flex-grow rounded-lg text-white justify-
center">
            <div class="flex-col">
                <h3 class="md:text-3xl my-7 sm:text-2xl">Hi USER!</h3>
                <p class="my-7 text-sm font-sans"> Welcome to PERSONAL ASSITANCE, your medical
reminder. Get started by clicking on adding a new medicine and then set your reminder. </p>
            </div>
        </div>
        <div class="flex justify-center mx-5">
            <div class="w-full mb-2 justify-center rounded-lg text-white">
                <h3 class="text-white p-3 md:text-2xl lg:text-2xl text-lg"></h3>
                <div class="p-5 pt-1 flex-wrap flex items-center gap-2 justify-center">
                    <div class="bg-primary-green-light flex-auto w-42 h-42 from-gray-800 to-gray-700
shadow-lg rounded-lg transform hover:from-gray-700 hover:to-gray-600">

```

</div>

<div class="bg-primary-blue-accent flex-auto w-42 h-42 from-gray-800 to-gray-700 shadow-lg rounded-lg">

</div>

<div class="bg-primary-yellow-accent flex-auto w-42 h-42 from-gray-800 to-gray-700 shadow-lg rounded-lg">

</div>

</div>

</div>

</div>

<div class="flex flex-col w-full">

<!-- Title thing -->

<div class="flex my-4">

<p class="mx-8 text-xl">Medicines</p>

<div class="flex-grow"></div>

<p class="mx-8 text-xl text-primary-blue-light">View All</p>

</div>

<!-- Dates -->

<div class="w-full flex flex-wrap">

<!-- First Day Column -->

<div class="lg:w-1/3 w-full">

<p class="mx-8 text-sm text-gray-500">Today</p>

</div>

<!-- Second Day column -->

<div class="lg:w-1/3 w-full">

<p class="mx-8 text-sm text-gray-500">Tomorrow</p>

</div>

<div class="lg:w-1/3 w-full">

<p class="mx-8 text-sm text-gray-500">Upcoming days</p>

</div>

</div>

</div>

</div>

</div>

</div>

<div id="slideover" class="fixed inset-0 overflow-hidden" aria-labelledby="slide-over-title" role="dialog" aria-modal="true">

<div class="absolute inset-0 overflow-hidden">

<div class="absolute inset-0 bg-gray-500 bg-opacity-75 transition-opacity" aria-hidden="true"></div>

<div class="fixed inset-y-0 right-0 pl-10 max-w-full flex">

<div class="relative w-screen max-w-md">

<svg class="h-6 w-6" xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 24 24" stroke="currentColor" aria-hidden="true">

<path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M6 18L18 6M6 6L12 12" />

</svg>

</button>

</div>

<div class="h-full flex flex-col py-6 bg-white shadow-xl overflow-y-scroll">

<div class="px-4 sm:px-6">

<h2 class="text-lg font-medium text-gray-900" id="slide-over-title"> Panel title </h2>

</div>

<div class="mt-6 relative flex-1 px-4 sm:px-6">

<div class="absolute inset-0 px-4 sm:px-6">

<div class="h-full border-2 border-dashed border-gray-200" aria-hidden="true"></div>


```
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
<script defer src="../../static/@fontawesome/fontawesome-free/js/brands.js"></script>
<script defer src="../../static/@fontawesome/fontawesome-free/js/solid.js"></script>
<script defer src="../../static/@fontawesome/fontawesome-free/js/fontawesome.js"></script>

<script>
    var slide = document.getElementById("slideover");
    slide.style.visibility = "hidden";
    var sideBar = document.getElementById("mobile-nav");
    var toggler = document.getElementById("mobile-toggler");
    sideBar.style.transform = "translateX(-260px)";
    let moved = true;

    function sidebarHandler() {
        if (moved) {
            sideBar.style.transform = "translateX(0px)";
            moved = false;
        } else {
            sideBar.style.transform = "translateX(-260px)";
            moved = true;
        }
    }
</script>
<script src="static/scripts/slideover.js"></script>
</body>
```

</html>