

## Main.html

```
<frameset rows="15%, 60 %, *">
  <frame src="Top.html" name="top">
  <frameset cols="25%, 75%">
    <frame src="left.html" name="left"></frame>
    <frame src="right.html" name="right"> </frame>
  </frameset>
  <frame src="Buttom.html" name="bottom">
</frameset>
```

## Buttom.html

```
<link href="//netdna.bootstrapcdn.com/bootstrap/3.0.0/css/bootstrap.min.css"
rel="stylesheet" id="bootstrap-css">
<script
src="//netdna.bootstrapcdn.com/bootstrap/3.0.0/js/bootstrap.min.js"></script>
<script src="//code.jquery.com/jquery-1.11.1.min.js"></script>
<link href="//maxcdn.bootstrapcdn.com/font-awesome/4.2.0/css/font-
awesome.min.css" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Raleway"
rel="stylesheet">
```

```
<body bgcolor="pink">
```

```
  <div class="footer-top">
    <div class="container">
      <div class="col-lg-2 col-md-2 col-sm-2 col-xs-12 text-center">
        <a href="#"><i class="fa fa-facebook fa-2x"></i>Facebook</a>
      </div>
      <div class="col-lg-2 col-md-2 col-sm-2 col-xs-12 text-center">
        <a href="#"><i class="fa fa-twitter fa-2x"></i>Twitter</a>
      </div>
      <div class="col-lg-2 col-md-2 col-sm-2 col-xs-12 text-center">
        <a href="#"><i class="fa fa-flickr fa-2x"></i>Flickr</a>
      </div>
      <div class="col-lg-2 col-md-2 col-sm-2 col-xs-12 text-center">
        <a href="#"><i class="fa fa-tumblr fa-2x"></i>Tumblr</a>
      </div>
      <div class="col-lg-2 col-md-2 col-sm-2 col-xs-12 text-center">
        <a href="#"><i class="fa fa-github fa-2x"></i>Github</a>
      </div>
```

```

        <div class="col-lg-2 col-md-2 col-sm-2 col-xs-12 text-center">
            <a href="#"><i class="fa fa-google-plus fa-2x"></i>Google</a>
        </div>
    </div>
</div>

<div class="copyright">
    <div class="container">

        <div class="row text-center">
            <p>Copyright © 2017 All rights reserved</p>
        </div>

    </div>
</div>

<a href="#" id="top" style="display: inline;">
    <i class="fa fa-arrow-up" aria-hidden="true"></i>
</a>

</body>

```

## Catalog.html

```

<html>
<body bgcolor="pink"><br><br><br>
<script language="javascript">
function validate()
{
var flag=1;
if(document.myform.id.value=="")||
document.myform.title.value=="")||
document.myform.no.value=="")||
document.myform.cost.value=="")||
document.myform.date.value=="")
{
flag=0;
}
var str=document.myform.no.value;
var x;

```





```

<input type="reset" value="clear" >
</div>

</form>
</body>
</html>

```

Order.html

```

<html>
<head><title>order conformation</title></head>
<body bgcolor="pink">
<center>
<h1><b>AMAZON</b></h1>
<pre><strong>
<b>Your order Is Conformed
</strong></pre>
<h2><b>THANK YOU</b></h2>
</center>
</body></html>

```

Payment.html

```

<html>
<body bgcolor="pink"><br><br><br>
<script language="javascript">
function validate()
{
var flag=1;
if(document.myform.id.value=="||
document.myform.pwd.value=="||
document.myform.amount.value=="||
document.myform.num.value=="")
{
flag=0;
}
var str=document.myform.amount.value;
var x;
for(var i=0;i<str.length;i++)
{
x=str.substr(i,1);
if(!(x<=9))
{
flag=0;

```



```

{
x=str.substr(i,1)
if(!(x<=9))
{
flag=0;
break;
}}
if(flag==1)
{
alert("VALID INPUT");
}
else
{
alert("INVALID INPUT");
document.myform.focus();
}}
</script><form name="myform">
<div align="center"><pre>
<table>
NAME :&nbsp;&nbsp;&nbsp;<input type="text" name="name"><br>
ADDRESS :&nbsp;&nbsp;&nbsp;<input type="text" name="addr"><br>
CONTACT NUMBER:&nbsp;&nbsp;&nbsp;<input type="text" name="name"><br><br> LOGINID
:&nbsp;&nbsp;&nbsp;<input type="text" name="id"><br>
PASSWORD :&nbsp;&nbsp;&nbsp;<input type="password" name="pwd"></pre><br><br>
</div></table><br><br><div align="center">
<input type="submit" value="Ok" onClick="validate()"> <input type="reset"
value="Reset"> </form></body></html>

```

## Registration.html

```

<html>
<head>
<script>
    function validate() {
        var fname = document.reg_form.fname;
        var lname = document.reg_form.lname;
        var address = document.reg_form.address;
        var gender = document.reg_form.gender;
        var email = document.reg_form.email;
        var mobile = document.reg_form.mobile;
        var course = document.reg_form.course;

```

```

        if (fname.value.length <= 0) {
            alert("Name is required");
            fname.focus();
            return false;
        }
        if (lname.value.length <= 0) {
            alert("Last Name is required");
            lname.focus();
            return false;
        }
        if (address.value.length <= 0) {
            alert("Address is required");
            address.focus();
            return false;
        }
        if (gender.value.length <= 0) {
            alert("Gender is required");
            gender.focus();
            return false;
        }
        if (email.value.length <= 0) {
            alert("Email Id is required");
            email.focus();
            return false;
        }
        if (mobile.value.length <= 0) {
            alert("Mobile number is required");
            mobile.focus();
            return false;
        }
        if (course.value == "select course") {
            alert("Course is required");
            course.focus();
            return false;
        }
        return false;
    }
</script>
</head>
<body bgcolor="pink">
    <center><h1>Form Validation using HTML,CSS,JavaScript</h1></center>
    <hr>
    <form method="" action="" name="reg_form" onsubmit="return
validate()">
        <h2>Registration Form</h2>
        <table>
            <tr>
                <td><label>First Name: </label></td>

```



```

        <td>
            <input type="text" name="fname" placeholder="First
Name">
        </td>
    </tr>
    <tr>
        <td><label>Last Name: </label></td>
        <td>
            <input type="text" name="lname" placeholder="Last
Name">
        </td>
    </tr>
    <tr>
        <td><label>Address: </label></td>
        <td>
            <input type="textarea" size="50" name="address"
placeholder="Address">
        </td>
    </tr>
    <tr>
        <td><label>Gender: </label></td>
        <td>
            <input type="radio" name="gender" value="male">Male
            <input type="radio" name="gender"
value="femele">Female
        </td>
    </tr>
    <tr>
        <td><label>Email Id: </label></td>
        <td>
            <input type="text" name="email"
placeholder="example@gmail.com">
        </td>
    </tr>
    <tr>
        <td><label>Mobile: </label></td>
        <td>
            <input type="number" name="mobile">
        </td>
    </tr>
    <tr>
        <td><label>Course: </label></td>
        <td>
            <select name="course">
                <option value="select course">select
course</option>
                <option value="HTML">HTML</option>
                <option value="CSS">CSS</option>
            </select>
        </td>
    </tr>

```

```

        <option value="JavaScript">JAVASCRIPT</option>
        <option value="Java">JAVA</option>
    </select>
</td>
</tr>
<tr>
    <td>
        <input type="submit" name="submit" value="Submit">
        <input type="reset" name="reset" value="Reset">
    </td>
</tr>
</table>
</form>
</body>
</html>

```

## Right.html

```

<html>
<body bgcolor="pink">
<br><br><br><br><br><h2 align="center">
<b><p>Welcome to online book storage. Press login if you are having id
otherwise press register.
</p></b></h2>
</body> </html>

```

## Scart.html

```

<html>
<body bgcolor="pink"><br><br><br>
<script language="javascript">
function validate()
{
var flag=1;
if(document.myform.title.value=="")
{

```



```

<link rel="stylesheet" href="C:\inter\neww.css">
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&displa
y=swap" rel="stylesheet">
<title>Document</title>
</head>
<body bgcolor="pink">
<header>
<div class="inner">
<div class="logo">
<div>
<h2><span>Book Store</span></h2>
</div>
</div>

<nav>
<li><span><a href="C:\inter\demo1\Login.html"
target="right"><font color="black"> LOGIN</font></a><br><br> </span> </li>
<li><span><a href="Registration.html" target="right"><font
color="black">
REGISTER</font></a> <br><br></span></li>
<li><span><a href="profile.html" target="right"><font
color="black">
USER PROFILE</font></a><br><br> </span></li>

</nav>
</div>
</header>
</body>
</html>

```