

Meta Lead Ads PoC â€™

Assumptions

Assumptions

- One backend instance and one Meta Page are used for this proof of concept.
- There is no database. Mock leads are stored in a `Map` in the backend processâ€™s memory and are lost when the backend restarts; persistence could be added with Postgres or SQLite.
- Socket connections and the leads screen are unauthenticated. Authentication and tenant isolation are outside this demonstrationâ€™s scope.
- Metaâ€™s `leadgen` webhook change contains lead identifiers, not form answers. The backend retrieves the submitted fields separately with the Graph API.
- The demonstration uses Metaâ€™s Lead Ads Testing Tool, not a live ad. No ad spend or real user data is required.
- `META_GRAPH_API MOCK=true` is used because creating Instant Forms requires a connected, verified Business Portfolio, which is out of scope for this PoC. App-created leads are stored locally in backend memory and labeled as mocks; the webhook demo still posts a Meta-shaped `leadgen` event and only its downstream Graph API lead fetch is mocked. The mock is disabled in production.
- The Android app can create, list, display, and delete local mock leads through the backend API. These records are not sent to Meta and do not represent actual form submissions.
- The test Page, Meta app, access token, ngrok account/domain, webhook subscription, and Loom recordings are supplied/configured by the operator; they are not part of the source repository.
- The backend acknowledges malformed webhook content without retrying it and logs a warning. It does not verify Metaâ€™s `X-Hub-Signature-256` signature; production use must add signature verification and stronger access controls.

- The backend currently broadcasts every successfully retrieved lead to every connected client. Page-scoped rooms and multi-tenant routing are out of scope.
- Lead retrieval accepts a long-lived User token directly; it typically lasts about 60 days and must be refreshed when it expires. An optional Page token from the same long-lived User token can be used as fallback and generally has no expiration date unless Meta invalidates it due to access or permission changes.