

Assignment – 4

Assignment Date	22 October 2022
Student Name	Mohammed Saad AR
Student Roll Number	311019104049
Project Name	Customer Care Registry
Team ID	PNT2022TMID27251

Question-1:

Pull an Image from docker hub and run it in docker playground.

Solution:

- Pull an image *uifd/ui-for-docker* from the docker hub
 - This image is used for viewing and managing the docker engine
 - Use `docker pull image_name` and `docker run -it image_name` commands to •
- Run the above image in the Docker Playground

The screenshot displays the Docker Playground interface. On the left, there's a sidebar with a clock showing 03:57:32, a 'CLOSE SESSION' button, and an 'Instances' section with a list of instances (192.168.0.8, node1). The main area shows the details of the selected instance 'cddvksm0_cddvkvm0qau000a07j5g', including its IP (192.168.0.8), memory usage (1.24%), CPU usage (0.31%), and an SSH command. Below this, there are 'DELETE' and 'EDITOR' buttons. The terminal window shows the following commands and output:

```
#####  
# WARNING!!!!  
# This is a sandbox environment. Using personal credentials  
# is HIGHLY discouraged. Any consequences of doing so are  
# completely the user's responsibilities.  
#  
# The PWD team.  
#####  
[node1] (local) root@192.168.0.8 ~  
$ docker pull hello-world  
Using default tag: latest  
latest: Pulling from library/hello-world  
2db29710123e: Pull complete  
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7  
Status: Downloaded newer image for hello-world:latest  
docker.io/library/hello-world:latest  
[node1] (local) root@192.168.0.8 ~  
$ docker run hello-world
```

An 'Activate Windows' watermark is visible in the bottom right corner of the terminal window.

Question-2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

Solution:

- Create a docker file for build and deploy flask app.
- Use docker build -t image_name. In the current directory to start building the
- docker image and deploy in our local docker

Use `docker run -p 5000:5000 image_name` to run in local system

CODE

FROM

ubuntu/apache2

FROM python

COPY ./requirements.txt


/flaskApp/requirements.txt WORKDIR /flaskApp

RUN pip install -r

requirements.txt COPY . /flaskApp

ENTRYPOINT ["python"

] CMD ["app.py"]



Question-3:


Create a IBM container registry and deploy hello world app or job portal app.

Solution:

- Log into IBM cloud
- Create a container registry
- Using IBM Cloud CLI, install the container registry plugin in our system


- Push our docker image into the created container registry using docker push

So, our job portal app is deployed in the IBM container registry



OUTPUT:

“HELLO WORLD”



Question-4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.

Solution:

- Log into IBM cloud
- Create a kubernetes
- Using IBM Cloud CLI, install the ks plugin in our system
- Create a cluster in the kubernetes
- Now, go to the kubernetes dashboard where we need to create a service based on a
 - yml file (given below)
- In that file, we have to mention *which image we are going to use* and the *app name*
- Take the public IP address and Nodeport since we exposed the *flask app in nodeport*
- Finally, we got the url address where our flask app is hosted

CODE:

apiVersion: v1

kind: Service

metadata: name:

job-portal-app

spec:

selector:

app:

job-portal-app

ports: - port: 5000

type: NodePort

apiVersion: apps/v1

kind: Deployment

```

  metadata:
    name: job-portal-app
labels:
  app:
job-portal-app
spec: selector:
matchLabels:
  app:
job-portal-app
  replicas: 1
template:
  metadata:
  labels:
    app:
job-portal-app
  spec: containers:
-   name:

  job-portal-app

  image:

  image_name ports:
-   containerPort: 5000 env:

-   name:

  DISABLE_WEB_APP
  value: "false"

```

