

## Assignment – 4

Assignment Date	22 October 2022
Student Name	Madhavan S
Student Roll Number	311019104044
Project Name	Customer Care Registry
Team ID	PNT2022TMID27251

### Question-1:

Pull an Image from docker hub and run it in docker playground.

### Solution:

- Pull an image *uifd/ui-for-docker* from the docker hub
- This image is used for viewing and managing the docker engine
- Use docker pull image\_name and docker run -it image\_name commands to • Run the above image in the Docker Playground

The screenshot shows the Docker Playground interface. On the left, there's a sidebar with a clock showing 03:57:32, a 'CLOSE SESSION' button, and an 'Instances' section with a list of instances including '192.168.0.8 node1'. The main area displays the instance details for 'cddvkism0\_cddvkvm0qau000a07j5g', including its IP (192.168.0.8), memory usage (1.24%), CPU usage (0.31%), and an SSH command. Below this, there are 'DELETE' and 'EDITOR' buttons. The terminal window shows the following commands and output:

```
#####  
# WARNING!!!  
# This is a sandbox environment. Using personal credentials  
# is HIGHLY discouraged. Any consequences of doing so are  
# completely the user's responsibilities.  
#  
# The PwD team.  
#####  
[model] (local) root@192.168.0.8 ~  
$ docker pull hello-world  
Using default tag: latest  
latest: Pulling from library/hello-world  
2db29710123e: Pull complete  
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7  
Status: Downloaded newer image for hello-world:latest  
docker.io/library/hello-world:latest  
[model] (local) root@192.168.0.8 ~  
$ docker run hello-world
```

An 'Activate Windows' watermark is visible in the bottom right corner of the terminal window.

### Question-2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

### Solution:

- Create a docker file for build and deploy flask app.
- Use docker build -t image\_name. In the current directory to start building the
- docker image and deploy in our local docker

- Use `docker run -p 5000:5000 image_name` to run in local system

## CODE

FROM ubuntu/apache2

FROM python

COPY ./requirements.txt /flaskApp/requirements.txt


WORKDIR /flaskApp

RUN pip install -r requirements.txt

COPY . /flaskApp

ENTRYPOINT [ "python" ]

CMD ["app.py" ]




## Question-3:

Create a IBM container registry and deploy hello world app or job portal app.


## Solution:

- Log into IBM cloud
  - Create a container registry
  - Using IBM Cloud CLI, install the container registry plugin in our system
  - Push our docker image into the created container registry using docker push
- So, our job portal app is deployed in the IBM container registry



OUTPUT:

“HELLO WORLD”



#### Question-4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.

#### Solution:

- Log into IBM cloud
- Create a kubernetes
- Using IBM Cloud CLI, install the ks plugin in our system
- Create a cluster in the kubernetes
- Now, go to the kubernetes dashboard where we need to create a service based on a • yml file (given below)
- In that file, we have to mention *which image we are going to use* and the *app name*
- Take the public IP address and Nodeport since we exposed the *flask app in nodeport*
- Finally, we got the url address where our flask app is hosted


#### CODE:

```
apiVersion: v1
kind: Service
metadata: name:
job-portal-app spec:
selector:
  app:
job-portal-app
ports: - port: 5000
type: NodePort
---
apiVersion: apps/v1
kind: Deployment
```

```

metadata:
  name: job-portal-app
labels:
  app:
job-portal-app
spec: selector:
matchLabels: app:
job-portal-app
  replicas: 1
template:
metadata: labels:
  app:
job-portal-app
spec: containers:
- name: job-portal-app
  image: image_name
  ports:
- containerPort: 5000 env:
- name:
  DISABLE_WEB_APP
  value: "false"

```



## Kubernetes clusters

Resource group: Filter...	Location: Filter...	Search		Create cluster		
Name	State	Location	Worker count	Created	Version	Infrastructure
jaga-cluster	<span>Normal</span>	Amsterdam 03	1	Expires in 30 days	1.23.12_1546	Classic
Items per page: 25		1-1 of 1 item			1	1 of 1 page

