

## Assignment -3

Assignment Date	29 September 2022
Student Name	Manish.P
Student Roll Number	727719EUCS079
Maximum Marks	2 Marks

### Question-1:

What is 7 to the power of 4?

Answer:

$7^{**}4$

**\*\* What is 7 to the power of 4?\*\***

```
In [1]: 7**4  
Out[1]: 2401
```

### Question-2:

Split this string:

`s = "Hi there Sam!"`

into a list.

Answer:

`s="Hi there Sam!"  
x=s.split()`

```
In [2]: s="Hi there Sam!"
```

```
In [3]: x=s.split()
```

```
Out[3]: ['Hi', 'there', 'Sam!']
```

### Question-3:

Given the variables:

```
planet = "Earth"
```

```
diameter = 12742
```

Use `.format()` to print the following string:

The diameter of Earth is 12742 kilometers.

Answer:

```
planet="Earth"
```

```
diameter=12742
```

```
txt="The diameter of {0} is {1} kilometers".format(planet,diameter)
```

```
print(txt)
```

```
In [10]: planet="Earth"
         diameter=12742
```

```
In [11]: txt="The diameter of {0} is {1} kilometers".format(planet,diameter)
         print(txt)
```

```
The diameter of Earth is 12742 kilometers
```

### Question-4:

Given this nested list, use indexing to grab the word "hello"

Answer:

```
lst = [1,2,[3,4],[5,[100,200,['hello']],23,11],1,7]
```

```
print(lst[3][1][2])
```

```
In [5]: lst = [1,2,[3,4],[5,[100,200,['hello']],23,11],1,7]
```

```
In [6]: print(lst[3][1][2])
```

```
['hello']
```

### Question-5:

Given this nest dictionary grab the word "hello". Be prepared, this will be annoying/tricky

Answer:

```
d = {'k1':[1,2,3,{'tricky':['oh','man','inception',{'target':[1,2,3,'hello']}]}]}
print(d['k1'][3]['tricky'][3]['target'][3])
```

```
In [12]: d = {'k1':[1,2,3,{'tricky':['oh','man','inception',{'target':[1,2,3,'hello']}]}]}
```

```
In [13]: print(d['k1'][3]['tricky'][3]['target'][3])
```

```
hello
```

### Question-6:

What is the main difference between a tuple and a list?

Answer:

One of the main difference between a tuple and a list is that tuple is immutable whereas list is mutable. And another difference is that list has a lot of inbuilt methods whereas tuple has only few inbuilt methods.

### Question-7:

Create a function that grabs the email website domain from a string in the form:

Answer:

```
def get_email(txt):  
    str=txt.split("@")[1]  
    return str
```

```
txt="user@domain.com"  
print(get_email(txt))
```

```
In [14]: def get_email(txt):  
         str=txt.split("@")[1]  
         return str
```

```
In [15]: txt="user@domain.com"  
         print(get_email(txt))
```

```
domain.com
```

### Question-8:

Create a basic function that returns True if the word 'dog' is contained in the input string. Don't worry about edge cases like a punctuation being attached to the word dog, but do account for capitalization.

Answer:

```
def check(txt1,txt2):  
    if txt1 in txt2:  
        return True  
    else:  
        return False
```

```
txt1="dog"  
txt2="stdogst"
```

```
print(check(txt1,txt2))
```

**\*\* Create a basic function that returns True if the word 'dog' is contained in the input string. Don't worry about edge cases like a punctuation being attached to the word dog, but do account for capitalization. \*\***

```
In [17]: def check(txt1,txt2):  
         if txt1 in txt2:  
             return True  
         else:  
             return False
```

```
In [18]: txt1="dog"  
         txt2="stdogst"  
         print(check(txt1,txt2))  
  
True
```

## Question-9:

Create a function that counts the number of times the word "dog" occurs in a string. Again ignore edge cases.

Answer:

```
def check(txt1,txt2):  
    ans=txt2.count(txt1)  
    return ans
```

```
txt1="dog"  
txt2="stdogdog"  
print(check(txt1,txt2))
```

**\*\* Create a function that counts the number of times the word "dog" occurs in a string. Again ignore edge cases. \*\***

```
In [19]: def check(txt1,txt2):  
         ans=txt2.count(txt1)  
         return ans
```

```
In [20]: txt1="dog"  
         txt2="stdogdog"  
         print(check(txt1,txt2))
```

2

### Question-10:

You are driving a little too fast, and a police officer stops you. Write a function to return one of 3 possible results: "No ticket", "Small ticket", or "Big Ticket". If your speed is 60 or less, the result is "No Ticket". If speed is between 61 and 80 inclusive, the result is "Small Ticket". If speed is 81 or more, the result is "Big Ticket". Unless it is your birthday (encoded as a boolean value in the parameters of the function) -- on your birthday, your speed can be 5 higher in all cases.

Answer:

```
def caught_speeding(speed, is_birthday):
    if is_birthday:
        speeding = speed - 5
    else:
        speeding = speed
    if speeding > 80:
        return 'Big Ticket'
    elif speeding > 60:
        return 'Small Ticket'
    else:
        return 'No Ticket'

print(caught_speeding(90,True))
print(caught_speeding(75,False))
```

```
In [21]: def caught_speeding(speed, is_birthday):
```

```
    if is_birthday:
        speeding = speed - 5
    else:
        speeding = speed

    if speeding > 80:
        return 'Big Ticket'
    elif speeding > 60:
        return 'Small Ticket'
    else:
        return 'No Ticket'
```

```
In [23]: print(caught_speeding(90,True))
```

Big Ticket

```
In [24]: print(caught_speeding(75,False))
```

Small Ticket

### Question-11:

Create an employee list with basic salary values(at least 5 values for 5 employees) and using a for loop retrieve each employee salary and calculate total salary expenditure.

Answer:

```
dictt={'id1':11000,'id2':20100,'id3':15100,'id4':30000,'id5':25000}
```

```
sum=0
```

```
for i in dictt.values():
```

```
    sum=sum+i
```

```
print(sum)
```

```
In [28]: dictt={'id1':11000,'id2':20100,'id3':15100,'id4':30000,'id5':25000}
sum=0
for i in dictt.values():
    sum=sum+i
print(sum)
```

101200

## Question-12:

Create two dictionaries in Python: First one to contain fields as Empid, Empname, Basicpay. Second dictionary to contain fields as DeptName, DeptId. Combine both dictionaries.

Answer:

```
emp={'Empid':{101,102,103,104,105},'Empname':{'John',"Adam","Ben",  
"Jacob","Tom"},"Basicpay':{30000,32000,27000,20000,45000}}
```

```
dept={'DeptName':{'Marketing',"Finance","Human Resources","Tech  
Support","Software Development"},"Deptid':{1,2,3,4,5}}
```

```
emp.update(dept)
```

```
print(emp)
```

```
In [33]: emp={'Empid':{101,102,103,104,105},'Empname':{'John',"Adam","Ben","Jacob","Tom"},"Basicpay':{30000,32000,27000,20000,  
dept={'DeptName':{'Marketing',"Finance","Human Resources","Tech Support","Software Development"},"Deptid':{1,2,3,4,5  
emp.update(dept)  
print(emp)  
{'Empid': {101, 102, 103, 104, 105}, 'Empname': {'John', 'Ben', 'Jacob', 'Tom', 'Adam'}, 'Basicpay': {32000, 20000,  
30000, 27000, 45000}, 'DeptName': {'Finance', 'Human Resources', 'Software Development', 'Marketing', 'Tech Support  
'}, 'Deptid': {1, 2, 3, 4, 5}}
```