# Project Planning Phase Project Planning Template (Product Backlog, Sprint Planning, Stories, Story points)

Date	18 October 2022
Team ID	PNT2022TMID20247
Project Name	Project - IOT Based Safety Gadget for Child Safety  Monitoring&Notification
Maximum Marks	8 Marks

### **Product Backlog, Sprint Schedule, and Estimation (4 Marks)**

Product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, and password, and confirming my password.	4	High	SINDHUJA
Sprint-1	Confirmation Email	USN-2	As a user, I will receive a confirmation email once I have registered for the application	4	High	SHREE SHARANYA
Sprint-1	Authentication	USN-3	As a user, I can register for the application through Gmail and mobile app.	4	Medium	SHIVA
Sprint-1	Login	USN-4	As a user, I can log into the application by entering email & password	4	High	SHANMUKI
Sprint-1	Dashboard	USN-5	As a user, I need to be able to view the functions that I can perform	4	High	SUDHARSAN

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-2	Notification	USN-1	As a user, I should be able to notify my parent and guardian in emergency situations	10	High	SINDHUJA
Sprint-2	Store data	USN-1	As a user, I need to continuously store my location data into the database.	10	Medium	SINDHUJA
Sprint-3	Communication	USN-1,2	As a user, I should be able to communicate with my parents	6	Low	SINDHUJA,SHREE SHARANYA
Sprint-3	IOT Device – Watson communication	USN-1,3	The data from IOT device should reach IBM Cloud	7	Medium	SINDHUJA,SHIVA
Sprint-3	Node RED- Cloudant DB communication	USN-1,4	The data stored in IBM Cloud should be properly integrated with Cloudant DB	7	High	SINDHUJA,SHANMUKI
Sprint-4	User – WebUI interface	USN-1,5	The Web UI should get inputs from the user	10	High	SINDHUJA,SUDHARSAN
Sprint-4	Geofencing	USN-1,2,5	The geofencing of the child should be done based on the geographical coordinates	10	High	SINDHUJA,SHREE SHARANYA,SUDHARSAN

## Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

#### Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

SPRINTS	AV
SPRINT-1	20/6=3.33
SPRINT-2	20/6=3.33
SPRINT-3	20/6=3.33
SPRINT-4	20/6=3.33

#### **MILESTONE:**

Sprints  CND Sprin		OCT 27 28 29 30	NOV 31 1 2 3 4 5 6	7 8 9 10 11 12 13	14 15 16
□ CHD-3 As a user, I can regi DONE SHIDIULA.  □ CHD-4 Acid user, I will recei DONE SHEET SIL  □ CHD-5 Acid user, I will recei DONE SHEET SIL  □ CHD-5 Acid user, I can regis DONE DONE SHEET SIL  □ CHD-6 Acid minimizer of SHEET SIL	Sprints	CND Sprint 1	CND Sprint 2	CND Sprint 3	CND Sprint 4
CND-4 Confirmation Email   DONE	✓ €ND-1 registration     DONE				
© CND-6 Authentication DONE  © CND-6 Authentication DONE  © CND-9 Ao a user, I can regis DONE STILLE 222  ■ CND-9 Ao a user, I can log DONE STILLE 222  ■ CND-9 Ao a user, I can log DONE STILLE 222  ■ CND-10 Dashboard DONE  © CND-12 Notification  ■ CND-13 As a user, I need toi DONE STILLE 202  ■ CND-13 Store data  ■ CND-13 As a user, I n IN PROGRESS SNDRUJALI  ■ CND-17 Communication  ■ CND-17 Communication  ■ CND-18 As a user, I sn IN PROGRESS SNDRUJALI  ■ CND-17 Device — Watson communication  ■ CND-20 The data from IOT 1009 SNDRUJALI  ■ CND-20 The data from IOT 1009 SNDRUJALI  ■ CND-20 The data from IOT 1009 SNDRUJALI  ■ CND-20 The data stored in 1009 STUBLE 222  ■ CND-21 Node RED-Cloudant DB communication  ■ CND-22 The data stored in 1009 SNDRUJALI  ■ CND-25 The data stored in 1009 SNDRUJALI  ■ CND-26 The Web UI should 1009 SNDRUJALI  ■ CND-26 The geofencing  ■ CND-26 The geofencing of 1000 SNDRUJALI	CND=3 As a user, I can regi DONE SINDHUJA.I				
Sender A saluser, I can regis DONE 191000222  Sender Login Done  OND-9 As a user, I can log DONE 191000222  Sender Destribution Done  OND-10 As a user, I can log DONE 191000222  Sender Destribution Done  CND-12 Notification A  CND-13 As a user, I s NPROGRESS SNDHUJA.I  CND-15 Store data  CND-16 As a user, I s NPROGRESS SNDHUJA.I  CND-17 Communication  CND-18 As a user, I should To DO SINCE SIL  CND-19 IDT Device — Wasson communication  CND-20 The data from IOT To DO SINCE SIL  CND-27 The data from IOT To DO SINCE SIL  CND-27 The data stored in To DO SINCHUJA.I  CND-28 The data stored in To DO SINCHUJA.I  CND-27 The data stored in To DO SINCHUJA.I  CND-28 The data stored in To DO SINCHUJA.I  CND-29 The data stored in To DO SINCHUJA.I  CND-20 The data stored in To DO SINCHUJA.I  CND-21 Node RED- Cloudant DE communication  CND-20 The data stored in To DO SINCHUJA.I  CND-21 The data stored in To DO SINCHUJA.I  CND-23 User — WebU interface  CND-24 The Web U should To DO SINDHUJA.I  CND-25 Genteracing  CND-25 Genteracing  CND-26 The geofencing of To BO SINDHUJA.I	➤ CND-4 Confirmation Email DONE				
□ cND-9 As a user, I can regis DONE 19TUCC222  ▼ CND-9 As a user, I can log DONE 19TUCC222  ▼ CND-10 Deshboard DONE □ cND-14 As a user, I need to DONE 20TUCC692  ▼ CND-12 Notification □ CND-13 As a user, I s N PROGRESS SNDHUJA.I  ▼ CND-15 Store data □ CND-16 As a user, I s N PROGRESS SNDHUJA.I  ▼ CND-17 Communication □ CND-18 As a user, I should 10 B0 SNDHUJA.I □ CND-27 As a user, I should 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data from IOT 10 B0 SNDHUJA.I □ CND-20 The data stored I 10 B0 SNDHUJA.I □ CND-20 The data stored I 10 B0 SNDHUJA.I □ CND-21 The data stored I 10 B0 SNDHUJA.I □ CND-22 The data stored I 10 B0 SNDHUJA.I □ CND-23 The data stored I 10 B0 SNDHUJA.I □ CND-24 The Web UI should 10 B0 SNDHUJA.I □ CND-25 Goofencing □ CND-26 The geofencing of 10 B0 SNDHUJA.I	CND-5 As a user, I will recei DONE SHREE SH				
CND-13 As a user, I ram log DANE SHANMURL.  CND-13 As a user, I need to DANE STRUCKESS  CND-15 Store data  CND-15 Store data  CND-16 As a user, I should ITO BO SHORIUJA.I  CND-16 As a user, I should ITO BO SHORIUJA.I  CND-17 Communication  CND-18 As a user, I should ITO BO SHORIUJA.I  CND-27 As a user, I should ITO BO SHORIUJA.I  CND-29 The data from IDT ITO BO SHORIUJA.I  CND-20 The data stored in ITO BO SHORIUJA.I  CND-20 The data stored in ITO BO SHORIUJA.I  CND-30 The data stored in ITO BO SHORIUJA.I  CND-31 The Web UI shoul ITO BO SHORIUJA.I  CND-24 The Web UI shoul ITO BO SHORIUJA.I  CND-25 Geofencing  CND-26 The geofencing of ITO BO SHORIUJA.I  CND-26 The geofencing of ITO BO SHORIUJA.I	➤ CND-6 Authentication DONE				
■ CND-49 As a user, I can log DONE SHANMURL.  CND-19 Dashboard DONE  CND-12 Notification  CND-13 As a user, I s N PROGRESS SNDHUJA.I  CND-15 Store data  CND-15 As a user, I s N PROGRESS SNDHUJA.I  CND-16 As a user, I should To DO SNDHUJA.I  CND-17 Communication  CND-18 As a user, I should To DO SNDHUJA.I  CND-19 IOT Device — Watson communication  CND-20 The data from IOT To DO SNDHUJA.I  CND-20 The data from IOT To DO SNDHUJA.I  CND-20 The data stored in To DO SNDHUJA.I  CND-21 Node RED- Cloudant DB communication  CND-22 The data stored in To DO SNDHUJA.I  CND-24 The Web UI shoul To DO SNDHUJA.I  CND-25 Geofencing  CND-25 The geofencing of To DO SNDHUJA.I	CND-7 As a user, I can regis DONE 19TUEC222				
CND-12 Note Red form IoT To bo SNOHUJA.I  CND-21 Note Red form IoT To bo SNOHUJA.I  CND-21 Note Red form IoT To bo SNOHUJA.I  CND-22 The data stored i To bo SNOHUJA.I  CND-24 The Web UI shoul To bo SNOHUJA.I  CND-25 Geofencing  CND-26 The geofencing of To bo SNOHUJA.I  CND-26 The geofencing of To bo SNOHUJA.I  CND-27 Geofencing  CND-28 Geofencing  CND-26 The geofencing of To bo SNOHUJA.I	➤ €ND-8 Lagin DONE				
CND-12 Notification  CND-13 As a user, I need to NPROGRESS SNDHUJA.I  CND-15 Store data  CND-15 Store data  CND-16 As a user, I n NPROGRESS SNDHUJA.I  CND-17 Communication  CND-18 As a user, I should To Do SNDHUJA.I  CND-27 As a user, I should To Do SNDHUJA.I  CND-29 The data from IOT 10 Do SNDHUJA.I  CND-29 The data from IOT 10 Do SNDHUJA.I  CND-20 The data stored in To Do SNDHUJA.I  CND-22 The data stored in To Do SNDHUJA.I  CND-30 The data stored in To Do SNDHUJA.I  CND-32 The data stored in To Do SNDHUJA.I  CND-32 User - WebUI interface  CND-33 User - WebUI interface  CND-31 The Web UI should To Do SNDHUJA.I  CND-31 The Web UI should To Do SNDHUJA.I  CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I	CND=9 As a user, I can log DONE SHANMUKL				
CND-12 Notification CND-13 As a user, I s N PROGRESS SNDHUJA.1  CND-16 As a user, I n N PROGRESS SNDHUJA.1  CND-17 Communication CND-17 Communication CND-27 As a user, I should To po SNDHUJA.1  CND-27 As a user, I should To po SNDHUJA.1  CND-20 The data from IOT To po SNDHUJA.1  CND-20 The data from IOT To po 9 TUEC222  CND-21 Node RED- Cloudant DB communication CND-23 The data stored in To po SNDHUJA.1  CND-24 The Web UI should To po SNDHUJA.1  CND-25 Geofencing CND-25 Geofencing CND-25 Geofencing CND-25 Geofencing of To po SNDHUJA.1	▼ €ND-10 Dashboard DONE				
CND-13 As a user, I s N PROGRESS SNDHUJA.I  CND-15 Store data  CND-16 As a user, I n N PROGRESS SNDHUJA.I  CND-17 Communication  CND-18 As a user, I should To Do SNDHUJA.I  CND-27 As a user, I should To Do SNDHUJA.I  CND-29 The data from IOT To Do SNDHUJA.I  CND-29 The data from IOT To Do SNDHUJA.I  CND-29 The data from IOT To Do SNDHUJA.I  CND-20 The data stored in To Do SNDHUJA.I  CND-21 Node RED- Cloudant DB communication  CND-30 The data stored in To Do SNDHUJA.I  CND-22 The data stored i To Do SNDHUJA.I  CND-23 User — WebUI interface  CND-24 The Web UI should TO DO SNDHUJA.I  CND-25 Geofencing  CND-25 Geofencing  CND-26 The geofencing of TO DO SNDHUJA.I	CND-11 As a user, I need to DONE 20TUEC802				
CND-15 Store data CND-16 As a user, I n NPROGRESS SNDHUJA.I CND-17 Communication CND-18 As a user, I should TO DO SNDHUJA.I CND-27 As a user, I should TO DO SNDHUJA.I CND-27 Ho data from IOT TO DO SNDHUJA.I CND-20 The data from IOT TO DO SNDHUJA.I CND-20 The data from IOT TO DO SNDHUJA.I CND-21 Node RED- Cloudant DB communication CND-22 The data stored in TO DO SNDHUJA.I CND-22 The data stored i TO DO SNDHUJA.I CND-23 User — WebUI interface CND-23 User — WebUI should TO DO SNDHUJA.I CND-24 The Web UI should TO DO SNDHUJA.I CND-25 Geofencing CND-25 Geofencing CND-25 Geofencing	✓ ☑ CND-12 Notification		<u> </u>		
CND-16 As a user, I m. NPROGRESS SNOHUJA.I  CND-17 Communication  CND-18 As a user, I should To DO SNOHUJA.I  CND-27 As a user, I should To DO SNOHUJA.I  CND-29 The data from IOT To DO SNOHUJA.I  CND-29 The data from IOT To DO 9 TUEC22  CND-21 Node RED- Cloudant DB communication  CND-30 The data stored i To DO SNOHUJA.I  CND-22 The data stored i To DO SNOHUJA.I  CND-23 User — WebUI Interface  CND-24 The Web UI should To DO SNOHUJA.I  CND-31 The Web UI should TO DO SNOHUJA.I  CND-25 Geofencing  CND-26 The geofencing of TO DO SNOHUJA.I	CND-13 As a user, I s N PROGRESS SINDHUJA.I				
CND-18 As a user, I should To Do SNDHUJA.I CND-27 As a user, I should To Do SHREE SH  CND-19 IOT Device — Watson communication CND-20 The data from IOT To Do SNDHUJA.I CND-29 The data from IOT To Do 9TUEC222  CND-21 Node RED- Cloudant DB communication CND-30 The data stored in To Do SNDHUJA.I CND-22 The data stored in To Do SNDHUJA.I CND-23 User — WebU Interface CND-24 The Web UI shoul To Do SNDHUJA.I CND-31 The Web UI shoul To Do 20TUEC802  CND-25 Geofencing CND-26 The geofencing of To Do SNDHUJA.I	CND-15 Store data				
CND-18 As a user, I should To Do SNDHUJA.I CND-27 As a user, I should To Do SHREE SH  CND-20 The data from IOT To Do SNDHUJA.I CND-29 The data from IOT To Do 9TUEC222  CND-21 Node RED- Cloudant DB communication CND-30 The data stored in To Do SNDHUJA.I CND-30 The data stored i To Do SNDHUJA.I CND-22 The data stored i To Do SNDHUJA.I CND-23 User — WebUI interface CND-24 The Web UI shoul To Do SNDHUJA.I CND-31 The Web UI should To Do SNDHUJA.I CND-31 The Web UI should To Do SNDHUJA.I CND-25 Geofencing CND-26 The geofencing of To Do SNDHUJA.I	CND-16 As a user, In N PROGRESS SINDHUJA.I				
CND-27 As a user, I should To Do SHREE SH  CND-19 IOT Device – Watson communication  CND-20 The data from IOT To Do SNDHUJA.I  CND-29 The data from IOT To Do 9TUEC222  CND-21 Node RED- Cloudant DB communication  CND-30 The data stored in To Do SNDHUJA.I  CND-22 The data stored i To Do SNDHUJA.I  CND-23 User – WebUI interface  CND-24 The Web UI shoul To Do SNDHUJA.I  CND-31 The Web UI should To Do 2TUEC802  CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I	✓ CND-17 Communication				
CND-19 IOT Device – Watson communication  CND-20 The data from IOT To Do SNDHUJA.I  CND-29 The data from IOT To Do 9TUEC222  CND-21 Node RED- Cloudant DB communication  CND-30 The data stored in To Do SNDHUJA.I  CND-22 The data stored i To Do SNDHUJA.I  CND-23 User – WebUI interface  CND-24 The Web UI shoul To Do SNDHUJA.I  CND-31 The Web UI should To Do 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I	CND-18 As a user, I should To DO SINDHUJA.I				
CND-20 The data from IOT To Do SNDHUJA.I  CND-29 The data from IOT To Do 19TUEC222  CND-21 Node RED- Cloudant DB communication  CND-30 The data stored in To Do SNDHUJA.I  CND-22 The data stored i To Do SHANMUK  CND-23 User — WebUI Interface  CND-24 The Web UI shoul To Do SNDHUJA.I  CND-31 The Web UI should To Do 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I	■ CND-27 As a user, I should To Do SHREE SH				
CND-29 The data from IOT TO DO 19TUEC222  CND-21 Node RED- Cloudant DB communication  CND-30 The data stored in To DO SNDHUJA.I  CND-22 The data stored i To DO SHANMUKL  CND-23 User — WebUI interface  CND-24 The Web UI should TO DO SNDHUJA.I  CND-31 The Web UI should TO DO 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of TO DO SNDHUJA.I	✓ ■ CND-19 IOT Device – Watson communication				
CND-21 Node RED- Cloudant DB communication  CND-30 The data stored in To Do SNDHUJA.I  CND-22 The data stored i To Do SNDHUJA.I  CND-23 User — WebUI interface  CND-24 The Web UI shoul To Do SNDHUJA.I  CND-31 The Web UI should To Do 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I	■ CND-20 The data from IOT To Do SINDHUJA.I				
CND-30 The data stored in To DO SNDHUJA.I  CND-22 The data stored i To DO SNDHUJA.I  CND-23 User — WebUI interface  CND-24 The Web UI shoul To DO SNDHUJA.I  CND-31 The Web UI should To DO 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of To DO SNDHUJA.I	CND-29 The data from IOT TO DO 19TUEC222				
CND-22 The data stored i To Do SHANMUKL  CND-23 User — WebUI interface  CND-24 The Web UI shoul To Do SNDHUJA.I  CND-31 The Web UI should To Do 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I	✓ CND-21 Node RED- Cloudant DB communication				
CND-23 User — WebUI interface  CND-24 The Web UI shoul To Do SNDHUJA.I  CND-31 The Web UI should To Do 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I					
CND-24 The Web UI shoul To DO SINDHUJA.I  CND-31 The Web UI should To DO 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of To DO SINDHUJA.I					
CND-31 The Web UI should To Do 20TUEC802  CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I					
CND-25 Geofencing  CND-26 The geofencing of To Do SNDHUJA.I					
CND-26 The geofencing of To bo SNDHUJA.I					
The state of the s				3	
■ CND-33 The geofencing of t To Do 20TUEC802					Q

	6	NOV 7 8 9 10	11 12 13	14 15 16	NOV 17 18 19	20	21	2	2 23	NOV 2 23 24	
Sprints	CN	CND Sprint 3		CND S	print 4						
✓ M CND-1 registration DONE											
CND-3 As a user, I can regi DONE SINDHUJA.I											
✓ ✓ CND-4 Confirmation Email DONE											
CND=5 As a user, I will recei DONE SHREESH											
✓ ✓ CND-6 Authentication DONE											
CND-7 As a user, I can regis DONE 19TUEC222											
✓ <del>S</del> CND=8 Login DONE											
CND=9 As a user, I can log DONE SHANMUKL											
✓ <del>CND-10</del> Dashboard DONE											
■ CND=11 As a user, I need t DONE SUDHARSAN											
✓ <del>CND=12</del> Notification <b>DONE</b>											
ND=13 As a user, I should DONE SINDHUJA.I											
✓ <del>CND-15</del> Store data DONE											
□ CND=16 As a user, I need t DONE SINDHUJA.I											
✓ <del>CND=17</del> Communication <b>DONE</b>											
■ CND=18 As a user, I should DONE SINDHUJA.I											
ND-27 As a user, I should DONE SHREESH											
➤ CND-19 IOT Device – Watson communication DONE											
ND-20 The data from IOT DONE SINDHUJA.I											
■ <del>CND=29</del> The data from IOT <b>DONE</b> 19TUEC222			3								
▼ € CND=21 Node RED- Cloudant DB communic DONE											
■ CND=30 The data stored in DONE SINDHUJA.I											
CND-22 The data stored i DONE SHANMUKL			9								
✓ € CND-23 User – WebUI interface DONE						23					
CND=24 The Web UI should DONE SINDHUJA.I											
CND=31 The Web UI shoul Done SUDHARSAN											
✓ ► CND-25 Geofencing DONE											
CND-26 The geofencing of DONE SINDHUJA.I											
ND=32 The geofencing of t DONE SHREESH											
CND-33 The geofencing o DONE SUDHARSAN						-5					

#### **Burndown Chart:**

A burn down chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum. However, burn down charts can be applied to any project containing measurable progress over time.







