EX NO: 2 **SOURCE CODE MANAGEMENT USING Git**

DATE: 09-09-2022

ROLL NUMBER: 19UITE047






Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Select Components
Which components should be installed?
Select the components you want to install; clear the components you do not want to install. Click Next when you are ready to continue.
Additional icons
On the Desktop
Windows Explorer integration
Git Bash Here
Git GUI Here
Git LFS (Large File Support)
Associate .git* configuration files with the default text editor
Associate .sh files to be run with Bash
Check daily for Git for Windows updates
(NEW!) Add a Git Bash Profile to Windows Terminal
Current selection requires at least 294.6 MB of disk space.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:07
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Select Start Menu Folder
Where should Setup place the program's shortcuts?
Setup will create the program's shortcuts in the following Start Menu folder.
To continue, click Next. If you would like to select a different folder, click Browse.
c:\Program Files\Git
Browse...
Don't create a Start Menu folder
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:08
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Choosing the default editor used by Git
Which editor would you like Git to use?
Use Vim (the ubiquitous text editor) as Git's default editor
The Vim editor, while powerful, can be hard to use. Its user interface is unintuitive and its key bindings are awkward.
Note: Vim is the default editor of Git for Windows only for historical reasons, and it is highly recommended to switch to a modern GUI editor instead.
Note: This will leave the 'core.editor' option unset, which will make Git fall back to the 'EDITOR' environment variable. The default editor is Vim - but you may set it to some other editor of your choice.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:09
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Adjusting the name of the initial branch in new repositories
What would you like Git to name the initial branch after "git init"?
Let Git decide
Let Git use its default branch name (currently: "master") for the initial branch in newly created repositories. The Git project intends to change this default to a more inclusive name in the near future.
Override the default branch name for new repositories
NEW! Many teams already renamed their default branches; common choices are "main", "trunk" and "development". Specify the name "git init" should use for the initial branch:
main
This setting does not affect existing repositories.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:09
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Adjusting your PATH environment
How would you like to use Git from the command line?
Use Git from Git Bash only
This is the most cautious choice as your PATH will not be modified at all. You will only be able to use the Git command line tools from Git Bash.
Git from the command line and also from 3rd-party software
(Recommended) This option adds only some minimal Git wrappers to your PATH to avoid cluttering your environment with optional Unix tools.
You will be able to use Git from Git Bash, the Command Prompt and the Windows PowerShell as well as any third-party software looking for Git in PATH.
Use Git and optional Unix tools from the Command Prompt
Both Git and the optional Unix tools will be added to your PATH.
Warning: This will override Windows tools like "find" and "sort". Only use this option if you understand the implications.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:09
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Choosing the SSH executable
Which Secure Shell client program would you like Git to use?
Use bundled OpenSSH
This uses ssh.exe that comes with Git.
Use external OpenSSH
NEW! This uses an external ssh.exe. Git will not install its own OpenSSH (and related) binaries but use them as found on the PATH.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:09
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Choosing HTTPS transport backend
Which SSL/TLS library would you like Git to use for HTTPS connections?
Use the OpenSSL library
Server certificates will be validated using the ca-bundle.crt file.
Use the native Windows Secure Channel library
Server certificates will be validated using Windows Certificate Stores.
This option also allows you to use your company's internal Root CA certificates
distributed e.g. via Active Directory Domain Services.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:09
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Configuring the line ending conversions
How should Git treat line endings in text files?
Checkout Windows-style, commit Unix-style line endings
Git will convert LF to CRLF when checking out text files. When committing
text files, CRLF will be converted to LF. For cross-platform projects,
this is the recommended setting on Windows ("core.autocrlf" is set to "true").
Checkout as-is, commit Unix-style line endings
Git will not perform any conversion when checking out text files. When
committing text files, CRLF will be converted to LF. For cross-platform projects,
this is the recommended setting on Unix ("core.autocrlf" is set to "input").
Checkout as-is, commit as-is
Git will not perform any conversions when checking out or committing
text files. Choosing this option is not recommended for cross-platform
projects ("core.autocrlf" is set to "false").
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:09
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Configuring the terminal emulator to use with Git Bash
Which terminal emulator do you want to use with your Git Bash?
Use MinTTY (the default terminal of MSYS2)
Git Bash will use MinTTY as terminal emulator, which sports a resizable window, non-rectangular selections and a Unicode font. Windows console programs (such as interactive Python) must be launched via `winpty` to work in MinTTY.
Use Windows' default console window
Git will use the default console window of Windows ("cmd.exe"), which works well with Win32 console programs such as interactive Python or node.js, but has a very limited default scroll-back, needs to be configured to use a Unicode font in order to display non-ASCII characters correctly, and prior to Windows 10 its window was not freely resizable and it only allowed rectangular text selections.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:10
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Choose the default behavior of `git pull`
What should `git pull` do by default?
Default (fast-forward or merge)
This is the standard behavior of `git pull`: fast-forward the current branch to the fetched branch when possible, otherwise create a merge commit.
Rebase
Rebase the current branch onto the fetched branch. If there are no local commits to rebase, this is equivalent to a fast-forward.
Only ever fast-forward
Fast-forward to the fetched branch. Fail if that is not possible.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:10
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Choose a credential helper
Which credential helper should be configured?
Git Credential Manager
Use the cross-platform Git Credential Manager.
See more information about the future of Git Credential Manager here.
None
Do not use a credential helper.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:10
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Configuring extra options
Which features would you like to enable?
Enable file system caching
File system data will be read in bulk and cached in memory for certain operations ("core.fscache" is set to "true"). This provides a significant performance boost.
Enable symbolic links
Enable symbolic links (requires the SeCreateSymbolicLink permission).
Please note that existing repositories are unaffected by this setting.
https://gitforwindows.org/
Back
Next
Cancel
4 items
Type here to search
ENG
14:10
28-10-2022


Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Installing
Please wait while Setup installs Git on your computer.
Extracting files...
https://gitforwindows.org/
Cancel
4 items
Type here to search
ENG
14:10
28-10-2022

Downloads
File
Home
Share
View
This PC › Downloads
Search Downloads
Quick access
Desktop
Downloads
Documents
Pictures
hadoop-env
JAVA
Music
Screenshots
OneDrive
This PC
Network
Name
Date modified
Type
Size
Today (4)
Git-2.38.1-64-bit
28-10-2022 14:04
Application
52,110 KB
ex_1(1)
ex_3
cloud_lab_ex_7
Git 2.38.1 Setup
Completing the Git Setup Wizard
Setup has finished installing Git on your computer. The application may be launched by selecting the installed shortcuts.
Click Finish to exit Setup.
Launch Git Bash
View Release Notes
Finish
4 items
Type here to search
ENG
14:10
28-10-2022


file:///C:/Program Files/Git/ReleaseNotes.html
HOMEPAGE
FAQ
CONTRIBUTE
BUGS
QUESTIONS
Git for Windows v2.38.1 Release Notes
Latest update: October 18th 2022
Introduction
These release notes describe issues specific to the Git for Windows release. The release notes covering the history of the core git commands can be found in the Git project.
See http://git-scm.com/ for further details about Git including ports to other operating systems. Git for Windows is hosted at https://gitforwindows.org/.
Known issues
Should you encounter other problems, please first search the bug tracker (also look at the closed issues) and the mailing list, chances are that the problem was reported already. Also make sure that you use an up to date Git for Windows version (or a current snapshot build). If it has not been reported, please follow our bug reporting guidelines and report the bug.
Licenses
Type here to search
ENG
14:11
28-10-2022
Recycle Bin
VLC media player
Adobe Acrobat DC
Firefox
Oracle VM VirtualBox
This PC - Shortcut
Google Chrome
NetBeans IDE 8.1
Git Bash
Hadoop Installi...
Hadoop and MapReduce
Hadoop Installatio...


MINGW64:/z/
19uite047@a4it64 MINGW64 ~
$
Type here to search
ENG
14:11
28-10-2022


MINGW64:/z/
19uite047@a4it64 MINGW64 ~
$ git config --global user.name"rakshana"
19uite047@a4it64 MINGW64 ~
$ git config --global user.email"rakshana3214@gmail.com"
19uite047@a4it64 MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager-core
credential.https://dev.azure.com.useHttpPath=true
init.defaultbranch=master
19uite047@a4it64 MINGW64 ~
$
Type here to search
ENG
14:14
28-10-2022


MINGW64:/z/JavaProgram
19uite047@a4it64 MINGW64 ~
$ git config --global user.name"rakshana"
19uite047@a4it64 MINGW64 ~
$ git config --global user.email"rakshana3214@gmail.com"
19uite047@a4it64 MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager-core
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
19uite047@a4it64 MINGW64 ~
$ mkdir JavaProgram
19uite047@a4it64 MINGW64 ~
$ cd JavaProgram/
19uite047@a4it64 MINGW64 /z/JavaProgram
$
Type here to search
ENG
14:15
28-10-2022


MINGW64:/z/JavaProgram
public class Hello
{
public static void main(String args[])
{
System.out.println("Hello, world from GIT");
}
Hello.java[+] [unix] (05:29 01/01/1970)
7,2 All
-- INSERT --
Type here to search
ENG
14:18
28-10-2022