VISVESVARAYA TECHNOLOGICAL UNIVERSITY

“JnanaSangama”, Belgaum -590014, Karnataka.

LAB REPORT
On

ARTIFICIAL INTELLIGENCE

Submitted by

Chandrasekhar Patil (1BM21CS043)

in partial fulfillment for the award of the degree of
BACHELOR OF ENGINEERING
in
COMPUTER SCIENCE AND ENGINEERING

B.M.S. COLLEGE OF ENGINEERING
(Autonomous Institution under VTU)
BENGALURU-560019
Oct 2023-Feb 2024

B. M. S. College of Engineering,
Bull Temple Road, Bangalore 560019
(Affiliated To Visvesvaraya Technological University, Belgaum)
Department of Computer Science and Engineering

CERTIFICATE

This is to certify that the Lab work entitled **“ARTIFICIAL INTELLIGENCE”** carried out by **Chandrasekhar Patil (1BM21CS043)**, who is bonafide student of **B. M. S. College of Engineering**. It is in partial fulfillment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visvesvaraya Technological University, Belgaum during the year 2022-23. The Lab report has been approved as it satisfies the academic requirements in respect of Artificial Intelligence Lab - **(22CS5PCAIN)**work prescribed for the said degree.

Dr. Asha G R
Assistant Professor
Department of CSE
BMSCE, Bengaluru

Dr. Jyothi S Nayak
Professor and Head
Department of CSE
BMSCE, Bengaluru

Table of Contents

1.Implement Tic –Tac –Toe Game.

```
tic=[]
import random
def board(tic):
    for i in range(0,9,3):
        print("+"+"-"*29+"+")
        print("|"+" "*9+"|"+" "*9+"|"+" "*9+"|")
        print("|"+" "*3,tic[0+i]," "*3+"|"+" "*3,tic[1+i]," "*3+"|"+" "*3,tic[2+i]," "*3+"|")
        print("|"+" "*9+"|"+" "*9+"|"+" "*9+"|")
    print("+"+"-"*29+"+")


def update_comp():
    global tic,num
    for i in range(9):
        if tic[i]==i+1:
            num=i+1
            tic[num-1]='X'
            if winner(num-1)==False:
                #reverse the change
                tic[num-1]=num
            else:
                return
    for i in range(9):
        if tic[i]==i+1:
            num=i+1
            tic[num-1]='O'
            if winner(num-1)==True:
                tic[num-1]='X'
                return
```

```
            else:
                tic[num-1]=num
            num=random.randint(1,9)
    while num  not in tic:
        num=random.randint(1,9)
    else:
        tic[num-1]='X'



def update_user():
    global tic,num
    num=int(input("enter a number on the board :"))
    while num not in tic:
        num=int(input("enter a number on the board :"))
    else:
        tic[num-1]='O'

def winner(num):
    if tic[0]==tic[4] and tic[4]==tic[8] or tic[2]==tic[4] and tic[4]==tic[6]:
        return True
    if tic[num]==tic[num-3] and tic[num-3]==tic[num-6]:
        return True
    if tic[num//3*3]==tic[num//3*3+1] and tic[num//3*3+1]==tic[num//3*3+2]:
        return True
    return False



try:
    for i in range(1,10):
        tic.append(i)
```

```
    count=0
    #print(tic)
    board(tic)
    while count!=9:
        if count%2==0:
            print("computer's turn :")
            update_comp()
            board(tic)
            count+=1
        else:
            print("Your turn :")
            update_user()
            board(tic)
            count+=1
        if count>=5:
            if winner(num-1):
                print("winner is ",tic[num-1])
                break
            else:
                continue
except:
    print("\nerror\n")
```

OUTPUT

```
[1, 2, 3, 4, 5, 6, 7, 8, 9]
+-----------------------------+
|        |         |          |
|   1    |    2    |    3     |
|        |         |          |
+-----------------------------+
|        |         |          |
|   4    |    5    |    6     |
|        |         |          |
+-----------------------------+
|        |         |          |
|   7    |    8    |    9     |
|        |         |          |
+-----------------------------+
computer's turn :
+-----------------------------+
|        |         |          |
|   1    |    X    |    3     |
|        |         |          |
+-----------------------------+
|        |         |          |
|   4    |    5    |    6     |
|        |         |          |
+-----------------------------+
|        |         |          |
|   7    |    8    |    9     |
|        |         |          |
+-----------------------------+
Your turn :
```

```
Your turn :
enter a number on the board :4
+-----------------------------+
|         |         |         |
|    1    |    X    |    3    |
|         |         |         |
+-----------------------------+
|         |         |         |
|    O    |    5    |    6    |
|         |         |         |
+-----------------------------+
|         |         |         |
|    7    |    8    |    9    |
|         |         |         |
+-----------------------------+
computer's turn :
+-----------------------------+
|         |         |         |
|    X    |    X    |    3    |
|         |         |         |
+-----------------------------+
|         |         |         |
|    O    |    5    |    6    |
|         |         |         |
+-----------------------------+
|         |         |         |
|    7    |    8    |    9    |
|         |         |         |
+-----------------------------+
Your turn :
enter a number on the board :5
+-----------------------------+
```

```
Your turn :
enter a number on the board :5
+-----------------------------+
|         |         |         |
|    X    |    X    |    3    |
|         |         |         |
+-----------------------------+
|         |         |         |
|    O    |    O    |    6    |
|         |         |         |
+-----------------------------+
|         |         |         |
|    7    |    8    |    9    |
|         |         |         |
+-----------------------------+
computer's turn :
+-----------------------------+
|         |         |         |
|    X    |    X    |    X    |
|         |         |         |
+-----------------------------+
|         |         |         |
|    O    |    O    |    6    |
|         |         |         |
+-----------------------------+
|         |         |         |
|    7    |    8    |    9    |
|         |         |         |
+-----------------------------+
winner is  X
```

2 .Solve 8 puzzle problems.

```
def bfs(src,target):
    queue=[]
    queue.append(src)
    exp=[]
    while len(queue)>0:
        source=queue.pop(0)
        #print("queue",queue)
        exp.append(source)

        print(source[0],'|',source[1],'|',source[2])
        print(source[3],'|',source[4],'|',source[5])
        print(source[6],'|',source[7],'|',source[8])
        print("-----------")
        if source==target:
            print("Success")
            return
        poss_moves_to_do=[]
        poss_moves_to_do=possible_moves(source,exp)
        #print("possible moves",poss_moves_to_do)
        for move in poss_moves_to_do:
            if move not in exp and move not in queue:
              #print("move",move)
              queue.append(move)

def possible_moves(state,visited_states):
    b=state.index(0)

    #direction array
```

```
    d=[]
    if b not in [0,1,2]:
        d.append('u')
    if b not in [6,7,8]:
            d.append('d')
    if b not in [0,3,6]:
        d.append('l')
    if b not in [2,5,8]:
        d.append('r')

    pos_moves_it_can=[]

    for i in d:
        pos_moves_it_can.append(gen(state,i,b))
    return [move_it_can for move_it_can in pos_moves_it_can if move_it_can not in
visited_states]

def gen(state,m,b):
    temp=state.copy()
    if m=='d':
        temp[b+3],temp[b]=temp[b],temp[b+3]
    if m=='u':
        temp[b-3],temp[b]=temp[b],temp[b-3]
    if m=='l':
        temp[b-1],temp[b]=temp[b],temp[b-1]
    if m=='r':
        temp[b+1],temp[b]=temp[b],temp[b+1]
    return temp

src=[1,2,3,4,5,6,0,7,8]
target=[1,2,3,4,5,6,7,8,0]
```

bfs(src,target)

OUTPUT

```
1 | 2 | 3
4 | 5 | 6
0 | 7 | 8
-----------
1 | 2 | 3
0 | 5 | 6
4 | 7 | 8
-----------
1 | 2 | 3
4 | 5 | 6
7 | 0 | 8
-----------
0 | 2 | 3
1 | 5 | 6
4 | 7 | 8
-----------
1 | 2 | 3
5 | 0 | 6
4 | 7 | 8
-----------
1 | 2 | 3
4 | 0 | 6
7 | 5 | 8
-----------
1 | 2 | 3
4 | 5 | 6
7 | 8 | 0
-----------
```

3. Implement Iterative deepening search algorithm.

```
def id_dfs(puzzle, goal, get_moves):
    import itertools
#get_moves -> possible_moves
    def dfs(route, depth):
        if depth == 0:
            return
        if route[-1] == goal:
            return route
        for move in get_moves(route[-1]):
            if move not in route:
                next_route = dfs(route + [move], depth - 1)
                if next_route:
                    return next_route

    for depth in itertools.count():
        route = dfs([puzzle], depth)
        if route:
            return route


def possible_moves(state):
    b = state.index(0)  # ) indicates White space -> so b has index of it.
    d = []  # direction
    if b not in [0, 1, 2]:
        d.append('u')
    if b not in [6, 7, 8]:
        d.append('d')
    if b not in [0, 3, 6]:
        d.append('l')
```

```
    if b not in [2, 5, 8]:
        d.append('r')

    pos_moves = []
    for i in d:
        pos_moves.append(generate(state, i, b))
    return pos_moves


def generate(state, m, b):
    temp = state.copy()

    if m == 'd':
        temp[b + 3], temp[b] = temp[b], temp[b + 3]
    if m == 'u':
        temp[b - 3], temp[b] = temp[b], temp[b - 3]
    if m == 'l':
        temp[b - 1], temp[b] = temp[b], temp[b - 1]
    if m == 'r':
        temp[b + 1], temp[b] = temp[b], temp[b + 1]

    return temp


# calling ID-DFS
initial = [1, 2, 3, 0, 4, 6, 7, 5, 8]
goal = [1, 2, 3, 4, 5, 6, 7, 8, 0]

route = id_dfs(initial, goal, possible_moves)
```

```
if route:
    print("Success!! It is possible to solve 8 Puzzle problem")
    print("Path:", route)
else:
    print("Failed to find a solution")
```

```
Success!! It is possible to solve 8 Puzzle problem
Path: [[1, 2, 3, 0, 4, 6, 7, 5, 8], [1, 2, 3, 4, 0, 6, 7, 5, 8], [1, 2, 3, 4, 5, 6, 7, 0, 8], [1, 2, 3, 4, 5, 6, 7, 8, 0]]
```

4. Implement A* search algorithm.

```
class Node:
    def __init__(self,data,level,fval):
        """ Initialize the node with the data, level of the node and the calculated fvalue """
        self.data = data
        self.level = level
        self.fval = fval

    def generate_child(self):
        """ Generate child nodes from the given node by moving the blank space
            either in the four directions {up,down,left,right} """
        x,y = self.find(self.data,'_')
        """ val_list contains position values for moving the blank space in either of
            the 4 directions [up,down,left,right] respectively. """
        val_list = [[x,y-1],[x,y+1],[x-1,y],[x+1,y]]
        children = []
        for i in val_list:
            child = self.shuffle(self.data,x,y,i[0],i[1])
            if child is not None:
                child_node = Node(child,self.level+1,0)
                children.append(child_node)
        return children

    def shuffle(self,puz,x1,y1,x2,y2):
        """ Move the blank space in the given direction and if the position value are out
            of limits the return None """
        if x2 >= 0 and x2 < len(self.data) and y2 >= 0 and y2 < len(self.data):
            temp_puz = []
            temp_puz = self.copy(puz)
            temp = temp_puz[x2][y2]
```

```
            temp_puz[x2][y2] = temp_puz[x1][y1]
            temp_puz[x1][y1] = temp
            return temp_puz
        else:
            return None

def copy(self,root):
        """ Copy function to create a similar matrix of the given node"""
        temp = []
        for i in root:
            t = []
            for j in i:
                t.append(j)
            temp.append(t)
        return temp

    def find(self,puz,x):
        """ Specifically used to find the position of the blank space """
        for i in range(0,len(self.data)):
            for j in range(0,len(self.data)):
                if puz[i][j] == x:
                    return i,j


class Puzzle:
    def __init__(self,size):
        """ Initialize the puzzle size by the specified size,open and closed lists to empty """
        self.n = size
        self.open = []
        self.closed = []
```

```
    def accept(self):
        """ Accepts the puzzle from the user """
        puz = []
        for i in range(0,self.n):
            temp = input().split(" ")
            puz.append(temp)
        return puz

def f(self,start,goal):
        """ Heuristic Function to calculate hueristic value f(x) = h(x) + g(x) """
        return self.h(start.data,goal)+start.level

    def h(self,start,goal):
        """ Calculates the different between the given puzzles """
        temp = 0
        for i in range(0,self.n):
            for j in range(0,self.n):
                if start[i][j] != goal[i][j] and start[i][j] != '_':
                    temp += 1
        return temp


    def process(self):
        """ Accept Start and Goal Puzzle state"""
        print("Enter the start state matrix \n")
        start = self.accept()
        print("Enter the goal state matrix \n")
        goal = self.accept()
```

```
        start = Node(start,0,0)
        start.fval = self.f(start,goal)
        """ Put the start node in the open list"""
        self.open.append(start)
        print("\n\n")
        while True:
            cur = self.open[0]
            print("")
            print("  | ")
            print("  | ")
            print(" \\'/ \n")
            for i in cur.data:
                for j in i:
                    print(j,end=" ")
                print("")
            """ If the difference between current and goal node is 0 we have reached the goal 
node"""
            if(self.h(cur.data,goal) == 0):
                break
            for i in cur.generate_child():
                i.fval = self.f(i,goal)
                self.open.append(i)
            self.closed.append(cur)
            del self.open[0]

            """ sort the opne list based on f value """
            self.open.sort(key = lambda x:x.fval,reverse=False)


puz = Puzzle(3)
puz.processs
```

OUTPUT

```
Enter the start state matrix

1 2 3
4 5 6
_ 7 8
Enter the goal state matrix

1 2 3
4 5 6
7 8 _



  |
  |
 \'/

1 2 3
4 5 6
_ 7 8

  |
  |
 \'/

1 2 3
4 5 6
7 _ 8
```

```
  |
  |
 \'/

1 2 3
4 5 6
7 8 _
```

5. Implement vaccum cleaner agent.

```
def vacuum_world():
    # 0 indicates Clean and 1 indicates Dirty
    goal_state = {'A': '0', 'B': '0'}
    cost = 0

    location_input = input("Enter Location of Vacuum")
    status_input = input("Enter status of " + location_input)
    status_input_complement = input("Enter status of other room")

    if location_input == 'A':
        # Location A is Dirty.
        print("Vacuum is placed in Location A")
        if status_input == '1':
            print("Location A is Dirty.")
            # suck the dirt  and mark it as clean
            cost += 1                      #cost for suck
            print("Cost for CLEANING A " + str(cost))
            print("Location A has been Cleaned.")

            if status_input_complement == '1':
                # if B is Dirty
                print("Location B is Dirty.")
                print("Moving right to the Location B. ")
                cost += 1                      #cost for moving right
                print("COST for moving RIGHT" + str(cost))
                # suck the dirt and mark it as clean
                cost += 1                      #cost for suck
                print("COST for SUCK " + str(cost))
                print("Location B has been Cleaned. ")
```

```
        else:
            print("No action" + str(cost))
            # suck and mark clean
            print("Location B is already clean.")
        if status_input == '0':
        print("Location A is already clean ")
        if status_input_complement == '1':# if B is Dirty
            print("Location B is Dirty.")
            print("Moving RIGHT to the Location B. ")
            cost += 1                       #cost for moving right
            print("COST for moving RIGHT " + str(cost))
            # suck the dirt and mark it as clean
            cost += 1                       #cost for suck
            print("Cost for SUCK" + str(cost))
            print("Location B has been Cleaned. ")
        else:
            print("No action " + str(cost))
            print(cost)
            # suck and mark clean
            print("Location B is already clean.")


else:
    print("Vacuum is placed in location B")
    # Location B is Dirty.
    if status_input == '1':
        print("Location B is Dirty.")
        # suck the dirt  and mark it as clean
        cost += 1  # cost for suck
        print("COST for CLEANING " + str(cost))
        print("Location B has been Cleaned.")
```

```
        if status_input_complement == '1':
            # if A is Dirty
            print("Location A is Dirty.")
            print("Moving LEFT to the Location A. ")
            cost += 1  # cost for moving right
            print("COST for moving LEFT" + str(cost))
            # suck the dirt and mark it as clean
            cost += 1  # cost for suck
            print("COST for SUCK " + str(cost))
            print("Location A has been Cleaned.")

    else:
        print(cost)
        # suck and mark clean
        print("Location B is already clean.")

        if status_input_complement == '1':  # if A is Dirty
            print("Location A is Dirty.")
            print("Moving LEFT to the Location A. ")
            cost += 1  # cost for moving right
            print("COST for moving LEFT " + str(cost))
            # suck the dirt and mark it as clean
            cost += 1  # cost for suck
            print("Cost for SUCK " + str(cost))
            print("Location A has been Cleaned. ")
        else:
            print("No action " + str(cost))
            # suck and mark clean
            print("Location A is already clean.")
```

```
    # done cleaning
    print("GOAL STATE: ")
    print(goal_state)
    print("Performance Measurement: " + str(cost))


print("0 indicates clean and 1 indicates dirty")
vacuum_world()
```

OUTPUT:

```
0 indicates clean and 1 indicates dirty
Enter Location of Vacuumb
Enter status of b1
Enter status of other room1
Vacuum is placed in location B
Location B is Dirty.
COST for CLEANING 1
Location B has been Cleaned.
Location A is Dirty.
Moving LEFT to the Location A.
COST for moving LEFT2
COST for SUCK 3
Location A has been Cleaned.
GOAL STATE:
{'A': '0', 'B': '0'}
Performance Measurement: 3
```

6. Create a knowledge base using prepositional logic and show that the given query entails the knowledge base or not .

```
from sympy import symbols, And, Not, Implies, satisfiable


def create_knowledge_base():
    # Define propositional symbols
    p = symbols('p')
    q = symbols('q')
    r = symbols('r')

    # Define knowledge base using logical statements
    knowledge_base = And(
        Implies(p, q),       # If p then q
        Implies(q, r),       # If q then r
        Not(r)               # Not r
    )

    return knowledge_base

def query_entails(knowledge_base, query):
    # Check if the knowledge base entails the query
    entailment = satisfiable(And(knowledge_base, Not(query)))

    # If there is no satisfying assignment, then the query is entailed
    return not entailment


if __name__ == "__main__":
    # Create the knowledge base
    kb = create_knowledge_base()

    # Define a query
```

```
query = symbols('p')

# Check if the query entails the knowledge base
result = query_entails(kb, query)

# Display the results
print("Knowledge Base:", kb)
print("Query:", query)
print("Query entails Knowledge Base:", result)
```

OUTPUT:

```
Knowledge Base: ~r & (Implies(p, q)) & (Implies(q, r))
Query: p
Query entails Knowledge Base: False
```

7. Create a knowledge base using prepositional logic and prove the given query using resolution

```
import re


def main(rules, goal):
    rules = rules.split(' ')
    steps = resolve(rules, goal)
    print('\nStep\t|Clause\t|Derivation\t')
    print('-' * 30)
    i = 1
    for step in steps:
        print(f' {i}.\t| {step}\t| {steps[step]}\t')
        i += 1



def negate(term):
    return f'~{term}' if term[0] != '~' else term[1]


def reverse(clause):
    if len(clause) > 2:
        t = split_terms(clause)
        return f'{t[1]}v{t[0]}'
    return ''



def split_terms(rule):
    exp = '(~*[PQRS])'
    terms = re.findall(exp, rule)
    return terms


split_terms('~PvR')
```

OUTPUT:

```
['~P', 'R']
```

```
def contradiction(goal, clause):
    contradictions = [ f'{goal}v{negate(goal)}', f'{negate(goal)}v{goal}']
    return clause in contradictions or reverse(clause) in contradictions



def resolve(rules, goal):
    temp = rules.copy()
    temp += [negate(goal)]
    steps = dict()
    for rule in temp:
        steps[rule] = 'Given.'
    steps[negate(goal)] = 'Negated conclusion.'
    i = 0
    while i < len(temp):
        n = len(temp)
        j = (i + 1) % n
        clauses = []
        while j != i:
            terms1 = split_terms(temp[i])
            terms2 = split_terms(temp[j])
            for c in terms1:
                if negate(c) in terms2:
                    t1 = [t for t in terms1 if t != c]
                    t2 = [t for t in terms2 if t != negate(c)]
                    gen = t1 + t2
                    if len(gen) == 2:
```

```
                    if gen[0] != negate(gen[1]):
                        clauses += [f'{gen[0]}v{gen[1]}']
                    else:
                        if contradiction(goal,f'{gen[0]}v{gen[1]}'):
                            temp.append(f'{gen[0]}v{gen[1]}')
                            steps[''] = f"Resolved {temp[i]} and {temp[j]} to {temp[-1]}, which is in
turn null. \
                            \nA contradiction is found when {negate(goal)} is assumed as true.
Hence, {goal} is true."
                            return steps
            elif len(gen) == 1:
                    clauses += [f'{gen[0]}']
                else:
                    if contradiction(goal,f'{terms1[0]}v{terms2[0]}'):
                        temp.append(f'{terms1[0]}v{terms2[0]}')
                        steps[''] = f"Resolved {temp[i]} and {temp[j]} to {temp[-1]}, which is in
turn null. \
                        \nA contradiction is found when {negate(goal)} is assumed as true. Hence,
{goal} is true."
                        return steps
            for clause in clauses:
                if clause not in temp and clause != reverse(clause) and reverse(clause) not in temp:
                    temp.append(clause)
                    steps[clause] = f'Resolved from {temp[i]} and {temp[j]}.'
            j = (j + 1) % n
        i += 1
    return steps



rules = 'Rv~P Rv~Q ~RvP ~RvQ' #(P^Q)<=>R : (Rv~P)v(Rv~Q)^(~RvP)^(~RvQ)
goal = 'R'
main(rules, goal)
```

```
Step    |Clause |Derivation
-------------------------------
 1.     | Rv~P  | Given.
 2.     | Rv~Q  | Given.
 3.     | ~RvP  | Given.
 4.     | ~RvQ  | Given.
 5.     | ~R    | Negated conclusion.
 6.     |       | Resolved Rv~P and ~RvP to Rv~R, which is in turn null.
A contradiction is found when ~R is assumed as true. Hence, R is true.
```

```
rules = 'PvQ ~PvR ~QvR' #P=vQ, P=>Q : ~PvQ, Q=>R, ~QvR
goal = 'R'
main(rules, goal)
```

```
Step    |Clause |Derivation
-----------------------------
 1.     | PvQ   | Given.
 2.     | ~PvR  | Given.
 3.     | ~QvR  | Given.
 4.     | ~R    | Negated conclusion.
 5.     | QvR   | Resolved from PvQ and ~PvR.
 6.     | PvR   | Resolved from PvQ and ~QvR.
 7.     | ~P    | Resolved from ~PvR and ~R.
 8.     | ~Q    | Resolved from ~QvR and ~R.
 9.     | Q     | Resolved from ~R and QvR.
 10.    | P     | Resolved from ~R and PvR.
 11.    | R     | Resolved from QvR and ~Q.
 12.    |       | Resolved R and ~R to Rv~R, which is in turn null.
A contradiction is found when ~R is assumed as true. Hence, R is true.
```

8. Implement unification in first order logic

```
import re


def getAttributes(expression):
    expression = expression.split("(")[1:]
    expression = "(".join(expression)
    expression = expression[:-1]
    expression = re.split("(?


def getInitialPredicate(expression):
    return expression.split("(")[0]


def isConstant(char):
    return char.isupper() and len(char) == 1


def isVariable(char):
    return char.islower() and len(char) == 1


def replaceAttributes(exp, old, new):
    attributes = getAttributes(exp)
    for index, val in enumerate(attributes):
        if val == old:
            attributes[index] = new
    predicate = getInitialPredicate(exp)
    return predicate + "(" + ",".join(attributes) + ")"


def apply(exp, substitutions):
    for substitution in substitutions:
        new, old = substitution
        exp = replaceAttributes(exp, old, new)
```

```
    return exp

def checkOccurs(var, exp):
    if exp.find(var) == -1:
        return False
    return True


def getFirstPart(expression):
    attributes = getAttributes(expression)
    return attributes[0]


def getRemainingPart(expression):
    predicate = getInitialPredicate(expression)
    attributes = getAttributes(expression)
    newExpression = predicate + "(" + ",".join(attributes[1:]) + ")"
    return newExpression


def unify(exp1, exp2):
    if exp1 == exp2:
        return []

    if isConstant(exp1) and isConstant(exp2):
        if exp1 != exp2:
            return False

    if isConstant(exp1):
        return [(exp1, exp2)]
```

```
if isConstant(exp2):
    return [(exp2, exp1)]

if isVariable(exp1):
    if checkOccurs(exp1, exp2):
        return False
     else:
        return [(exp2, exp1)]

if isVariable(exp2):
    if checkOccurs(exp2, exp1):
        return False
    else:
        return [(exp1, exp2)]

if getInitialPredicate(exp1) != getInitialPredicate(exp2):
    print("Predicates do not match. Cannot be unified")
    return False

attributeCount1 = len(getAttributes(exp1))
attributeCount2 = len(getAttributes(exp2))
if attributeCount1 != attributeCount2:
    return False

head1 = getFirstPart(exp1)
head2 = getFirstPart(exp2)
initialSubstitution = unify(head1, head2)
if not initialSubstitution:
    return False
```

```
    if attributeCount1 == 1:
        return initialSubstitution

    tail1 = getRemainingPart(exp1)
    tail2 = getRemainingPart(exp2)

    if initialSubstitution != []:
        tail1 = apply(tail1, initialSubstitution)
        tail2 = apply(tail2, initialSubstitution)
remainingSubstitution = unify(tail1, tail2)
    if not remainingSubstitution:
        return False

    initialSubstitution.extend(remainingSubstitution)
    return initialSubstitution



exp1 = "knows(X)"
exp2 = "knows(Richard)"
substitutions = unify(exp1, exp2)
print("Substitutions:")
print(substitutions)
```

OUTPUT

```
Substitutions:
[('X', 'Richard')]
```

```
exp1 = "knows(A,x)"
exp2 = "knows(y,mother(y))"
substitutions = unify(exp1, exp2)
```

```
print("Substitutions:")

print(substitutions)
```

```
Substitutions:
[('A', 'y'), ('mother(y)', 'x')]
```

9.Convert a given first order logic statement into Conjunctive Normal Form (CNF).

```
def getAttributes(string):
    expr = '
'
    matches = re.findall(expr, string)
    return [m for m in str(matches) if m.isalpha()]

def getPredicates(string):
    expr = '[a-z~]+
'
    return re.findall(expr, string)

def DeMorgan(sentence):
    string = ''.join(list(sentence).copy())
    string = string.replace('~~','')
    flag = '[' in string
    string = string.replace('~[','')
    string = string.strip(']')
    for predicate in getPredicates(string):
        string = string.replace(predicate, f'~{predicate}')
    s = list(string)
    for i, c in enumerate(string):
        if c == '|':
            s[i] = '&'
        elif c == '&':
            s[i] = '|'
    string = ''.join(s)
    string = string.replace('~~','')
    return f'[{string}]' if flag else string
```

```
def Skolemization(sentence):
    SKOLEM_CONSTANTS = [f'{chr(c)}' for c in range(ord('A'), ord('Z')+1)]
    statement = ''.join(list(sentence).copy())
    matches = re.findall('[∀∃].', statement)
    for match in matches[::-1]:
        statement = statement.replace(match, '')
        statements = re.findall('
]', statement)
        for s in statements:
            statement = statement.replace(s, s[1:-1])
        for predicate in getPredicates(statement):
            attributes = getAttributes(predicate)
            if ''.join(attributes).islower():
                statement = statement.replace(match[1],SKOLEM_CONSTANTS.pop(0))
            else:
                aL = [a for a in attributes if a.islower()]
                aU = [a for a in attributes if not a.islower()][0]
                statement = statement.replace(aU, f'{SKOLEM_CONSTANTS.pop(0)}({aL[0] if
len(aL) else match[1]})')
    return statement




import re


def fol_to_cnf(fol):


    statement = fol.replace("<=>", "_")
    while '_' in statement:
        i = statement.index('_')
```

```
        new_statement = '[' + statement[:i] + '=>' + statement[i+1:] + ']&['+ statement[i+1:] +
'=>' + statement[:i] + ']'
        statement = new_statement
    statement = statement.replace("=>", "-")
    expr = '
'
    statements = re.findall(expr, statement)
    for i, s in enumerate(statements):
        if '[' in s and ']' not in s:
            statements[i] += ']'
    for s in statements:
        statement = statement.replace(s, fol_to_cnf(s))
    while '-' in statement:
        i = statement.index('-')
        br = statement.index('[') if '[' in statement else 0
        new_statement = '~' + statement[br:i] + '|' + statement[i+1:]
        statement = statement[:br] + new_statement if br > 0 else new_statement
    while '~∀' in statement:
        i = statement.index('~∀')
        statement = list(statement)
        statement[i], statement[i+1], statement[i+2] = '∃', statement[i+2], '~'
        statement = ''.join(statement)
    while '~∃' in statement:
        i = statement.index('~∃')
        s = list(statement)
        s[i], s[i+1], s[i+2] = '∀', s[i+2], '~'
        statement = ''.join(s)
    statement = statement.replace('~[∀','[~∀')
    statement = statement.replace('~[∃','[~∃')
    expr = '(~[∀|∃].)'
    statements = re.findall(expr, statement)
```

```
    for s in statements:
        statement = statement.replace(s, fol_to_cnf(s))
    expr = '~
'
    statements = re.findall(expr, statement)
    for s in statements:
        statement = statement.replace(s, DeMorgan(s))
    return statement


print(Skolemization(fol_to_cnf("animal(y)<=>loves(x,y)")))
print(Skolemization(fol_to_cnf("∀x[∀y[animal(y)=>loves(x,y)]]=>[∃z[loves(z,x)]]")))
print(fol_to_cnf("[american(x)&weapon(y)&sells(x,y,z)&hostile(z)]=>criminal(x)"))
```

OUTPUT

```
[~animal(y)|loves(x,y)]&[~loves(x,y)|animal(y)]
[animal(G(x))&~loves(x,G(x))]|[loves(F(x),x)]
[~american(x)|~weapon(y)|~sells(x,y,z)|~hostile(z)]|criminal(x)
```

10. Create a knowledge base consisting of first order logic statements and prove the given query using forward reasoning

```
import re


def isVariable(x):
    return len(x) == 1 and x.islower() and x.isalpha()


def getAttributes(string):
    expr = '
'
    matches = re.findall(expr, string)
    return matches


def getPredicates(string):
    expr = '([a-z~]+)[^&|]+
'
    return re.findall(expr, string)



class Fact:
    def __init__(self, expression):
        self.expression = expression
        predicate, params = self.splitExpression(expression)
        self.predicate = predicate
        self.params = params
        self.result = any(self.getConstants())

    def splitExpression(self, expression):
        predicate = getPredicates(expression)[0]
        params = getAttributes(expression)[0].strip('()').split(',')
        return [predicate, params]
```

```
    def getResult(self):
        return self.result

    def getConstants(self):
        return [None if isVariable(c) else c for c in self.params]

    def getVariables(self):
        return [v if isVariable(v) else None for v in self.params]

    def substitute(self, constants):
        c = constants.copy()
        f = f"{self.predicate}({','.join([constants.pop(0) if isVariable(p) else p for p in
self.params])})"
        return Fact(f)

class Implication:
    def __init__(self, expression):
        self.expression = expression
        l = expression.split('=>')
        self.lhs = [Fact(f) for f in l[0].split('&')]
        self.rhs = Fact(l[1])

    def evaluate(self, facts):
        constants = {}
        new_lhs = []
        for fact in facts:
            for val in self.lhs:
                if val.predicate == fact.predicate:
                    for i, v in enumerate(val.getVariables()):
                        if v:
```

```
                    constants[v] = fact.getConstants()[i]
                new_lhs.append(fact)
        predicate, attributes = getPredicates(self.rhs.expression)[0], 
str(getAttributes(self.rhs.expression)[0])
        for key in constants:
            if constants[key]:
                attributes = attributes.replace(key, constants[key])
        expr = f'{predicate}{attributes}'
        return Fact(expr) if len(new_lhs) and all([f.getResult() for f in new_lhs]) else None


class KB:
    def __init__(self):
        self.facts = set()
        self.implications = set()


    def tell(self, e):
        if '=>' in e:
            self.implications.add(Implication(e))
        else:
            self.facts.add(Fact(e))
        for i in self.implications:
            res = i.evaluate(self.facts)
            if res:
                self.facts.add(res)


    def query(self, e):
        facts = set([f.expression for f in self.facts])
        i = 1
        print(f'Querying {e}:')
        for f in facts:
            if Fact(f).predicate == Fact(e).predicate:
```

```
            print(f'\t{i}. {f}')
            i += 1

    def display(self):
        print("All facts: ")
        for i, f in enumerate(set([f.expression for f in self.facts])):
            print(f'\t{i+1}. {f}')


kb = KB()
kb.tell('missile(x)=>weapon(x)')
kb.tell('missile(M1)')
kb.tell('enemy(x,America)=>hostile(x)')
kb.tell('american(West)')
kb.tell('enemy(Nono,America)')
kb.tell('owns(Nono,M1)')
kb.tell('missile(x)&owns(Nono,x)=>sells(West,x,Nono)')
kb.tell('american(x)&weapon(y)&sells(x,y,z)&hostile(z)=>criminal(x)')
kb.query('criminal(x)')
kb.display()
```

OUTPUT

```
Querying criminal(x):
	1. criminal(West)
All facts:
	1. enemy(Nono,America)
	2. hostile(Nono)
	3. sells(West,M1,Nono)
	4. criminal(West)
	5. owns(Nono,M1)
	6. weapon(M1)
	7. american(West)
	8. missile(M1)
```