

## WEEK 15

Using TCP/IP sockets, write a client-server program to make client sending the file name and the server to send back the contents of the requested file if present.

CODE:

ClientTCP.py


```
from socket import *
serverName = "127.0.0.1"
serverPort = 12000
clientSocket = socket(AF_INET, SOCK_STREAM)
clientSocket.connect((serverName,serverPort))
sentence = input("\nEnter file name: ")
clientSocket.send(sentence.encode())
filecontents = clientSocket.recv(1024).decode()
print ("\nFrom Server:\n")
print(filecontents)
clientSocket.close()
```

ServerTCP.py

```
from socket import *
serverName="127.0.0.1"
serverPort = 12000
serverSocket = socket(AF_INET,SOCK_STREAM)
serverSocket.bind((serverName,serverPort))
serverSocket.listen(1)
while 1:
    print ("The server is ready to receive")
    connectionSocket, addr = serverSocket.accept()
    sentence = connectionSocket.recv(1024).decode()
    file=open(sentence,"r")
    l=file.read(1024)
```

```
connectionSocket.send(l.encode())
print ("\nSent contents of " + sentence)
file.close()
connectionSocket.close()
```

## OUTPUT:



```
Python 3.11.4 (tags/v3.11.4:d2340ef, Jun 7 2023, 05:45:37) [MSC v.1934 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:\Users\Admin\Desktop\lhm2lcs065\ClientTCP.py =====
Enter file name:ServerTCP.py
From server:
from socket import *
serverName="127.0.0.1"
serverPort=12000
serverSocket=socket(AF_INET,SOCK_STREAM)
serverSocket.bind((serverName,serverPort))
serverSocket.listen(1)
while 1:
    print("The server is ready to receive")
    connectionSocket,addr=serverSocket.accept()
    sentence=connectionSocket.recv(1024).decode()
    file=open(sentence,"r")
    l=file.read(1024)
    connectionSocket.send(l.encode())
    print('\nSent contents of' + sentence)
    file.close()
    connectionSocket.close()
>>>
```

```
Python 3.11.4 (tags/v3.11.4:d2340ef, Jun 7 2023, 05:45:37) [MSC v.1934 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:\Users\Admin\Desktop\lhm2lcs065\ServerTCP.py =====
The server is ready to receive
Sent contents ofServerTCP.py
The server is ready to receive
>>>
```

## OBSERVATION:

### Lab 15

- Q Using TCP/IP sockets, write a client-server program to make client sending the file name and the server to send back the contents of requested file if present.

#### TCP-Client.py

```
from socket import *
serverName = "127.0.0.1"
serverPort = 12000
clientSocket = socket(AF_INET, SOCK_STREAM)
clientSocket.connect((serverName, serverPort))
sentence = input("Enter File Name:")
clientSocket.send(sentence.encode())
fileContents = clientSocket.recv(1024).decode()
print("From Server:")
print(fileContents)
clientSocket.close()
```

#### Server-TCP.py

```
from socket import *
serverName = "127.0.0.1"
serverPort = 12000
serverSocket = socket(AF_INET, SOCK_STREAM)
serverSocket.bind((serverName, serverPort))
serverSocket.listen(1)
```

while (1):

print ("The server is ready to receive")

connectionSocket, addr = serverSocket.accept()

sentence = connectionSocket.recv(1024).decode()

file = open(sentence, "r")

f = file.read(1024)

connectionSocket.send(f.encode())

print ("Sent " + sentence)

file.close()

connectionSocket.close()

Output:

Client

Server TCP-PSR

From Server:

#include <stdio.h>

#include <stdlib.h>

int main()

{

printf ("Hello");

return 0;

}

Server  
(Client TCP-PSR)

The server is ready to receive

Sent content of ./os-lib/main.c

The server is ready to receive