Model Evaluation

Ali Sharifi-Zarchi Behrooz Azarkhalili Peyman Naseri

CE Department Sharif University of Technology

Fall 2022

VALIDATION

Main points why we evaluate the predictive performance of a model:

1. Want to estimate the generalization performance, the predictive performance of our model on future (unseen) data.

Main points why we evaluate the predictive performance of a model:

- 1. Want to estimate the generalization performance, the predictive performance of our model on future (unseen) data.
- 2. Want to increase the predictive performance by tweaking the learning algorithm and selecting the best performing model from a given hypothesis space.

Main points why we evaluate the predictive performance of a model:


- 1. Want to estimate the generalization performance, the predictive performance of our model on future (unseen) data.
- 2. Want to increase the predictive performance by tweaking the learning algorithm and selecting the best performing model from a given hypothesis space.
- 3. Want to identify the ML algorithm that is best-suited for the problem at hand; thus, we want to compare different algorithms, selecting the best-performing one as well as the best performing model from the algorithm's hypothesis space

Training set error is an optimistically biased estimator of the generalization error

- Training set error is an optimistically biased estimator of the generalization error
- Test set error is an unbiased estimator of the generalization error (test sample and hypothesis chosen independently)

- Training set error is an optimistically biased estimator of the generalization error
- Test set error is an unbiased estimator of the generalization error (test sample and hypothesis chosen independently)
- (in practice, it is actually pessimistically biased; why?)

Validation



Validation

Hyperparameters


Hyperparameters Holdout Validation k-Fold CV Model Selection

Hyperparameters


Hyperparameter

Validation

nonparametric model: k-nearest neighbors




parametric model: logistic regression






Holdout validation (hyperparam. tuning)



Holdout validation (hyperparam. tuning)











Holdout validation (hyperparam. tuning)




k-Fold Cross-Validation



Hyperparameters Holdout Validation k-Fold CV Model Selection

Types of validation



Model Selection

Validation Hyperparameters Holdout Validation k-Fold CV Model Selection

Model Selection





Model Selection

Ockham's Razor



Two Explanations

- 1. The wind knocked down the tree.
- 2. Two meteorites. One hit the tree and knocked it down. Then it hit the other meteorite, thus obliterating evidence of its existence.

When there are two explanations, choose the simpler one



Thank You!

Any Question?