

Introduction to ML and Classical Models

ML Instruction Team, Fall 2022

CE Department
Sharif University of Technology

Machine Learning: An Overview

■ What is Machine Learning?

Machine learning is the field of study that gives computers the ability to learn without being explicitly programmed.

■ Applications of Machine Learning

- ▶ Email spam detection
- ▶ Face detection and matching
- ▶ Web search (e.g., DuckDuckGo, Bing, Baidu, Google)
- ▶ Credit card fraud detection
- ▶ Stock predictions
- ▶ Smart assistants (Apple Siri, Amazon Alexa, . . .)
- ▶ Product recommendations (e.g., Walmart, Netflix, Amazon)
- ▶ Self-driving cars (e.g., Uber, Tesla)
- ▶ Language translation (Google translate)
- ▶ Sentiment analysis
- ▶ Drug design
- ▶ Medical diagnosis

Machine Learning Categories




Figure: Classical Programming Paradigm, Source

Machine Learning Categories

- The three broad categories of ML are summerized in:
 - ▶ **Supervised Learning**
 - ▶ **Unsupervised Learning**
 - ▶ **Reinforcement Learning**

Figure: Categories of ML, [Source](#)

Supervised Learning

■ Whats is Supervised Learning?

Supervised Learning is the subcategory of machine learning that focuses on learning from labeled training data, which can be divided to two main categories:

- ▶ **Classification** : Predicting the discrete values such as male/female, etc.
- ▶ **Regression** : Predicting the continuous values such as price, age, etc.




Figure: Classification vs Regression, [Source](#)

Unsupervised Learning

What is Unsupervised Learning?


Unsupervised Learning, in contrast to supervised learning, is concerned with unlabeled data.

Common tasks in unsupervised learning are:

- ▶ Clustering
- ▶ Dimensionality Reduction



(a) Clustering, [Source](#)



(b) Dimensionality Reduction, [Source](#)




Figure: Clustering vs Dimensionality Reduction

Reinforcement Learning

- Reinforcement is the process of learning from rewards while performing a series of actions.



Figure: Reinforcement Learning, [Source](#).

ML Categorization Schemes

■ Eager vs Lazy:

- ▶ **Eager** learners are algorithms that process training data immediately.
- ▶ **Lazy** learners, however, defer the processing step until the prediction.

■ Batch vs Online:

- ▶ **Batch** learning refers to the fact that the model is learned on the entire set of training examples.
- ▶ **Online** learners, in contrast, learn from one training example at the time.

■ Generative vs Discriminative:

- ▶ **Generative** models (classically) describe methods that model the joint distribution $\mathbb{P}(X, Y) = \mathbb{P}(Y)\mathbb{P}(X|Y) = \mathbb{P}(X)\mathbb{P}(Y|X)$ for training pairs (x_i, y_i) .
- ▶ **Discriminative** Discriminative models are taking a more "direct" approach, modeling $\mathbb{P}(Y|X)$ directly.

ML Categorization Schemes

■ Instance-based vs Model-Based:

- ▶ **Instance-based** learners learn the training examples by heart and then generalizes to new instances based on some similarity measure.
 - Here, the algorithm looks at a set of training data and tries to find a pattern that can be generalized to new data.
 - This pattern is then used to make predictions on new data.
- ▶ **Model-Based** learners, on the other hand, learn from a model that is created from the training data.
 - This model can be thought of as a mathematical representation of the training data.
 - The model is then used to make predictions on new data.

■ Parametric vs Non-parametric:

- ▶ **Parametric** Parametric models have "fixed" number of parameters.
- ▶ **Non-parametric** models are more "flexible" and do not have a pre-specified number of parameters.

How to Solve A Machine Learning Problem

- Collect data.
- Preprocess the data.
- Select a suitable model and train it.
- Evaluate the generalization error on the test dataset.
- Improve the model using various techniques.




Figure: Required steps to solve an ML problem, [Source](#)

Thank You!

Any Question?