

Supplementary material for
*Evidence-Monotone Audio Representation: Preventing
Provenance Promotion Across Derived Audio Transformations*

A. Urias

S1 Transfer memo: what is prior work and what is new

Written before any code was produced. Every row in the first column is prior work and is cited rather than claimed.

Transfers unchanged (prior work)	Transfers with modification (new here)	Does not transfer
Evidence record (P, S, A, L) : provenance set, typed support channels, applicability scope, complete-source lineage	The domain of D_y becomes a <i>temporal</i> required-source set over half-open sample intervals	Polyline simplification in every form; there is no geometric tolerance in audio
Provenance as a set of ancestry atoms, mixed produced only by union	Alphabet changes from measured/interpolated to captured/generated; the measurand is different even though the algebra is identical	Terrain support profiles, directional ray classifiers, roughness proxies
Same-channel meet by minimum	Unchanged as an operation; the channel is capture-support	Contour extraction rules and closed-ring anchoring
Absence of verified evidence is absorbing and is not an atom	Strengthened: a $\perp$ element also makes every numeric channel unavailable over the represented span (requirement iv')	Every spatial result, table and figure
Applicability intersection and lineage union	Unchanged	The spatial simplification operator itself
Non-promotion in the spatial setting	Restated modality-independently and, following the Phase-0 search, presented as an <i>instance</i> of known lattice algebra rather than as a new theorem	Any prior source-code audit and its counterexample

Transfers unchanged (prior work)	Transfers with modification (new here)	Does not transfer
Conformance-test philosophy: exhaustive enumeration, deterministic adversarial fixtures, independent oracle, frozen expectations, explicit non-prevalence language	Reused as a method template; all results are new	Any prior third-party generalizer audit
—	New with no spatial analogue: the kernel-footprint rule with declared per-operator guard bands and measured model-versus-implementation deviation; footprint monotonicity; signal transparency on decoded PCM; a signed C2PA transport with temporal regions of interest; the unverified state as an operational outcome of a real validator	—

S2 Novelty search and closest-work matrix

Search date. 2026-08-19, re-run before submission.

Databases and interfaces. Open-literature web search; arXiv; IACR Cryptology ePrint Archive; ACM Digital Library and LIPIcs listings; the C2PA specification site; OpenSLR.

Query strings. (1) provenance semiring non-amplification derived media operator monotone provenance lattice; (2) C2PA content credentials audio provenance derived asset ingredient inheritance research paper 2026; (3) "provenance laundering" OR "metadata washing" media provenance attack C2PA; (4) audio editing provenance preservation composition proof interval lineage trim concatenate resample formal; (5) Denning lattice model secure information flow non-interference applied to media provenance labels 2025 2026; (6) audio deepfake detection survey 2026 speech antispoofing ASVspoof 5 generalization; (7) audio watermarking soft binding C2PA durable content credentials AudioSeal 2026.

Outcome. The columns *complete-source operator rule* and *C2PA-integrated interval-level enforcement* were empty across every prior row. Because provenance-semiring and information-flow work already yields the non-amplification property abstractly, the theorem is not claimed as new; it is presented as an instance and the contribution is relocated to the executable temporal contract, the transport and the measurements. The full matrix is in `paper/PHASE0_novelty.md` in the repository.

S3 Threat-model matrix

Attacker capability	Contract behaviour	Not prevented
Passes a mixed-origin asset through a benign transformation to obtain a captured-only claim	Output claim is the meet over the complete required source set, so it stays mixed	Nothing, if the attacker also controls the signer
Trims away the boundaries so that only captured material is at the edges	Interior sources remain in D_y ; claim stays mixed	A trim that genuinely removes all generated material, which legitimately yields a captured-only claim
Relies on a filtered operator so that a generated sample bleeds into a neighbouring output region without appearing in the nominal range	The declared kernel footprint enlarges D_y ; over-approximation is safe by Proposition 5	An under-declared footprint, which is a conformance failure of that implementation
Strips the manifest and redistributes	State becomes UNVERIFIED	Detection of the stripping as intentional; re-signing under a fresh, dishonest chain
Modifies the asset after signing	Hard binding fails; state becomes INVALID	Attacks on the cryptographic layer itself
Signs a false assertion with a valid key	Nothing. The contract governs propagation, not truthfulness	Everything: a valid signature proves signing, not truth
Records a loudspeaker playing synthetic speech	A captured claim propagates, correct at the sensor layer	The semantic origin; see the replay limitation in the manuscript

S4 EM assertion schema

The assertion label is `mx.aurtech.emaudio.evidence`. The payload is:

```
{
  "schema": "https://aurtech.mx/ns/em-audio/1.0",
  "policy": "complete-source",
  "operator": "trim",
  "operatorParameters": { "start": 4800, "end": 43200 },
  "asset": { "sampleRate": 16000, "sampleCount": 38400 },
  "intervals": [
    {
      "regionOfInterest": {
        "type": "temporal",
        "time": { "type": "npt", "start": "0.000000000", "end": "0.612500000" }
      },
      "samples": { "start": 0, "end": 9800 },
      "provenance": ["C"],
      "state": "CAPTURED",
      "support": { "capture-support": 0.9 },

```

```

    "applicability": { "capture-support": ["digital-asset"] },
    "lineage": ["urn:emaudio:librispeech:1272-128104-0000"]
  },
  {
    "regionOfInterest": {
      "type": "temporal",
      "time": { "type": "npt", "start": "0.612500000", "end": "1.437500000" }
    },
    "samples": { "start": 9800, "end": 23000 },
    "provenance": ["G"],
    "state": "GENERATED",
    "support": { "capture-support": 0.1 },
    "applicability": { "capture-support": ["digital-asset"] },
    "lineage": ["urn:emaudio:espeak-ng:1.52.0:0042"]
  }
]
}

```

Normative fields are **provenance** (null means unverified and is never an atom), **support**, **applicability** and **lineage**. The **state** field is a presentation label. A channel omitted from **support** is unavailable, which is different from a channel present with a low value. Temporal ranges follow the C2PA **npt** convention with inclusive start and exclusive end; sample-exact bounds are carried alongside because **npt** strings are lossy at sample resolution.

S5 Composition manifest wiring

Two implementation notes for the C2PA-native composition fixtures (manuscript Section on heterogeneous composition), recorded so a replicating reader does not lose time on them. First, the official tool resolves **ResourceRef** identifiers relative to the directory of the manifest-definition file, so an ingredient's stored **manifest_data.c2pa** must be referenced by a path relative to that directory; an absolute path is reported as **resource not found** even when the file exists. Second, a **c2pa.placed** action must carry a hashed-URI reference to its **componentOf** ingredient assertion (C2PA 2.4 §18.16.3); writing the reference by hand is impossible before signing, and the supported route is to give the action an **ingredientIds** parameter naming the ingredient's **instance_id**, which the claim generator resolves to the hashed URI at signing time. A frozen composition manifest with both **componentOf** ingredients, both resolved **c2pa.placed** references, both source **digitalSourceType** values and the EM aggregate is committed at **fixtures/expected/manifest_composition_componentOf.json**.

S6 Reproduction

```
git clone <repo> && cd em-audio && git checkout v1.0.0 && ./run_all.sh
```

run_all.sh fetches the checksum-pinned corpus, generates the test signing credential, runs the named regression tests and experiments A–I, regenerates every table, macro and figure from the machine-readable results, writes **results/PREFLIGHT.txt**, and exits non-zero if any conformance check fails. The preflight report is the single source of every number in the manuscript; a checker script verifies that no numeric result appears in the manuscript source outside the generated macro file.

S7 Feasibility log

Two pitfalls in the signed-transport layer are recorded so that a replicating reader does not lose time on them. First, the signing key must be supplied to the official tool in PKCS#8 form and as PEM *content*, not as a path; a SEC1 key or a path produces a decoder error that does not name the cause. Second, a hand-written `c2pa.opened` action without an `ingredients` parameter is rejected with `assertion.action.ingredientMismatch`, because the specification requires that action to carry a hashed-URI reference to the `parentOf` ingredient assertion; the correct move is to let the claim generator insert it.