

OPTORA

Interchangeable Lens Catalogue — 2025 Edition

Full-Frame Mirrorless System (OZ-mount)

This catalogue is a FICTIONAL sample created for demonstration and testing purposes. Brand names, models and specifications are invented.

Table of Contents

Section	Pages
1. How to read this catalogue	3
2. Wide-angle prime lenses	4 - 5
3. Standard zoom lenses	6 - 7
4. Telephoto zoom lenses	8
5. Macro lenses	9
6. Reference index (all models)	10

1. How to read this catalogue

Each Optora lens is identified by a reference code of the form **OP-[focal][aperture][series]**. For example, **OP-2470F28G** is a 24-70 mm f/2.8 lens in the G (professional) series. Every entry lists the optical construction, filter thread, minimum focusing distance, weight and OZ-mount compatibility.

Series suffixes: **G** = professional, **C** = compact/consumer, **DN** = designed for mirrorless.

2. Wide-angle prime lenses

Fixed focal length lenses from 14 mm to 35 mm, optimised for landscape, architecture and astrophotography.

Optora 14 mm f/1.8 DN

Reference code: **OP-14F18DN**

Specification	Value
Focal length	14 mm
Maximum aperture	f/1.8
Minimum aperture	f/16
Lens construction	16 elements in 11 groups
Aperture blades	11 (rounded)
Minimum focusing distance	0.28 m
Filter thread	rear gel holder
Weight	805 g
Mount	OZ-mount (full-frame)

Optora 24 mm f/1.4 G

Reference code: **OP-24F14G**

Specification	Value
Focal length	24 mm
Maximum aperture	f/1.4
Minimum aperture	f/16
Lens construction	15 elements in 12 groups
Aperture blades	11 (rounded)
Minimum focusing distance	0.24 m
Filter thread	72 mm
Weight	520 g
Mount	OZ-mount (full-frame)

Optora 35 mm f/1.4 G

Reference code: **OP-35F14G**

Specification	Value
Focal length	35 mm
Maximum aperture	f/1.4
Minimum aperture	f/16
Lens construction	14 elements in 11 groups
Aperture blades	11 (rounded)
Minimum focusing distance	0.27 m
Filter thread	67 mm
Weight	645 g
Mount	OZ-mount (full-frame)

3. Standard zoom lenses

Versatile everyday zooms covering wide to short-telephoto ranges.

Optora 24-70 mm f/2.8 G

Reference code: **OP-2470F28G**

Specification	Value
Focal length	24-70 mm
Maximum aperture	f/2.8 (constant)
Minimum aperture	f/22
Lens construction	19 elements in 15 groups
Aperture blades	11 (rounded)
Minimum focusing distance	0.34 m
Filter thread	82 mm
Image stabilisation	Yes, 5 stops
Weight	835 g
Mount	OZ-mount (full-frame)

Optora 28-70 mm f/4 C

Reference code: **OP-2870F4C**

Specification	Value
Focal length	28-70 mm
Maximum aperture	f/4 (constant)
Minimum aperture	f/22
Lens construction	13 elements in 9 groups
Aperture blades	9 (rounded)
Minimum focusing distance	0.30 m
Filter thread	67 mm
Image stabilisation	No
Weight	345 g
Mount	OZ-mount (full-frame)

Optora 24-105 mm f/4 G

Reference code: **OP-24105F4G**

Specification	Value
Focal length	24-105 mm
Maximum aperture	f/4 (constant)
Minimum aperture	f/22
Lens construction	17 elements in 14 groups
Aperture blades	9 (rounded)
Minimum focusing distance	0.38 m
Filter thread	77 mm
Image stabilisation	Yes, 5 stops
Weight	700 g
Mount	OZ-mount (full-frame)

4. Telephoto zoom lenses

Long-reach zooms for sports, wildlife and portraiture.

Optora 70-200 mm f/2.8 G

Reference code: **OP-70200F28G**

Specification	Value
Focal length	70-200 mm
Maximum aperture	f/2.8 (constant)
Minimum aperture	f/22
Lens construction	21 elements in 17 groups
Aperture blades	11 (rounded)
Minimum focusing distance	0.68 m
Filter thread	77 mm
Image stabilisation	Yes, 6 stops
Weight	1045 g
Mount	OZ-mount (full-frame)

Optora 100-400 mm f/5-6.3 C

Reference code: **OP-100400F56C**

Specification	Value
Focal length	100-400 mm
Maximum aperture	f/5-6.3 (variable)
Minimum aperture	f/32
Lens construction	22 elements in 16 groups
Aperture blades	9 (rounded)
Minimum focusing distance	1.12 m
Filter thread	67 mm
Image stabilisation	Yes, 5 stops
Weight	1135 g
Mount	OZ-mount (full-frame)

5. Macro lenses

Dedicated 1:1 macro optics for close-up and product photography.

Optora 90 mm f/2.8 G Macro

Reference code: **OP-90F28GMAC**

Specification	Value
Focal length	90 mm
Maximum aperture	f/2.8
Minimum aperture	f/22
Maximum magnification	1:1 (life size)
Lens construction	15 elements in 11 groups
Minimum focusing distance	0.25 m
Filter thread	62 mm
Image stabilisation	Yes, 5 stops
Weight	640 g
Mount	OZ-mount (full-frame)

Optora 50 mm f/2.8 C Macro

Reference code: **OP-50F28CMAC**

Specification	Value
Focal length	50 mm
Maximum aperture	f/2.8
Minimum aperture	f/22
Maximum magnification	1:1 (life size)
Lens construction	10 elements in 9 groups
Minimum focusing distance	0.16 m
Filter thread	55 mm
Image stabilisation	No
Weight	290 g
Mount	OZ-mount (full-frame)

6. Reference index (all models)

Reference code	Model	Section
OP-14F18DN	14 mm f/1.8 DN	Wide-angle prime
OP-24F14G	24 mm f/1.4 G	Wide-angle prime
OP-35F14G	35 mm f/1.4 G	Wide-angle prime
OP-2470F28G	24-70 mm f/2.8 G	Standard zoom
OP-2870F4C	28-70 mm f/4 C	Standard zoom
OP-24105F4G	24-105 mm f/4 G	Standard zoom
OP-70200F28G	70-200 mm f/2.8 G	Telephoto zoom
OP-100400F56C	100-400 mm f/5-6.3 C	Telephoto zoom
OP-90F28GMAC	90 mm f/2.8 G Macro	Macro
OP-50F28CMAC	50 mm f/2.8 C Macro	Macro