

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for https://oan-dev.github.io/chouetteangence/page2.html

### Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by address ▼

https://oan-dev.github.io/chouetteangence/page2.html

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Bad value Default for attribute lang on element html: The language subtag default is not a valid IANA language part of a language tag.

From line 1, column 16; to line 2, column 21

```
type html><html lang="Default"><head
```
- Error** Attribute success-msg not allowed on element form at this point.

From line 83, column 5; to line 83, column 170

```
m-6"><form id="form_1" novalidate success-  
msg="Your message has been sent." fail-msg="Sorry it seems that our  
mail server is not responding, Sorry for the inconvenience!">
```

Attributes for element form:

  - [Global attributes](#)
  - [accept-charset](#) — Character encodings to use for [form submission](#)
  - [action](#) — [URL](#) to use for [form submission](#)
  - [autocomplete](#) — Default setting for autofill feature for controls in the form
  - [enctype](#) — Entry list encoding type to use for [form submission](#)
  - [method](#) — Variant to use for [form submission](#)
  - [name](#) — Name of form to use in the [document.forms](#) API
  - [novalidate](#) — Bypass form control validation for [form submission](#)
  - [target](#) — [Browsing context](#) for [form submission](#)
  - [rel](#)

**Error** Attribute fail-msg not allowed on element form at this point.

From line 83, column 5; to line 83, column 170

```
m-6"><form id="form_1" novalidate success-  
msg="Your message has been sent." fail-msg="Sorry it seems that our  
mail server is not responding, Sorry for the inconvenience!">
```

Attributes for element form:

## Global attributes

accept-charset — Character encodings to use for form submission

action — URL to use for form submission

**autocomplete** — Default setting for autofill feature for controls in the form

enctype — Entry list encoding type to use for form submission

method — Variant to use for form submission

name — Name of form to use in the document.forms API

novalidate — Bypass form control validation for form submission

target — Browsing\_context for form submission

rel

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 93 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.10.31