PRML-Assignment 2

Rohith Ingilela, EE19BTECH11005

April 8, 2023

1 Problem Statement

In Figure **??**, $ABCD$ is a parallelogram, $AE \perp DC$ and $CF \perp AD$. If $AB = 16\,cm$, $AE = 8\,cm$ and $CF = 10\,cm$, find AD. Construct the paralellogram.



Figure 1: Parallelogram ABCD

2 Solution

Given,

LHS	**RHS**
$\boldsymbol{A} - \boldsymbol{B}$	$\boldsymbol{C} - \boldsymbol{D}$
$(\boldsymbol{A} - \boldsymbol{E})^T(\boldsymbol{C} - \boldsymbol{D})$	0
$(\boldsymbol{C} - \boldsymbol{F})^T(\boldsymbol{A} - \boldsymbol{D})$	0
$\|\boldsymbol{A} - \boldsymbol{B}\|$	16 cm
$\|\boldsymbol{A} - \boldsymbol{E}\|$	8 cm
$\|\boldsymbol{C} - \boldsymbol{F}\|$	10 cm

To find: $\|AD\|$

We know that,

$$Ar(ABCD) = \|\boldsymbol{A}-\boldsymbol{D}\| \times \|\boldsymbol{C}-\boldsymbol{F}\| = \|\boldsymbol{A}-\boldsymbol{E}\| \times \|\boldsymbol{C}-\boldsymbol{D}\|$$

$$\|\boldsymbol{A}-\boldsymbol{D}\| \times 10 = 8 \times 16 = 128$$

$$\|\boldsymbol{A}-\boldsymbol{D}\| = 12.8\ cm$$

$$\|\boldsymbol{A}-\boldsymbol{D}\| = \|\boldsymbol{A}\| = 12.8\ cm$$

To find: $\boldsymbol{A}$

Let $\theta = \angle ADE$

$$\sin\theta = \frac{\|\boldsymbol{A}-\boldsymbol{E}\|}{\|\boldsymbol{A}-\boldsymbol{D}\|}$$

$$\theta = \sin^{-}1\left(\frac{\|\boldsymbol{A}-\boldsymbol{E}\|}{\|\boldsymbol{A}-\boldsymbol{D}\|}\right) \tag{1}$$

$$\boldsymbol{A} = \|\boldsymbol{A}-\boldsymbol{D}\|\begin{pmatrix} cos\theta \\ sin\theta \end{pmatrix} \tag{2}$$

Substituting $\|AE\|$ and $\|AD\|$ in (**??**) and (**??**)

$$\boldsymbol{A} \approx \begin{pmatrix} 10 \\ 8 \end{pmatrix} \tag{3}$$

To find: $\boldsymbol{F}$

Equation of line passing through AD:

$$\text{Direction vector, } \boldsymbol{m} = \begin{pmatrix} 10 \\ 8 \end{pmatrix}$$

Normal vector,

$$\implies \boldsymbol{n} = \begin{pmatrix} -8 \\ 10 \end{pmatrix}$$

Equation of line passing through D with normal vector n is

$$\boldsymbol{n}^T(\boldsymbol{x}-\boldsymbol{D}) = 0$$

$$\boldsymbol{n}^T\boldsymbol{x} = 0 \tag{4}$$

Since $\boldsymbol{F}$ is foot of perpendicular from $\boldsymbol{C}$ to line $\boldsymbol{AD}$

$$\begin{pmatrix} m & n \end{pmatrix}^T \boldsymbol{F} = \begin{pmatrix} m^T C \\ 0 \end{pmatrix}$$

$$\boldsymbol{F} = \begin{pmatrix} 10 & 8 \\ 8 & -10 \end{pmatrix}^{-1} \begin{pmatrix} 160 \\ 0 \end{pmatrix}$$

$$\boldsymbol{F} = \begin{pmatrix} 9.75 \\ 7.8 \end{pmatrix} \tag{5}$$

3 Code

https://github.com/1ROH1TH/PRML/blob/main/9.9.2.1/codes/9.9.2.1.py

4 Plot

The above code plots Figure **??**. .



Figure 2: Parallelogram ABCD