HASIL TUGAS 6 LARAVEL FAISA AL FARREL

isi Route api.php

```php
use Illuminate\Support\Facades\Route;
use App\Http\Controllers\GenreController;
use App\Http\Controllers\AuthorController;
// use App\Http\Controllers\BookController;
use App\Http\Controllers\AuthController;

Route::post('/login', [AuthController::class, 'login']);
Route::post('/logout', [AuthController::class, 'logout']);

Route::apiResource('genre', GenreController::class)->only(['index', 'show']);
Route::apiResource('author', AuthorController::class)->only(['index', 'show']);

Route::middleware('Admin')->group(function () {
    Route::apiResource('genre', GenreController::class)->only(['store', 'update', 'destroy']);
    Route::apiResource('author', AuthorController::class)->only(['store', 'update', 'destroy']);
});
```

isi AdminMiddleware

```php
class AdminMiddleware
{
    0 references | 0 overrides | Windsurf: Refactor | Explain | Generate Function Comment | ×
    public function handle(Request $request, Closure $next): Response
    {
        //Cek apakah user terautentikasi via guard 'api' (JWT)
        if (!auth('api')->check()) {
            return response()->json([
                'success' => false,
                'message' => 'Anda harus login terlebih dahulu.'
            ], 401);
        }

        //Ambil user yang sedang login
        $user = auth('api')->user();

        //Cek apakah role user adalah 'admin'
        if (strtolower($user->role) !== 'admin') {
            return response()->json([
                'success' => false,
                'message' => 'Akses ditolak. Hanya Admin yang boleh melakukan ini.'
            ], 403); //Status 403 artinya Forbidden (Ditolak)
        }

        //Jika lolos, lanjutkan request
        return $next($request);
    }
}
```

Isi AuthController

```php
class AuthController extends Controller
{
  public function Login(Request $request)
  {
    $request->validate([
      'email' => 'required|email',
      'password' => 'required',
    ]);

    $credentials = $request->only('email', 'password');

    // Coba generate token menggunakan JWTAuth
    if (!$token = JWTAuth::attempt($credentials)) {
      return response()->json([
        'success' => false,
        'message' => 'Email atau password salah',
      ], 401);
    }

    $user = auth()->user();

    return response()->json([
      'success' => true,
      'message' => 'Login berhasil',
      'data' => [
        'user' => $user,
        'token' => $token,
        'token_type' => 'bearer',
        'expires_in' => JWTAuth::factory()->getTTL() * 60,
      ],
    ], 200);
  }

  public function Logout()
  {
    auth()->Logout();

    return response()->json([
      'success' => true,
      'message' => 'Logout berhasil',
    ], 200);
  }
}
```

Isi User Model

```php
protected $fillable = [
    'name',
    'email',
    'password',
    'role',
    'last_access',
];

0 references
protected $hidden = [
    'password',
];

0 references
protected $casts = [
    'password' => 'hashed',
];

// Method yang diperlukan oleh JWT
0 references | 0 overrides | Windsurf: Refactor | Explain | ×
public function getJWTIdentifier()
{
    return $this->getKey();
}

0 references | 0 overrides | Windsurf: Refactor | Explain | Gen
public function getJWTCustomClaims()
{
    return [
        'role' => $this->role,
    ];
}
```

Isi app.php di folder bootstrap

```
->withMiddleware(function (Middleware $middleware): void {
    $middleware->alias([
        'Admin' => \App\Http\Middleware\AdminMiddleware::class,
    ]);
})      You, last week • Upload Laravel
```

Isi auth.php di folder config

```
'guards' => [
    'web' => [
        'driver' => 'session',
        'provider' => 'users',
    ],

    'api' => [
        'driver' => 'jwt',
        'provider' => 'users',
    ]
],
```


Isi UserSeeder

```
public function run(): void
{
    DB::table('users')->insert([
        [
            'name' => 'Admin User',
            'email' => 'admin@bookstore.com',
            'password' => Hash::make('password123'),
            'role' => 'Admin',
            'last_access' => null,
            'created_at' => now(),
            'updated_at' => now(),
        ],
        [
            'name' => 'Customer User',
            'email' => 'customer@bookstore.com',
            'password' => Hash::make('password123'),
            'role' => 'Customer',
            'last_access' => null,
            'created_at' => now(),
            'updated_at' => now(),
        ],
    ]);
}
```


Hasil POSTMAN

a. Author


Get all




show data id 3




store data baru jika sudah login akun admin




store data ditolak karena bukan admin




store data error karena tanpa login




update data id 1 jika sudah login dengan akun admin




update data ditolak karena bukan admin




update data jika belum login




delete data id 6 dengan akun admin



delete data ditolak karena bukan admin




delete data jika belum login




b. Genre


Get all




show data id 4




show data tidak ditemukan




Store data baru jika sudah login akun admin




store data ditolak karena bukan admin




store data jika belum login




update data id 1 dengan akun admin




update data ditolak karena bukan admin




update data jika belum login




delete data id 6 dengan akun admin



delete data ditolak karena bukan admin



delete data jika belum login


DELETE
127.0.0.1:8000/api/genre/5
Docs
Params
Authorization
Headers 6
Body
Scripts
Settings
Auth type
Bearer Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Bearer Token
Token
Token
Body
Cookies
Headers 7
Test Results
401 Unauthorized
Configure authentication token
JSON
Preview
Pass the correct auth credentials
{
"success": false,
"message": "Anda harus login terlebih dahulu."
}