



5. Configure Web Server, DNS within a LAN.







PC0
Physical
Config
Desktop
Software/Services
Web Browser
URL
http://www.mysite.com/index.html
Go
Stop
Cisco Packet Tracer
Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.
Quick Links:
A small page
Copyrights
Image page
Image


PC0
Physical
Config
Desktop
Software/Services
Web Browser
URL
http://www.mysite.com/helloworld.html
Go
Stop
Hello, world!
Back

5) Configure Web Server, DNS within a LAN.

Step 1: Create a topology like this.



Step 2: Configure Web Server with IP address and DNS Server.

Step 3: Configure DNS Server with IP address

Step 4: Enable DNS Service and add A resource records, give your domain name and IP address as shown below

Step 5: Enable HTTP Services and add the web page.
(Built in web page is there by default. So no need to add new one.)

Step 6: Configure hosts ip address and DNS address also

Step 7: Verify the above connection using cmd by pinging the domain name.

Now, verify using the web browser.

Bafna Gold
Date: Page:

Output

Packet Tracer PC Command Line 1.0
PC> ping www.mysite.com
Pinging 10.0.0.20 with 32 bytes of data:

Reply from 10.0.0.20: bytes = 32 time = 6ms TTL = 128
Reply from 10.0.0.20: bytes = 32 time = 63ms TTL = 128
Reply from 10.0.0.20: bytes = 32 time = 48ms TTL = 128
Reply from 10.0.0.20: bytes = 32 time = 48ms TTL = 128

Ping statistics for 10.0.0.20:
Packets: Sent = 4, Received = 4, Lost = 0, (0% loss),
Approximate round trip times in milliseconds:
Minimum = 6ms, Maximum = 63ms, Average = 41ms.
PC>

Web Browser
URL: http://www.mysite.com/index.html

Cisco Packet Tracer

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.
Quick Links:
A small page
Copyrights
Image page
Image

URL: https://www.mysite.com/helloworld.html

Hello, world!
Back