

UIPATH MAESTRO FLOW CHALLENGE

WireSentinel

Architecture, Component Guide & 3-Minute Demo Playbook

An explainable, human-governed suspicious-wire review demonstration that coordinates UiPath Maestro, IXP, Integration Service, Action Center, Data Fabric, Agents, API Workflows, and Coded Apps.

THE PROMISE

AI extracts and explains. Deterministic controls choose the route. A human owns elevated-risk authority. A guarded adapter enforces the resulting synthetic action. Data Fabric preserves the evidence.

GUIDE SCOPE	WHAT YOU CAN EXPLAIN AFTER READING
Architecture	Why every UiPath component exists and how its contract connects to the next step.
Demo case	Why the Medium scenario uses a wire instruction plus invoice and how score 40 is produced.
Authority	Why neither IXP nor Copilot can approve or release a wire.
Operations	How to import, bind, deploy, test, and present the solution accurately.


Public-safe edition | Synthetic data and sandbox outcomes only

01 / EXECUTIVE BRIEF

Why WireSentinel exists

The business problem is coordinated trust, not document OCR in isolation.

A suspicious outbound wire crosses several authorities: the request document, supporting evidence, reference data, risk policy, a human reviewer, and a downstream banking action. If those parts operate independently, the organization cannot reliably explain who decided what, which evidence was used, or whether a retry created a duplicate action.



Guide map

03	System architecture	13	Coded Apps cockpit
04	Authority and trust boundaries	14	Read-only Copilot
05	Two-PDF intake	15	Banking guardrails
06	IXP document intelligence	16	Medium walkthrough
07	Deterministic policy	17	Exact 3-minute script
08	Maestro orchestration and failure	18	Import and deployment
09	HITL and Action Center	19	Tests and limitations
10	Data Fabric model	20	Appendix and source map
11-12	Component catalog		


ACCURACY
RULE

Say Integration Service (IS), not ISV. Describe every banking outcome as synthetic and sandbox-only.

02 / ARCHITECTURE

One governed journey across UiPath

Maestro is the control plane that keeps evidence, rules, people, action, and audit in one correlated process.



LAYER	SYSTEM OF RECORD	CONTROL QUESTION
Intake	Gmail via Integration Service	Did the expected documents arrive in a bounded request?
Evidence	IXP normalized Evidence Pack	What did the documents actually contain, and with what confidence?
Policy	Deterministic Flow script	Which route and recommendation follow from explicit rules?
Authority	Action Center outcome	Which authorized human accepted, rejected, or escalated the case?
Execution	BankingAction sandbox ledger	Was one authorized action recorded, and was replay suppressed?
Explanation	Cockpit + read-only Copilot	Can an operator understand the case without gaining mutation authority?

DESIGN THESIS

No single component is trusted to do everything. Each component receives a narrow contract and hands durable evidence to the next authority.

03 / GOVERNANCE

Authority is deliberately separated

The strongest challenge differentiator is the boundary between assistance, routing, human authority, enforcement, and evidence.

1

AI reads
IXP extracts document evidence; Copilot explains it.

ADVISORY

2

Rules route
Deterministic score and hard stops select the required path.

AUTHORITATIVE

3

People authorize
Action Center records the accountable human outcome.

AUTHORITATIVE

4

Adapter enforces
The API Workflow rejects an inconsistent decision packet.

ENFORCEMENT

5

Data proves
Data Fabric retains the correlated evidence and sandbox result.

EVIDENCE

ACTOR	MAY	MUST NOT
IXP	Classify, extract, and provide confidence	Choose the final risk route or authorize payment
Deterministic policy	Score, create reason codes, and select Low/Medium/Critical	Invent document values or impersonate a reviewer
Human reviewer	Return the configured Action Center outcome	Bypass hard-stop evidence or directly call a bank
Copilot	Query masked records, explain, cite, and draft rationale	Approve, reject, release, hold, freeze, file a SAR, or write records
Banking adapter	Enforce an already-authorized synthetic action	Accept inconsistent, versionless, or hard-stop release packets

PRESENTER
LINE

WireSentinel is not AI making a banking decision. It is Maestro coordinating evidence, deterministic policy, human accountability, guarded action, and audit.

04 / INTAKE

Why the Medium demo uses two PDFs

The wire instruction is the authoritative request; the invoice is supporting evidence that makes cross-document validation visible.

PDF 1 - Wire instruction
Required by the extraction contract. Supplies request, customer, amount, currency, beneficiary, country, bank identifier, purpose, date, approver, and signature status.

PDF 2 - Supporting invoice
Technically optional, but required for this demo story. Supplies supplier, invoice number, dates, purchase order, account last four digits, total, currency, and line items.

The bounded intake sequence

- 1. A Gmail event or governed debug input supplies the document references.
- 2. Intake identifies one wire and one supporting document, sanitizes email metadata, and creates the Maestro correlation.
- 3. Extra attachments are recorded as quarantined evidence and create a deterministic hard-stop signal.
- 4. The attachment adapter accepts only PDF content, validates the signature and filename, limits size to 15 MiB, and computes SHA-256.
- 5. IXP receives typed UiPath file resources and returns normalized facts plus confidence.

QUESTION	ANSWER
Must every WireSentinel case have two PDFs?	No. The wire is required and the invoice is optional at the technical contract.
Why always use two for the Medium demo?	It proves source-to-source consistency, populates the Documents tab, and makes the review packet richer.
What if a third attachment is added?	The bounded intake records it as excess evidence and policy treats it as a hard stop.

PUBLIC-SAFE RULE
Use only the supplied synthetic PDFs. Never attach a real wire, invoice, customer record, account number, or regulatory narrative.

05 / DOCUMENT INTELLIGENCE

IXP produces evidence, not authority

The deterministic Python Function calls the published IXP model and normalizes product-specific output into a stable contract.

OUTPUT AREA	WIRE INSTRUCTION	INVOICE
Identity	request ID; customer ID; transfer type	invoice number; purchase order
Money	amount; currency	invoice total; currency; line totals
Parties	beneficiary; bank; country	supplier; supplier country
Controls	routing/SWIFT; approver; signature	account last four digits; dates
Evidence	classification and extraction confidence	classification and extraction confidence

Normalized Evidence Pack

KEY	PURPOSE
documents[]	Document identity, role, type, confidences, support state, quarantine reason, and extracted fields.
wire_instruction	Exactly one normalized wire object, otherwise null/failed evidence.
supporting_invoice	Normalized invoice when provided.
consistency	Amount, beneficiary, and country agreement across the two sources.
preliminary_risk	Advisory signals and rationale; never the authoritative route.
extraction_status	complete, partial, or failed.

PROMPT-INJECTION
BOUNDARY

Text inside a PDF is untrusted evidence. The extraction instructions explicitly ignore commands embedded in documents and forbid inventing values when IXP is unavailable.

The project also retains a low-code extraction Agent and its evaluations. The demonstrated primary Flow, however, invokes the Python IXP Function; present the Agent as an alternative design asset, not a second active extraction pass.

06 / DECISION LOGIC

The executable risk policy

An explicit JavaScript policy builds the authoritative score, hard-stop state, recommendation, and Data Fabric payloads.

RULE	SCORE	EXPLANATION
Starting score	+5	Every valid evaluation
Amount >= USD 25,000	+25	Reason AMOUNT_GE_25K
Amount >= USD 100,000	+35	Replaces the +25 amount increment
New beneficiary and amount >= USD 25,000	+10	Reason NEW_BENEFICIARY
High-risk country	+35	Country reference signal
Critical country	+60	Critical country signal
Invoice mismatch > 1%	+35	Reason DOCUMENT_AMOUNT_MISMATCH
Watchlist match	score = 100	Hard stop

LOW
Score below 30 and no hard stop.
Eligible for the guarded straight-through path.

MEDIUM
Score 30-74 and no hard stop.
Requires customer verification.

CRITICAL
Score 75+ or any hard stop.
Requires compliance review.

Medium example

USD 42,500


Base 5 + amount 25 + new beneficiary 10 = score 40. Route: Medium. Recommendation: Verify customer before release. Reasons: AMOUNT_GE_25K and NEW_BENEFICIARY.

Hard stops include a watchlist match, unsupported or excess documents, anything other than exactly one wire, missing required fields, or failed extraction. These controls override an agent suggestion.

07 / ORCHESTRATION

Maestro owns the long-running journey

The Flow coordinates synchronous services and asynchronous human waits while preserving one case correlation.



What Maestro contributes

- A Gmail trigger plus governed direct-file debug inputs.
- Durable waits at Action Center tasks.
- Route-specific decisions and normalized outputs.
- Explicit error edges from every material dependency.
- Case/document persistence before human review.
- Final case, audit, notification, and terminal outputs.

FAIL CLOSED

A connector, attachment, IXP, Data Fabric, decision, banking, or notification error becomes TechnicalFailureManualReview. The Flow attempts to write a technical audit and alert operations; it does not reinterpret the incident as customer rejection or Low risk.

Action Center makes authority explicit

The reviewer receives the same decision packet used by policy and returns a small, auditable outcome contract.

INPUT GROUP	FIELDS PASSED TO THE CODED ACTION APP
Identity	Case ID, request ID, customer ID, correlation ID, Maestro instance ID
Transaction	Amount, currency, beneficiary, beneficiary country
Decision	Risk score, risk level, recommendation, review mode, reason codes
Evidence	Policy evidence, IXP evidence, optional document and audit rows

Outcome translation

ROUTE	VISIBLE HUMAN ACTION	NORMALIZED DECISION	AUTHORIZED SYNTHETIC ACTION
Medium	Approve	Verified	release
Medium	Reject	Reject	reject
Medium	Escalate	Escalate	hold
Critical	Approve	HoldAndFileSAR	holdAndFileSAR
Critical	Reject	Reject	reject
Critical	Escalate	Escalate	hold

Pending

Sticky decision controls are shown. Approve is primary; Reject and Escalate require a short rationale.

Completed

One concise outcome banner replaces controls. The task becomes read-only evidence.

Specialized

The intended Web-cockpit behavior is to route specialized compliance work to Action Center.


KEY DISTINCTION

Approve completes the human task. It does not call a bank. Maestro resumes and sends the completed decision packet to the guarded sandbox adapter.

09 / OPERATIONAL DATA

Data Fabric closes the evidence chain

Five RBAC-enabled entity contracts preserve lifecycle, document, policy, audit, and sandbox execution data.



ENTITY	WHY IT EXISTS	IMPORTANT KEYS
WireSentinelCase	Authoritative lifecycle state and decision summary	Unique CaseKey; RequestId; Status; Risk; FinalDecision
WireSentinelDocument	Document inventory and normalized IXP evidence	Unique DocumentKey; CaseKey; confidences; IsSupported
WireSentinelPolicySection	Synthetic policy knowledge for grounded answers	Unique PolicyKey; version; effective date
WireSentinelAuditEvent	Correlated automated, human, and adapter events	Unique EventKey; CaseKey; ActorType; Outcome
WireSentinelBankingAction	Replay-safe synthetic execution ledger	Unique IdempotencyKey; CaseKey; Sandbox; AttemptCount

PRECISION

The entity source declares RBAC, but live access enforcement is tenant configuration. Audit is append-only by application convention rather than immutable database enforcement.

10 / COMPONENT CATALOG A

Intake, evidence, context, and orchestration

These components produce the Decision Packet and bring the case to the correct authority.

PROJECT / RESOURCE	TYPE	RESPONSIBILITY	WHY
WireSentinelFlow	Maestro Flow	Coordinates trigger, inputs, extraction, context, risk, HITL, action, closeout, and error paths.	The cross-system control plane.
Gmail connection	Integration Service	Receives messages with attachments and sends outcome/exception notifications.	Business-friendly asynchronous intake.
Attachment Adapter	Coded RPA workflow	Validates and materializes Base64URL PDF data as UiPath file resources.	Required bridge from Gmail payloads to IXP.
IXP Adapter	Python Function	Calls WireSentinel Documents / live and normalizes the Evidence Pack.	Isolates model/runtime details from policy.
Extraction Agent	Low-code Agent	Alternative strict-JSON IXP extraction design plus guardrail/evaluation assets.	Preserved agentic option; not the primary runtime path.
Reference data	Google Sheets	Reads customer, profile, history, beneficiary, watchlist, and country data.	Synthetic context for challenge scoring.
Policy script	Flow JavaScript	Creates score, reasons, hard stops, route, recommendation, and Data Fabric payloads.	Authoritative explainable routing.

Primary contracts

BOUNDARY	CONTRACT
Intake -> IXP	One required wire file, optional invoice, bounded email context
IXP -> Policy	Normalized Evidence Pack; no final authority
Policy -> HITL	Decision Packet with score, reason codes, recommendation, and evidence
Flow outputs	final_status, risk_level, decision, case_id, audit_record

11 / COMPONENT CATALOG B

Review, explanation, guarded action, and experience

These components turn the Decision Packet into an accountable outcome and an understandable operating view.

PROJECT / NODE	TYPE	RESPONSIBILITY	WHY
Customer Review	Maestro HITL	Pauses Medium cases and captures the reviewer outcome.	Required human verification.
Compliance Review	Maestro HITL	Pauses Critical/default cases.	Prevents autonomous hard-stop release.
Review Action	Coded Action App	Loads task data, renders shared workspace, and completes the selected outcome.	Purpose-built Action Center UI.
Operations App	Coded Web App	Queries live entities/tasks and presents queue, tabs, decisions, and Copilot.	Single operations cockpit.
Cockpit Shared	React package	Shared model, styles, responsive workspace, decision footer, and Markdown drawer.	One consistent review experience.
Copilot Query API	API Workflow	Bounded masked reads with stable citations; no writes.	Least-privilege grounding.
WireSentinel Copilot	Conversational Agent	Explains evidence/policy and drafts rationale.	Understanding without mutation authority.
Banking Adapter	API Workflow	Validates decision packet, suppresses replay, writes sandbox ledger.	Independent enforcement boundary.

PACKAGING
NOTE

The Coded Apps share source through an internal React package. The UiPath solution registers executable projects; the shared package remains a source dependency rather than its own deployed UiPath project.

VERSION-NEUTRAL PUBLIC
DESCRIPTION

Use component names and contracts in the demo. Avoid narrating tenant-specific deployment IDs, folder identifiers, or historical package numbers unless a judge explicitly asks.

The operations cockpit makes the next action obvious

The Web cockpit and Action Center app share one spacious, evidence-first review workspace.




Figure 1. Live Medium-risk case in the redesigned WireSentinel Coded Web App.

AREA	BEHAVIOR
Queue	Search by case/request/beneficiary; Review now, All, and Closed; action-ready first; ten per page.
Canvas	Compact case header, Maestro progress strip, Overview/Documents/Audit tabs, readable policy facts.
Decision	Sticky controls for pending work; concise outcome banner for completed work; rationale when needed.
Copilot	Prominent Ask WireSentinel button; full-height drawer; streamed GFM Markdown, tables, citations, retry.
Responsive	Desktop queue + canvas; collapsible tablet queue; single-column Action Center/mobile layout.

LIVE COCKPIT

<https://aifanatic.staging.uipath.host/wiresentinel-cockpit> - a UiPath-authenticated staging session is required; this is not an anonymous public dashboard.

13 / CONVERSATIONAL AGENT

Ask WireSentinel explains but cannot decide

The model is useful because its tool and authority are constrained, not because it is given unrestricted access.

MODEL
anthropic.claude-sonnet-4-6

SETTINGS
temperature 0; maximum 4,096
tokens; conversational-v1

ONE TOOL
WireSentinelOperationalQuery -
masked, bounded, read-only

What happens after a reviewer asks a question

1. The app creates a conversation labelled with the selected CaseKey.
2. The user message includes the CaseKey and a reminder that the agent must query before answering.
3. The agent calls the query API with the question, optional exact case key, and a bounded record count.
4. The API reads Cases, Audit Events, Documents, and Policy Sections, then removes sensitive fields.
5. The answer streams as Markdown and cites only returned CaseKey, EventKey, DocumentKey, and PolicyKey values.

COPILOT MAY	COPILOT MUST NOT
Summarize the case and explain reason codes	Approve, reject, release, hold, freeze, or file a SAR
Compare returned evidence with returned policy	Expose raw extraction payloads, credentials, or full bank identifiers
Draft a reviewer rationale	Claim an external action occurred without matching audit evidence
Say data is missing or a case was not found	Fabricate a record, field, policy, or outcome


**READ-ONLY
BOUNDARY**

The query workflow returns writesPerformed=false and exposes no mutation endpoint. BankingAction is not queried directly; durable action claims should be supported by returned audit evidence.

14 / GUARDED EXECUTION

The banking adapter independently rechecks authority

A UI button or agent response is never enough. The API Workflow accepts only a coherent, versioned, authorized decision packet.



15 / PROVEN DEMO PATH

Medium case: documents to ReleasedAfterVerification

This is the single scenario to walk through for a concise challenge presentation.

#	STAGE	OBSERVABLE RESULT
01	Receive	Wire instruction + invoice enter through Gmail or governed direct-file debug.
02	Materialize	Validated PDF payloads become typed UiPath files.
03	Extract	IXP returns supported wire and invoice records with normalized facts.
04	Enrich	Synthetic beneficiary, watchlist, and country references are loaded.
05	Score	USD 42,500 + new beneficiary produces deterministic score 40 / Medium.
06	Persist	Case is PendingDecision; two Document records are linked.
07	Explain	Copilot can explain the recommendation using masked cited records.
08	Review	Action Center records human action Approve.
09	Normalize	Flow translates Approve to Review Outcome Verified and authorized action release.
10	Enforce	Banking adapter validates the packet and records one sandbox ledger result.
11	Close	Case becomes ReleasedAfterVerification; WireDecisionExecuted is appended.
12	Notify	Structured email summarizes received PDFs, extracted data, review outcome, and deploy steps.

STATE	EXACT MEDIUM VALUE
Policy recommendation	Verify customer before release
Human action	Approve
Review Outcome	Verified
Authorized adapter action	release
Terminal case status	ReleasedAfterVerification

NEVER
COLLAPSE
THESE TERMS

Recommendation, human action, normalized Review Outcome, banking action, and final status are five different facts in the evidence chain.

16 / PRESENTATION

Exact 3-minute demo script

Keep the screens prepared in advance. Narrate one case and the authority boundary; do not tour every configuration panel.

TIME	SCREEN	SAY
0:00-0:25	Cockpit / selected Medium case	Suspicious wires are difficult because document AI, policy, human judgment, and downstream action can disagree. WireSentinel gives those parts one governed path in UiPath Maestro. Everything shown is synthetic and the banking adapter is sandbox-only.
0:25-0:55	Flow canvas or progress strip	The wire instruction and invoice enter through Integration Service. The attachment guard validates the files, and IXP turns them into one normalized Evidence Pack. Maestro then combines that evidence with reference data and runs deterministic policy.
0:55-1:25	Overview / recommendation	This transfer is USD 42,500 to Maple Industrial Parts. The executable policy adds 25 points for the amount and 10 for a new beneficiary to the base score of 5. Score 40 is Medium, so the recommendation is Verify customer before release.
1:25-1:50	Documents tab	Both PDFs remain linked to the same case. IXP confidence and support state are evidence; they do not decide the route. Sensitive bank identifiers are not part of the public operating view.
1:50-2:15	Ask WireSentinel drawer	Copilot explains the case using one masked, read-only query tool and stable business-key citations. It can explain or draft; it cannot approve, submit, or release anything.
2:15-2:40	Action Center completed/pending review	The reviewer receives the same Decision Packet in a Coded Action App. Approve is the human action. Maestro normalizes that to Verified; the button itself never calls a bank.
2:40-3:00	Audit / closed case	The guarded API Workflow independently checks the authorized packet and records one sandbox release. Data Fabric closes the chain with WireDecisionExecuted and ReleasedAfterVerification. AI helps where it is strong; controls remain authoritative.

RECOVERY
RULE

If a live element is slow, show recorded evidence and say it is recorded. Never imply a fresh success that was not observed.

17 / RELEASE RUNBOOK

Import, bind, deploy, and run

A Studio Web import creates editable source. It does not automatically publish, deploy, or enable the Gmail trigger.

1. Import the final .uis from Studio Web > Cloud Workspace > Create New menu > Import project / solution.
2. Confirm the Flow, IXP Function, extraction Agent, Banking API Workflow, query API, Copilot, Web App, and Action App are present. Confirm the attachment adapter dependency is resolvable.
3. Create or import the five Data Fabric schemas and seed the synthetic PolicySection records.
4. Rebind Gmail, Google Sheets, and Data Fabric connections to authorized target-tenant resources.
5. Rebind the Attachment Adapter, IXP Adapter, Banking Adapter, Coded Action App, query API, and Copilot Agent.
6. Confirm the published IXP project name and live tag expected by the Function.
7. Provide target-tenant OAuth settings and entity IDs for the Coded Web App; never commit credentials.
8. Run component tests and build both Coded Apps; validate Flow, API Workflows, Function, and Agent.
9. Perform strict solution dry-run packaging, then publish to the selected Orchestrator folder.
10. Verify resource mappings and enable the Gmail trigger only after every dependency is healthy.
11. Send exactly the synthetic Medium wire and invoice PDFs; monitor Maestro and Action Center.
12. Approve the Medium review and verify Case, Documents, AuditEvent, BankingAction, cockpit, and structured email.

**DEBUG VS
DEPLOYMENT**

Studio Web Debug validates editable source. It does not publish a package, activate a deployment, or enable the production-style trigger.

**RELEASE
COMPATIBILITY**

The latest Studio Web Flow 1.9 logic is normalized to the CLI-compatible 1.8 schema in public source. Strict uip solution pack <uis> --dry-run is Valid. Standalone uip maestro flow validate still reports the known Coded Action App HITL completed-port mismatch. The Medium path succeeded in Studio Web.

**LIVE
DASHBOARD**

<https://aifanatic.staging.uipath.host/wiresentinel-cockpit> - requires an authenticated UiPath staging session with the configured scopes and data access.

What is tested - and what is not

A strong demo separates observed proof, executable behavior, intended design, and future extension.

Checked evidence

AREA	EVIDENCE IN THE REPOSITORY
Coded App UI	Queue search/order/pagination; rationale validation; completed read-only; specialized-link rendering; Markdown; streaming and retry
Business routes	Recorded Low, Medium, and Critical synthetic runs
Replay safety	Banking duplicate suppression and one durable ledger row
Failure safety	Technical-failure audit, operations alert, and no banking action
Copilot	Read-only operational query, mutation refusal, unknown key behavior, and prompt-injection resistance

Honest limitations

- 1

This is a synthetic hackathon implementation; the banking adapter cannot move production funds or file a real regulatory report.
- 2

The active Flow implements Low, Medium, and Critical. High Manager Approval and an Invalid Document Exception route remain planned.
- 3

Written policy and executable policy differ in score bands, confidence gates, straight-through amount limits, and mismatch tolerance. The demo must describe executable behavior.
- 4

The executable score does not currently enforce classification/extraction confidence thresholds.
- 5

Customers and TransactionHistory are read but not currently used by the score script.
- 6

Google Sheets is synthetic reference data, not a production KYC, AML, or sanctions service.
- 7

Data Fabric RBAC and append-only behavior require tenant governance; source declarations alone do not prove enforcement.
- 8

Web-cockpit specialized task routing is intended, but the current generic App-task check is not explicitly risk-aware.
- 9

Copilot does not query BankingAction directly; action claims must use returned audit evidence.
- 10

Environment-specific resource names and IDs must be rebound, and no credential belongs in source control.

Glossary, presenter checklist, and source map

Use exact language so the story remains technically credible and publicly safe.

TERM	MEANING IN WIRESENTINEL
Evidence Pack	Normalized IXP document evidence; input to deterministic policy.
Decision Packet	Score, route, reasons, recommendation, evidence, and authorization fields.
Review Outcome	The Flow-normalized result of the human Action Center selection.
Banking intent	The guarded synthetic action recorded by the API Workflow.
Correlation	The business/instance identifiers that connect Flow, task, case, audit, and ledger.
Integration Service	UiPath connection layer used for Gmail, Google Sheets, and entity connector calls.
IXP	UiPath Intelligent Xtraction and Processing document classification/extraction capability.

Pre-demo checklist

- Open the authenticated cockpit and select the newest synthetic USD 42,500 Medium case.
- Keep the Flow, Action Center, Documents tab, Ask WireSentinel drawer, and Audit tab ready.
- Confirm the recommendation, human action, Review Outcome, adapter action, and final status are stated separately.
- Do not show credentials, tenant/folder identifiers, task identifiers, full bank identifiers, raw extraction payloads, or SAR narrative.
- If a live screen is unavailable, label the fallback screenshot or result as recorded evidence.

Repository source map

AREA	REPOSITORY-RELATIVE SOURCE
Orchestration	WireSentinelFlow/WireSentinelFlow.flow
IXP Function	WireSentinelIxpAdapter122/main.py (latest Studio name)
HITL schema	WireSentinelReviewAction/source/action-schema.json
Coded Apps	WireSentinelApp/src and WireSentinelCockpitShared/src
Copilot	WireSentinelCopilot/agent.json and WireSentinelCopilotQueryApi/Workflow.json
Guarded action	WireSentinelBankingAdapter/Workflow.json
Data contracts	data-fabric/*.json
Runbook and proof	docs/ and evidence/

CLOSING LINE

WireSentinel demonstrates why Maestro matters: one governed process coordinates AI extraction, deterministic policy, human accountability, replay-safe action, and explainable operations across UiPath.