

VC Generation

Well-Formed Programs

Why Preconditions Exist

The grammar accepts more programs than the encoders should consume.

Well-formedness records the shape expected by each VCGen style:

- CFG shape: entry, exit, paths
- definition discipline: SSA or DSA
- assertion discipline: single final failure query
- join discipline: phi nodes or edge-local dynamic definitions

CFG Vocabulary

A CFG has:

- one node per basic block
- edge $b \rightarrow b'$ when b can transfer to b'
- successors from outgoing edges
- predecessors from incoming edges

```
entry:
  c := havoc
  if c goto left else right

left:
  goto join

right:
  goto join
```

SESE

A program is **single-entry single-exit** when:

- entry and exit are distinguished and distinct
- execution starts only at entry
- normal completed executions end at exit
- every block lies on an entry-to-exit path

SESE = no unreachable blocks, no dead regions, one normal exit

SSA

Static single assignment:

- every register is assigned at most once
- phi assignments are a prefix of the join block
- every phi has one incoming value per predecessor

```
left:
  x_left := 1
  goto join

right:
  x_right := 2
  goto join

join:
  x := phi [left: x_left, right: x_right]
```

DSA

Dynamic single assignment pushes the merge onto incoming edges.

```
left:
  x_left := 1
  x := x_left
  goto join

right:
  x_right := 2
  x := x_right
  goto join

join:
  goto exit
```

The two assignments to x are allowed because they occur in sibling predecessors, immediately before the join.

SSA To DSA

Before:

```
join:
  x := phi [p1: v1, p2: v2]
  goto exit
```

After:

```
p1:
  x := v1
  goto join

p2:
  x := v2
  goto join
```

DSA can be read as placing the merge assignment on the incoming CFG edge.

SASA

Single-assume single-assert form puts the query at the exit:

```
exit:  
  assume pre  
  assert post  
  halt
```

- exactly one assume
- exactly one assert
- pre accumulates path assumptions
- post summarizes assertion obligations

Safety Query

For a SASA program, safety is:

$$\forall \xi. \text{entry-to-exit}(\xi) \Rightarrow (\text{pre}(\xi) \Rightarrow \text{post}(\xi))$$

The VC asks for the negation:

$$\exists \xi. \text{entry-to-exit}(\xi) \wedge \text{pre}(\xi) \wedge \neg \text{post}(\xi)$$