RIPHAH INTERNATIONAL UNIVERSITY



Faculty of Computing
FINAL YEAR PROJECT PROPOSAL & PLAN

Custos Forensic Suite

Project Team

Full Name of Student	SAP Id	Program	Contact Number	Email Address
Ayan Shahid	52990	CY (7-1)	0319-8050836	52990@students.riphah.edu.pk
M Faizan Ali	54378	CY (7-1)	0307-8934961	54378@students.riphah.edu.pk
M Tayyab Ayub	51599	CY (7-1)	0306-5099996	51599@students.riphah.edu.pk

Ms. Afia Ishaq
(Lecturer)

Custos Forensic Suite

Change Record

Author(s)	Version	Date	Notes	Supervisor's Signature
Ayan / Faizan / Tayyab	1.0	1-09-2026	Original Draft	
Ayan / Faizan / Tayyab	1.1	16-09-2026	Changes Based on Feedback from Supervisor	
Ayan / Faizan / Tayyab	1.2	22-09-2026	Changes Based on Feedback from Faculty	
Ayan / Faizan / Tayyab	1.3	23-09-2026	Added Project Plan	
Ayan / Faizan / Tayyab	1.4	24-09-2026	Changes Based on Feedback from Supervisor	

Project Proposal

Project Title: Custos Forensic Suite

Opportunity & Stakeholders:

Modern Windows security incidents require rapid preservation of digital evidence before important information is changed, deleted, or lost. However, forensic artifacts are distributed across different Windows locations and often require multiple tools to collect and organize them. This creates an opportunity for a portable and structured acquisition solution that simplifies first-response evidence collection.

Custos Forensic Suite is designed for investigators and security teams who need to collect Windows forensic evidence quickly without installing software on the target system.

Key Stakeholders

- **Digital Forensic Investigators:** Need reliable, organized, and verifiable evidence.
- **Incident Response Teams:** Need rapid evidence acquisition during security incidents.
- **DFIR Analysts:** Need structured artifacts with integrity verification.
- **Security Operations / First Responders:** Need a simple tool for initial evidence preservation.

The project focuses primarily on **Windows 10/11 x64 live-host forensic acquisition** while maintaining evidence integrity, security, and traceability

Existing System/ Description of the Current Situation:

Several existing forensic tools provide Windows evidence collection and analysis capabilities. Tools such as **KAPE, CyLR/IREC, Velociraptor, FTK Imager, Autopsy, and Magnet AXIOM** address different parts of the forensic acquisition process. Some tools are highly specialized, while others are designed for enterprise-scale collection or complete forensic analysis. Free and command-line-based tools may require investigators

to manually execute multiple utilities, manage their outputs, calculate hashes, and prepare documentation.

Commercial forensic platforms can provide extensive functionality but may be expensive and comparatively heavyweight for simple first-response acquisition.

Therefore, the current situation involves a gap between **fragmented artifact-collection utilities** and **large-scale commercial forensic platforms**. Custos is positioned as a focused acquisition solution that combines important Windows artifact collection with evidence organization, integrity verification, protection, and reporting. The further details of existing systems are in below table 01:

Table 01: Details of Existing Systems

Systems / Tools	Main Strength	Limitations / Gaps
KAPE	Fast targeted artifact collection	Requires configuration and external analysis workflow
Velociraptor	Endpoint collection and enterprise DFIR	More suitable for managed and fleet environments
CyLR	Lightweight forensic collection	Focused collection rather than complete evidence-management workflow
FTK Imager	Evidence acquisition and imaging	Broader imaging-oriented workflow; not designed specifically as a unified lightweight live-acquisition suite
Autopsy	Forensic analysis and case management	Primarily an analysis platform rather than a portable first-response acquisition workflow
Magnet AXIOM	Comprehensive forensic analysis	Commercial and heavyweight
EnCase	Enterprise-grade forensic investigation	Commercial, complex, and resource-intensive

Problem Statement:

Windows security incidents require rapid evidence preservation, but forensic artifacts are scattered across different locations and often require multiple tools for collection, verification, and documentation.

Manual collection can be time-consuming and may produce inconsistent evidence structures. Investigators may also need separate processes for hashing, evidence protection, case organization, and chain-of-custody documentation.

Heavyweight forensic platforms may provide broader capabilities but can be costly or excessive for rapid first-response acquisition.

There is therefore a need for a **portable, agentless, installation-free, Windows-focused acquisition suite** that can collect important forensic artifacts in a structured manner while maintaining **integrity, security, and traceability**.

Proposed Solution:

Custos Forensic Suite will provide a portable, agentless, software-based forensic acquisition workflow designed to run without permanent installation or an agent on the target Windows system. **USB drives or external SSDs** may optionally be used for software deployment or for large evidence storage.

Before acquisition, Custos will perform a privilege check to determine whether the current Windows execution context provides the permissions required for the selected acquisition profile. Operations that access protected system resources or require elevated Windows permission will be executed only when the required privileges are available. Custos will follow a least-privilege approach by requesting or using elevated access only for acquisition functions that require it, while user-level operations will continue under the available permissions. The tool will record the privilege state and any permission-related collection failures in the acquisition log.

Custos will create a structured case directory and collect relevant system, volatile, network, Windows, user-activity, and filesystem artifacts. The collected evidence will be organized according to the case structure and protected using **SHA-256 hashing** and integrity verification. Where required, evidence can also be protected using **AES-256-GCM encryption**. Custos will also maintain acquisition logs and chain-of-custody information and generate structured **PDF, HTML, and JSON reports**.

The project primarily focuses on **evidence acquisition rather than complete forensic analysis**, keeping the system practical and achievable within the project duration. The system architecture diagram of custos Forensic Suite is given below:




Figure 01: System Architecture

Scope of the Project:

The project scope is divided into major functional modules. The primary focus is **Windows forensic artifact collection**, while supporting modules provide evidence integrity, security, organization, and reporting.

- **Module 1: Portable Software Acquisition & Case Management**

  Custos will operate as portable software without requiring permanent installation on the target Windows system. It will detect available evidence storage and check whether sufficient free space is available before acquisition begins. A unique case structure will then be created for the collected evidence. The system will organize evidence into predefined folders according to artifact categories. USB drives or external SSDs may optionally be used for software deployment or evidence storage.

- **Module 2: System & Volatile Evidence Collection**

  This module will collect information that represents the current state of the Windows system. It will include system information such as hostname, operating system details, hardware information, configuration, and other relevant system properties. Volatile information such as running processes, services, logged-on users, network

connections, listening ports, and memory will also be collected. Volatile evidence will receive higher collection priority because it can change or disappear during system activity.

- **Module 3: Windows Forensic Artifact Collection**

  This is the **core module of Custos**. It will collect important Windows forensic artifacts from multiple system locations. These include Registry hives, Windows Event Logs, Prefetch, SRUM, Shimcache, Amcache, scheduled tasks, startup-related artifacts, and other Windows evidence. The finalized project artifact catalogue contains approx. **70 unique artifacts**, providing broad Windows evidence coverage while allowing implementation to be managed according to project priorities.

- **Module 4: User Activity & Application Artifacts**

  This module focuses on artifacts that can provide information about user and application activity. It includes browser artifacts such as history, cookies, login-related data, and web data, along with USB history, LNK files, Jump Lists, PowerShell history, RDP-related artifacts, and other relevant user-activity evidence. These artifacts can help investigators understand application usage, external device activity, and user interactions with the Windows system.

- **Module 5: Network & Filesystem Artifacts**

  This module will collect network-related and filesystem-related evidence from the target Windows system. Network evidence includes network interfaces, IP configuration, active connections, listening ports, ARP/DNS information, Wi-Fi profiles, and firewall-related information. Filesystem evidence includes Recycle Bin information, filesystem metadata, and selected Windows filesystem artifacts. The purpose is to preserve useful contextual information without turning Custos into a complete disk-analysis platform.

- **Module 6: Evidence Integrity & Protection**

  This module ensures that collected evidence can be verified after acquisition. Custos will calculate **SHA-256 hashes** for collected evidence and maintain a hash manifest. The system will support integrity verification by recalculating hashes and comparing

them with the recorded values. Optional **AES-256-GCM encryption** will provide additional protection for sensitive evidence. Acquisition timestamps, identifiers, logs, and other metadata will support evidence traceability.

- **Module 7: Reporting & Chain of Custody**

  Custos will automatically generate structured reports containing case information, collected artifacts, acquisition details, hashes, timestamps, and relevant system information. Reports will support **PDF, HTML, and JSON** formats. Chain-of-custody information will record important evidence-handling events and provide traceability throughout the acquisition process. This reduces the need for investigators to manually document each acquisition step.

- **Module 8: Acquisition Profiles & User Interface**

  Custos will provide three acquisition profiles according to the required depth of collection. A simple graphical interface will allow the investigator to select the case, storage location, acquisition profile, and available evidence options while displaying acquisition progress and status and "Storage location" does **not** mean USB/SSD specifically. It can mean local storage or optional external storage. The details of acquisition profiles are in table 02 below:

Table 02: Details of Acquisition Profiles

Profile	Purpose	Main Collection
Quick	Rapid first response	Processes, services, network state, and important volatile/system information
Standard	Routine investigation	Quick + Registry, Event Logs, browser, USB, and user-activity artifacts
Full	Comprehensive acquisition	Standard + memory, filesystem, MFT/$LogFile, and extended artifacts were supported

Final Artifact Coverage:

The finalized Custos artifact catalogue contains approx. **70 unique forensic artifacts**. These represent complete planned artifact catalogue developed for the project.

For the proposal, they can be grouped as table 03 below:

Table 03: Artifacts Categories

Category	Examples of Collected Evidence
System Information	Hostname, OS details, build/edition, hardware, BIOS/UEFI, hotfixes, timezone/locale
Volatile Evidence	RAM, processes, services, logged-on users, network connections, listening ports
Network Artifacts	Network interfaces, IP configuration, ARP/DNS information, Wi-Fi profiles, firewall information
Registry Artifacts	SYSTEM, SOFTWARE, SAM, SECURITY, NTUSER.DAT, UsrClass.dat, Amcache
Event Logs	Security, System, Application, PowerShell/Operational, RDP/Terminal Services
Browser Artifacts	History, cookies, login data, web data and browser profile information
Execution Artifacts	Prefetch, Shimcache, Amcache, SRUM
User Activity	LNK files, Jump Lists, USB history, PowerShell history, RDP history
Persistence/System Activity	Scheduled Tasks, Startup-related artifacts, Windows Defender information
Filesystem Artifacts	Recycle Bin, filesystem metadata and supported filesystem evidence
Evidence Metadata	Hashes, timestamps, acquisition logs, case information and chain-of-custody records

Testing & Validation:

Evaluation will be quantified using measurable acquisition, integrity, coverage, and resource metrics. Artifact coverage will be calculated as the number of successfully collected and validated artifacts divided by the finalized approx. 70 artifact catalogue. Acquisition performance will be measured using total acquisition time and, where

applicable, evidence collection throughput. Resource overhead will be measured using CPU utilization, memory consumption, and storage usage during acquisition. Integrity performance will be measured using successful SHA-256 verification results, while cross-tool validation will record the number and percentage of artifacts successfully confirmed using an independent forensic tool. Encryption overhead will be evaluated by comparing processing time, CPU/memory usage, and resulting evidence size before and after AES-256-GCM protection. All measurements will be recorded under a defined test environment so that the results are reproduced.

List of Faculty Proposed Changes

Project Title

Supervisor's Signature: ________

Proposed Change	Proposed By	Supervisor's Decision
Everything is fine, they need to elaborate more things about the working of the project.	Faculty Member 1	Approved
The idea is good, and you have solid knowledge of the topic. Search for and compare existing work and forensic tools related to your proposed system. Clearly explain what is different or new in your proposed work.	Faculty Member 2	Approved
Accepted	Faculty Member 3	Approved
A brilliant project idea with strong social impact. Just ensure your evaluation metrics are quantified more precisely in the next report.	Faculty Member 4	Approved
Study about access control in kernel-based service. Clarify the handling of portable browser artifacts and the use of AES-256, including its computational/storage overhead in the portable forensic tool. Also specify whether Windows administrative privileges are required and how the tool will operate with limited privileges.	Faculty Member 5	Handing of Portable Browser Artifacts will be considered in future enhancement, while other suggestions are approved.
The idea is good but needs to improve background knowledge. How do you ensure that forensic evidence is not modified during investigation? Does your system support metadata extraction? What information can be obtained?	Faculty Member 6	Approved

Project Plan

Work Breakdown Structure:

1. **Project Management**
    - 1.1. Project planning
        - 1.1.1. Project Objectives
        - 1.1.2. Project Scope
        - 1.1.3. Work Breakdown Structure
        - 1.1.4. Project Schedule
    - 1.2. Team Management
        - 1.2.1. Roles & Responsibilities
        - 1.2.2. Task Allocation
        - 1.2.3. Progress Tracking
    - 1.3. Project Control
        - 1.3.1. Risk Management
        - 1.3.2. Scope Management
        - 1.3.3. Change Control
2. **Research & Requirements**
    - 2.1. Literature & Market Research
        - 2.1.1. Digital Forensics Research
        - 2.1.2. Windows Forensic Artifacts Research
        - 2.1.3. Existing Tool Analysis
        - 2.1.4. Competitor Comparison
    - 2.2. Requirements Analysis
        - 2.2.1. Functional Requirements
        - 2.2.2. Non-Functional Requirements
        - 2.2.3. Stakeholder Requirements
        - 2.2.4. System Constraints
    - 2.3. Artifact Definition
        - 2.3.1. Artifact Identification

2.3.2. Artifact Categorization
2.3.3. Final approx. 70-Artifact Catalogue
2.3.4. Artifact Collection Methods

3. System Design

3.1. Development Environment
3.1.1. Programming Environment
3.1.2. Development Tools
3.1.3. Version Control
3.1.4. Testing Environment

3.2. System Architecture
3.2.1. Portable Software Acquisition Architecture
3.2.2. Collector Module Architecture
3.2.3. Evidence Management Architecture
3.2.4. Reporting Architecture

3.3. Acquisition Workflow
3.3.1. Privilege Verification
3.3.2. Storage Detection & Validation
3.3.3. Case Structure Creation
3.3.4. Evidence Acquisition
3.3.5. Evidence Organization
3.3.6. Integrity Verification
3.3.7. Evidence Protection
3.3.8. Report Generation

3.4. Acquisition Profiles
3.4.1. Quick Profile
3.4.2. Standard Profile
3.4.3. Full Profile

4. Forensic Artifact Acquisition

4.1. System Information Collection
4.1.1. Hostname & OS Information
4.1.2. Target Hardware Information

4.1.3. System Configuration
4.1.4. BIOS/UEFI & System Metadata
4.2. Volatile Evidence Collection
4.2.1. RAM / Memory
4.2.2. Running Processes
4.2.3. Running Services
4.2.4. Logged-on Users
4.2.5. Active Network Connections
4.2.6. Listening Ports
4.3. Network Artifact Collection
4.3.1. Network Interfaces
4.3.2. IP Configuration
4.3.3. ARP Information
4.3.4. DNS Information
4.3.5. Wi-Fi Profiles
4.3.6. Firewall Information
4.4. Windows Artifact Collection
4.4.1. Registry Artifacts
4.4.2. Windows Event Logs
4.4.3. Prefetch
4.4.4. SRUM
4.4.5. Shimcache
4.4.6. Amcache
4.5. User Activity Collection
4.5.1. Browser Artifacts
4.5.2. USB History
4.5.3. LNK Files
4.5.4. Jump Lists
4.5.5. PowerShell History
4.5.6. RDP Artifacts

4.6. Filesystem Artifact Collection

4.6.1. Recycle Bin

4.6.2. Filesystem Metadata

4.6.3. MFT / $LogFile Where Supported

4.6.4. Other Finalized Artifacts

5. Evidence Management & Integrity

5.1. Case Management

5.1.1. Case Identification

5.1.2. Evidence Folder Structure

5.1.3. Evidence Naming

5.1.4. Acquisition Metadata

5.2. Evidence Hashing

5.2.1. SHA-256 Hash Generation

5.2.2. Hash Manifest

5.2.3. Hash Verification

5.3. Evidence Protection

5.3.1. AES-256-GCM Encryption

5.3.2. Password-Based Key Derivation

5.3.3. Protected Evidence Storage

5.4. Traceability

5.4.1. Acquisition Logs

5.4.2. Evidence Identifiers

5.4.3. Timestamps

5.4.4. Chain-of-Custody Records

6. User Interface & Reporting

6.1. User Interface

6.1.1. Main Interface

6.1.2. Case Selection

6.1.3. Storage Selection

6.1.4. Acquisition Profile Selection

6.1.5. Acquisition Progress

6.2. Reporting

6.2.1. Evidence Summary

6.2.2. Hash Report

6.2.3. Acquisition Report

6.2.4. Chain-of-Custody Report

6.2.5. PDF Report

6.2.6. HTML Report

6.2.7. JSON Report

7. Testing & Validation

7.1. Functional Testing

7.1.1. Collector Testing

7.1.2. Profile Testing

7.1.3. Case Management Testing

7.1.4. Reporting Testing

7.2. Artifact Validation

7.2.1. Artifact Presence Validation

7.2.2. Artifact Accuracy Validation

7.2.3. Cross-Tool Validation

7.2.4. Approx. 70-Artifact Validation

7.3. Integrity & Security Testing

7.3.1. Hash Verification Testing

7.3.2. Encryption Testing

7.3.3. Chain-of-Custody Testing

7.4. Performance Testing

7.4.1. Acquisition Time

7.4.2. Storage Usage

7.4.3. System Resource Usage

7.4.4. Error Handling

8. Documentation & Final Delivery

8.1. Technical Documentation

8.1.1. Requirements Documentation

8.1.2. System Design Documentation
8.1.3. Implementation Documentation
8.1.4. Testing Documentation
8.2. User Documentation
8.2.1. Portable Software Usage Guide
8.2.2. Acquisition Guide
8.2.3. Evidence Handling Guide
8.3. Final Project Deliverables
8.3.1. Final Software Package
8.3.2. Final Project Report
8.3.3. Demonstration
8.3.4. Final Presentation

Roles & Responsibility Matrix:

Member #	Member Name	Primary Role	Main Responsibility
Member 1	Ayan Shahid	Forensic Acquisition & Validation Lead	Artifact research, volatile evidence, system/network collection, artifact validation and cross-tool verification
Member 2	Muhammad Tayyab Ayub	Windows Forensics & Evidence Management Lead	Windows/user artifacts, filesystem artifacts, case organization, chain of custody and reporting
Member 3	Muhammad Faizan Ali	System, Security & Integration Lead	Architecture, integration, GUI, hashing, encryption, testing, performance and final packaging

WBS #	WBS Deliverable	Activity #	Activity to Complete the Deliverable	Duration (# of Days)	Responsible Team Member(s)
1	**Project Management**	**1.1**	**Project Planning**		
		1.1.1	Project Objectives	1	All Members
		1.1.2	Project Scope	1	All Members
		1.1.3	Work Breakdown Structure	2	All Members
		1.1.4	Project Schedule	2	All Members
		1.2	**Team Management**		
		1.2.1	Roles & Responsibilities	1	All Members

		1.2.2	Task Allocation	1	All Members
		1.2.3	Progress Tracking	2	Member 1
		1.3	**Project Control**		
		1.3.1	Risk Management	2	Member 1
		1.3.2	Scope Management	1	All Members
		1.3.3	Change Control	2	All Members
2	**Research & Requirements**	**2.1**	**Literature & Market Research**		
		2.1.1	Digital Forensics Research	3	Member 2
		2.1.2	Windows Forensic Artifacts Research	5	Member 2
		2.1.3	Existing Tool Analysis	3	Member 1 + Member 2
		2.1.4	Competitor Comparison	2	Member 1 + Member 2
		2.2	**Requirements Analysis**		
		2.2.1	Functional Requirements	2	All Members
		2.2.2	Non-Functional Requirements	2	All Members
		2.2.3	Stakeholder Requirements	1	All Members
		2.2.4	System Constraints	2	All Members
		2.3	**Artifact Definition**		
		2.3.1	Artifact Identification	3	Member 2

		2.3.2	Artifact Categorization	2	Member 2
		2.3.3	Approx 70-Artifact Catalogue	3	Member 1 + Member 2
		2.3.4	Artifact Collection Methods	4	Member 2 + Member 3
3	**System Design**	**3.1**	**Development Environment**		
		3.1.1	Programming Environment	2	Member 3
		3.1.2	Development Tools	2	Member 3
		3.1.3	Version Control	1	Member 3
		3.1.4	Testing Environment	2	Member 3
		3.2	**System Architecture**		
		3.2.1	Portable Software Acquisition Architecture	2	Member 3
		3.2.2	Collector Module Architecture	3	Member 1 + Member 3
		3.2.3	Evidence Management Architecture	2	Member 1 + Member 3
		3.2.4	Reporting Architecture	2	Member 3
		3.3	**Acquisition Workflow**		
		3.3.1	Privilege Verification	1	Member 3
		3.3.2	Storage Detection & Validation	2	Member 3
		3.3.3	Case Structure Creation	2	Member 1 + Member 3
		3.3.4	Evidence Acquisition	4	Member 1 + Member 2

		3.3.5	Evidence Organization	2	Member 1 + Member 2
		3.3.6	Integrity Verification	2	Member 3
		3.3.7	Evidence Protection	3	Member 3
		3.3.8	Report Generation	3	Member 1 + Member 3
		3.4	**Acquisition Profiles**		
		3.4.1	Quick Profile	2	Member 1 + Member 3
		3.4.2	Standard Profile	2	Member 1 + Member 2
		3.4.3	Full Profile	3	All Member
4	**Forensic Artifact Acquisition**	**4.1**	**System Information Collection**		
		4.1.1	Hostname & OS Information	1	Member 2
		4.1.2	Target Hardware Information	1	Member 2
		4.1.3	System Configuration	2	Member 2
		4.1.4	BIOS/UEFI & System Metadata	1	Member 2
		4.2	**Volatile Evidence Collection**		
		4.2.1	RAM / Memory	4	Member 1 + Member 2
		4.2.2	Running Processes	2	Member 1
		4.2.3	Running Services	2	Member 1
		4.2.4	Logged-on Users	1	Member 1

		4.2.5	Active Network Connections	2	Member 1 + Member 3
		4.2.6	Listening Ports	1	Member 1 + Member 3
		4.3	**Network Artifact Collection**		
		4.3.1	Network Interfaces	1	Member 3
		4.3.2	IP Configuration	1	Member 3
		4.3.3	ARP Information	1	Member 3
		4.3.4	DNS Information	1	Member 3
		4.3.5	Wi-Fi Profiles	2	Member 3
		4.3.6	Firewall Information	2	Member 3
		4.4	**Windows Artifact Collection**		
		4.4.1	Registry Artifacts	4	Member 2
		4.4.2	Windows Event Logs	3	Member 2
		4.4.3	Prefetch	2	Member 2
		4.4.4	SRUM	2	Member 2
		4.4.5	Shimcache	2	Member 2
		4.4.6	Amcache	2	Member 2
		4.5	**User Activity Collection**		
		4.5.1	Browser Artifacts	3	Member 2
		4.5.2	USB History	2	Member 2
		4.5.3	LNK Files	2	Member 2

		4.5.4	Jump Lists	2	Member 2
		4.5.5	PowerShell History	1	Member 2
		4.5.6	RDP Artifacts	2	Member 2
		4.6	**Filesystem Artifact Collection**		
		4.6.1	Recycle Bin	2	Member 2
		4.6.2	Filesystem Metadata	2	Member 1 + Member 2
		4.6.3	MFT / $LogFile Where Supported	3	Member 1 + Member 2
		4.6.4	Other Finalized Artifacts	3	Member 2
5	**Evidence Management & Integrity**	**5.1**	**Case Management**		
		5.1.1	Case Identification	1	Member 1
		5.1.2	Evidence Folder Structure	2	Member 1
		5.1.3	Evidence Naming	1	Member 1
		5.1.4	Acquisition Metadata	3	Member 1 + Member 3
		5.2	**Evidence Hashing**		
		5.2.1	SHA-256 Hash Generation	2	Member 3
		5.2.2	Hash Manifest	2	Member 3
		5.2.3	Hash Verification	2	Member 3

		5.3	**Evidence Protection**		
		5.3.1	AES-256-GCM Encryption	3	Member 3
		5.3.2	Password-Based Key Derivation	2	Member 3
		5.3.3	Protected Evidence Storage	2	Member 1 + Member 3
		5.4	**Traceability**		
		5.4.1	Acquisition Logs	2	Member 1
		5.4.2	Evidence Identifiers	1	Member 1
		5.4.3	Timestamps	1	Member 3
		5.4.4	Chain-of-Custody Records	3	Member 1 + Member 3
6	**User Interface & Reporting**	**6.1**	**User Interface**		
		6.1.1	Main Interface	2	Member 3
		6.1.2	Case Selection	1	Member 3
		6.1.3	Storage Selection	2	Member 3
		6.1.4	Acquisition Profile Selection	1	Member 1 + Member 3
		6.1.5	Acquisition Progress	2	Member 3
		6.2	**Reporting**		
		6.2.1	Evidence Summary	1	Member 1 + Member 3

		6.2.2	Hash Report	2	Member 3
		6.2.3	Acquisition Report	2	Member 1 + Member 3
		6.2.4	Chain-of-Custody Report	2	Member 1 + Member 3
		6.2.5	PDF Report	2	Member 3
		6.2.6	HTML Report	2	Member 3
		6.2.7	JSON Report	1	Member 3
7	**Testing & Validation**	**7.1**	**Functional Testing**		
		7.1.1	Collector Testing	3	Member 1 + Member 2
		7.1.2	Profile Testing	2	Member 1 + Member 3
		7.1.3	Case Management Testing	1	Member 1 + Member 3
		7.1.4	Reporting Testing	2	Member 3
		7.2	**Artifact Validation**		
		7.2.1	Artifact Presence Validation	3	Member 2
		7.2.2	Artifact Accuracy Validation	3	Member 2
		7.2.3	Cross-Tool Validation	3	Member 1 + Member 2
		7.2.4	Approx 70-Artifact Validation	5	Member 1 + Member 2
		7.3	**Integrity & Security Testing**		
		7.3.1	Hash Verification Testing	2	Member 3
		7.3.2	Encryption Testing	2	Member 3
		7.3.3	Chain-of-Custody Testing	3	Member 1 + Member 3

		7.4	**Performance Testing**		
		7.4.1	Acquisition Time	2	Member 1
		7.4.2	Storage Usage	1	Member 3
		7.4.3	System Resource Usage	2	Member 3
		7.4.4	Error Handling	2	All Members
8	**Documentation & Final Delivery**	**8.1**	**Technical Documentation**		
		8.1.1	Requirements Documentation	2	Member 1
		8.1.2	System Design Documentation	3	Member 3
		8.1.3	Implementation Documentation	3	All Members
		8.1.4	Testing Documentation	2	Member 3
		8.2	**User Documentation**		
		8.2.1	Portable Software Usage Guide	2	Member 3
		8.2.2	Acquisition Guide	2	Member 3
		8.2.3	Evidence Handling Guide	2	Member 1 + Member 2
		8.3	**Final Project Deliverables**		
		8.3.1	Final Software Package	3	All Members
		8.3.2	Final Project Report	5	All Member

		8.3.3	Demonstration	2	All Members
		8.3.4	Final Presentation	3	All Members

Approval

Project Supervisor

Comments_____

_____

_____

_____

Name:_____

Date:_____ **Signature:**_____

Project Coordinator

Comments_____

_____

_____

_____

_____

Name:_____

Date:_____ **Signature:**_____