

PROJECT REPORT

(TERM-1 Aug to Dec)

WEBSITE MAKING COMPANY

Submitted By:-

NAME:-

Roll No:-

Reg No.:-

- | | | |
|-------------------|----|----------|
| • Ashish Ku. Dash | 32 | 12213968 |
| • Ayushman Sahoo | 09 | 12211169 |

Course Code:- CSE326

Guided BY:- Mohammad Faiz



LOVELY
PROFESSIONAL
UNIVERSITY

Self Declaration

This is to declare that this report has been written by
us.

No part of thereport is copied from other sources.

All information included from othersources have been
duly acknowledged.

We aver that if any part of thereport is found to be
copied, we shall take full responsibility for it.

- Ashis Ku. Dash
- Ayushman Sahoo

TABLE CONTENT

Sl. No.	Topics	Page No.
1	Introduction	4
2	About The Website	5
3	Code	6-29
4	Result	30-32
5	Colclusion	33



INTRODUCTION

CONTEXT:-

This little project has been done as a part of the course for the CSE at Lovely Professional University.

Supervised by Mohammad Faiz

IDEA:-

It has been the first experience doing such a tiny project full of creative interest.

We wanted to make our project an attractive website with creativity, we used different programming processes like HTML for creating a basic website, and to get a radiant look; we used CSS part and for design stylishly the web.

These programming processes are easy to approach and understand the coding.



ABOUT THE WEBSITE

webhelpbros.com is the place folks come to name their idea, create a compelling brand and a great looking website, attract customers with digital and social marketing, and manage their work. Where no tool alone will do, we give direct one-on-one guidance with a human connection.

Our main moto is to empower upcoming entrepreneurs by making their business successful by getting them a website.

webhelpbros.com customer support is available free of charge. Connection charges can vary when calling from outside the area, abroad or from a mobile phone, depending on your specific phone plan.

CODE

HTML:-

INDEX.HTML:-

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
      scale=1.0">
    <title>webhelpbros.com</title>
    <link rel="stylesheet" href="style.css">
    <style>
      body{
        background-color: black;
      }
    </style>

  </head>

  <body>
    <div class="container">
      <div class="sidebar sidebarGo">
        <nav>
          <ul>
            <li><a href="/contact.html">Home</a></li>
            <li><a href="/intro.html">my Intro</a></li>
            <li><a href="/blog.html">Blog</a></li>
            <li><a href="/cv.pdf">CV</a></li>
            <li><a href="/contact.html">contact</a></li>
          </ul>
        </nav>
      </div>
```



```
<div class="service">
  <div class="title">
    <h2>Our Services</h2>
  </div>

  <div class="box">
    <div class="card">
      <i class="fas fa-bars"></i>
      <h5>Web Development</h5>
      <div class="pra">
<p>Every website should be built with two primary goals: Firstly, it needs to work across all devices. Secondly, it needs to be fast as possible.</p>

      <p style="text-align: center;">
<a class="button" href="#">Read More</a>
      </p>
    </div>

  </div>

  <div class="card">
    <i class="far fa-user"></i>
    <h5>App Development</h5>

    <div class="pra">
<p>Every website should be built with two primary goals: Firstly, it needs to work across all devices. Secondly, it needs to be fast as possible.</p>

      <p style="text-align: center;">
<a class="button" href="#">Read More</a>
      </p>
    </div>

  </div>

  <div class="card">
    <i class="far fa-bell"></i>
    <h5>data analysis</h5>
    <div class="pra">
<p>Every website should be built with two primary goals: Firstly, it needs to work across all devices. Secondly, it needs to be fast as possible.</p>

      <p style="text-align: center;">
<a class="button" href="#">Read More</a>
      </p>
    </div>

  </div>

</div>

<div class="guides">
<h1> we love to taking your call</h1>
<p>@webhelpbros will guide you</p>
</div>
<div class="footpart">

  <div class="box1">

    <ul>
      <h1>About webhelpbros</h1>
      <li><a href="#">About</a></li>
      <li><a href="#">Contact us</a></li>
      <li><a href="#">Newsroom</a></li>
      <li><a href="#">Carrers</a></li>
      <li><a href="#">Trust Center</a></li>
      <li><a href="#">Legal</a></li>
      <li><a href="#">Annual rate</a></li>
      <li><a href="#">community</a></li>
      <li><a href="#">Our web </a></li>
    </ul>
  </div>

  <div class="box1">

    <ul>
      <h1> Resources</h1>
      <li><a href="#">Webmail</a></li>
      <li><a href="#">WHOIS</a></li>
      <li><a href="#">Reedem code</a></li>
      <li><a href="#">Skills</a></li>
      <li><a href="#">Custor TEstimonials</a></li>
      <li><a href="#">Buisness </a></li>
      <li><a href="#">Contact Us</a></li>
    </ul>
  </div>

  <div class="box1">
    <ul>
      <h1> partner programms</h1>
      <li><a href="#">Affiliates</a></li>
      <li><a href="#">Reseller Programme</a></li>
      <li><a href="#">webhub Pro</a></li>
    </ul>
  </div>

  <div class="box1">
    <ul>
      <h1>Shopping</h1>
      <li><a href="#">Domain Search</a></li>
      <li><a href="#">Websites</a></li>
      <li><a href="#">Word Press</a></li>
      <li><a href="#">Hosting</a></li>
      <li><a href="#">Email and Office</a></li>
      <li><a href="#">Deals</a></li>
    </ul>
  </div>

</div>
</footer>

<script src="script.js"></script>
</body>
</html>
```



```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>webhelpbros.com</title>
    <link rel="stylesheet" href="style.css">

  </head>

  <body>
    <div class="container">
      <div class="sidebar sidebargo">
        <nav>
          <ul>
            <li><a href="/home.html">Home</a></li>
            <li><a href="/intro.html">my Intro</a></li>
            <li><a href="/blog.html">Blog</a></li>
            <li><a href="/cv.pdf">CV</a></li>
            <li><a href="/contact.html">contact</a></li>
          </ul>
        </nav>
      </div>

      <div class="main">
        <div class="hamburger">
          
          
        </div>
        <div class="intro">

          <h1>About me</h1>
          <p> Are you worried for web development come to us . We will help you in your web
            development through out the journey .
          </p>
          <h2>My Skills</h2>
          <div class="parentcontainer">

            <div class="skillContainer">

              <div class="skillitem">HTML<div class="skill eighty"></div></div>
              <div class="skillitem"> CSS<div class="skill seventy"></div></div>
              <div class="skillitem">JS<div class="skill twenty"></div></div>
              <div class="skillitem">PYTHON<div class="skill eighty"></div></div>
              <div class="skillitem">C ++<div class="skill twenty"></div></div>

            </div>
          <div class="logo">

            
          </div>

        </div>

      </div>

      <div>

        <div class="hireme">
          <p>Let Me Get You A Beautiful Website.</p>
          <a class="button-two" href="#">Hire Me</a>
        </div>

      </div>
    </div>

    <script src="script.js"></script>
  </body>
</html>

```

javascript1

```
        console.log("Script running....")
document.querySelector('.cross').style.display='none';
document.querySelector('.hamburger').addEventListener("click",()=>{

document.querySelector('.sidebar').classList.toggle('sidebarGo');

if(document.querySelector('.sidebar').classList.contains('sidebarGo')){
    document.querySelector('.ham').style.display = 'inline'
document.querySelector('.cross').style.display = 'none'
    }
    else{
document.querySelector('.ham').style.display = 'none'
document.querySelector('.cross').style.display = 'inline'
    }

})
```

javascript-2

```
function clearErrors(){

errors = document.getElementsByClassName('formerror');
    for(let item of errors)
        {
            item.innerHTML = "";
        }

    }

function seterror(id, error){
    //sets error inside tag of id
    element = document.getElementById(id);
    element.getElementsByClassName('formerror')[0].innerHTML = error;

    }

function validateForm(){
    var returnval = true;
    clearErrors();

    //perform validation and if validation fails, set the value of returnval to
    false
    var name = document.forms['myForm']["fname"].value;
        if (name.length<5){
            seterror("name", "*Length of name is too short");
            returnval = false;
        }

        if (name.length == 0){
            seterror("name", "*Length of name cannot be zero!");
            returnval = false;
        }
    }
```

CSS

```
@import url('https://fonts.googleapis.com/css2?
family=Lato:wght@700&family=Noto+Sans:wght@600&dis
play=swap');
```

```
*{
  margin:0;
  padding:0;
}
```

```
.sidebar{
  position: absolute;
  background-color:black ;
  /*width: 168px;*/
  height: 62vh;
  font-family: 'Noto Sans', sans-serif;
  transition: transform 0.3s ease-in;
}
```

```
.sidebar nav{
  padding: 14px;
}
```

```
.sidebar nav ul li{
  font-size: 20px;
  list-style:none;
  padding: 30px 0 ;
}
```

```
.sidebar nav ul li a{
  text-decoration: none;
  color: rgb(46, 105, 189);
}
```

```
.main{
/*background-color: yellow;*/
width: 90vw;
padding: 20px;
}

.container{

display: flex;
}
.devinfo{
background-color: black;
height: 56vh;
width: 90vw;
margin-left: 6em;
display:flex ;
justify-content: space-around;

}

.devpic img{
height:56vh ;
width: auto;
}

.devsummary{
justify-content: center;
display: flex;
flex-direction: column;
width: auto;
background-color: rgb(73, 73, 222);

}
```

```
.hello{
    font-size: 3em;
    font-weight: 600;
    color: black;
}

.name{
    font-size: 3em;
    font-weight: 300;
font-family:'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-
    serif;
    color: rgb(47, 198, 31);
}

.about{
    font-size: 2.5em;
    color: rgb(42, 191, 77);
}

.moreabout{
    margin: 20px;
    font-weight: 200;
font-family: Verdana, Geneva, Tahoma, sans-serif;
    font-style: inherit;
    width: 400px;
    color: white;
}

.buttons button{
    margin-top: 2.2em;
    padding: 6px 9px;
    border-radius: 30%;
    color: rgb(0, 0, 0);
background-color: rgb(115, 23, 32);
    font-weight: bold;
    cursor: pointer;
}
```

```
.buttons button:hover{
background-color: aliceblue;
color: rgb(222, 41, 41);
```

```
}
```

```
.form{
margin-top: 15px;
}
```

```
/* ----- contact form -----*/
```

```
.contactform{
```

```
margin: 0 88px;
padding: 0px 100px;
padding-top: 14px;
```

```
font-family: Verdana, Geneva, Tahoma, sans-serif;
}
```

```
.contactform h1{
text-align: center;
padding: 12px 0;
color: #b41010;
```

```
}
```

```
.contactform form div{  
    padding: 8px 0px ;  
    display: flex;  
    flex-direction: column;  
}
```

```
.contactform form div input{  
    padding: 3px ;  
    width: 26vw;  
    border-radius: 5px;  
    margin: 6px 0;  
  
}
```

```
.form-label{  
    color: #00fb2a;  
}
```

```
.form-check-label{  
    color: rgb(9, 214, 39);  
}
```

```
#emailHelp{  
    font-size: 8px;  
    color: rgb(22, 22, 220);  
    margin: 0 5px;  
}
```

```
#form-check{  
    flex-direction: row;
```

```
}
```

```
#form-check-input{  
    width: 24px;  
    margin: 3px 0px;
```

```
}
```



```
button.btn.btn-primary {  
    width: 76px;  
    color: rgb(37, 139, 228);  
  
    }
```

```
/* ----- blog-----*/
```

```
.blogitem{  
    margin: 20px;  
    font-family: sans-serif;
```

```
}
```

```
.blogitem p{  
    font-family: inherit;  
    }
```

```
.blogcontainer{  
    margin: 80px 88px;  
    }
```

```
/* ----- Intro-----*/
```

```
.intro{  
    margin: 6px 90px;  
    background-color: aqua;  
    width: 100%;  
    }
```

```
.intro h2{  
    padding: 12px;
```

```
}
```

```
.intro p{  
    padding: 10px;
```

```
}
```

```
.skillContainer {
```

```
    padding: 12px;
```

```
}
```

```
.skillitem{  
  width: 337px;  
  height: 55px;  
background-color: rgb(183, 207, 231);  
  display: flex;  
  align-items: center;  
  
}
```

```
.skill{  
  width: 100px;  
  height: 5px;  
background-color: darkgreen;}  
  

```

```
.eighty{  
  width: 265px;  
background-color: rgb(124, 217, 30);}  
  

```

```
.seventy{  
  width: 200px;  
background-color: red;  
}
```

```
.twenty{
width: 115px;
background-color: blue;
}
```

```
.hireme{
width: 105%;
height: 296px;
background: #b41010;
display: flex;
align-items: center;
flex-direction: column;
justify-content: center;
margin: 10px 30px;
color: rgb(7, 248, 43);
}
```

```
.parentcontainer{
display: flex;
padding-left: 100px;
}
```

```
.logo{
display: flex;
place-self: right;
margin-left: 200px;
}
```

```
/*-----adding emotions-----*/
```

```
/* .sidebarGo{
transform: translate(-440px , 0px);
position: absolute;

}*/
```

```
.hamburger{  
position: absolute;  
cursor: pointer;  
top: 22px;  
left: 10px;  
margin-left: 10px;  
}
```

```
.cross{  
margin-left: 80px;  
}
```

```
@media (max-width: 1207px) {  
    * {  
background-color: rgb(235, 238, 232);  
    }
```

```
.sidebarGo{  
transform: translate(-440px , 0px);  
position: absolute;  
}
```

```
.logo{  
display: none;  
position: absolute;  
}
```

```
.devpic{
  display: none;
}

.intro, .blogcontainer, .contactform{
  margin: 50px 8px ;
}

/* .sidebar{
transform: translate(-440px , 0px);
position: absolute;

}
*/

/*<-----index last part----->*/
.service{
  background: #d44235;
  width: 100%;
  padding: 86px 65px;
  margin: 0px 20px;
}

.title h2{
  color: white;
  font-size: 70px;
  width: 66vh;
  margin: 30px auto;
  text-align: center;
}

.box{
  display: flex;
  justify-content: center;
  align-items: center;
  padding: 6px;

}
```

```
.card{
  height: 280px;
  width: 335px;
  padding: 50px 35px;
  background: #191919;
  border-radius: 20px;
  margin: 15px;
  position: relative;
  overflow: hidden;
  text-align: center;
}
```

```
.card i{
  font-size: 50px;
  display: block;
  text-align: center;
  margin: 25px 0px;
  color: #f9004d;
```

```
}
```

```
h5{
  color: white;
  font-size: 23px;
  margin-bottom: 15px;
}
```

```
.para p{
  color: #fcfc;
  font-size: 16px;
  line-height: 27px;
  margin-bottom: 45px;
}
```

```
.card .button{
  background-color:#f9004d;
  color: white;
  text-decoration: none;
  border: 2px solid transparent;
  font-weight: bold;
  padding: 9px 22px;
  border-radius: 30px;
  transition: .4s;
}
```

```
.card .button:hover{
  background-color: transparent;
  border: 2px solid #d69112;
  cursor: pointer;
}
```

```
.guides{
  color: aliceblue;
background-color:black;
  width: 100%;
  margin: 0px 90px;
  color: red;
  font-size: 25px;
  font-weight: 200;
}
```

```
.footpart{
  display: flex;
background-color: black;
  width: 100%;
  height: 80vh;
  align-items: center;
  justify-content: center;
  margin-left: 70px;
  padding: 6px;
}
```

```
.box1 ul li a {
```

```
  text-decoration: none;
  margin-top: 10px;
  padding: 10px 5.6%;
  color: rgb(235, 247, 250);
}
```

```
.box1{
```

```
background-color:black;
  height: 460px;
  width: 335px;
background: black;
  position: relative;
  overflow: hidden;
  text-align: center;
```

```
    }
    .box1 ul li{
margin: 22px;
padding: 2px;
    }
    .box1 ul{
margin-left: 20px;
    }
    h1 {
color: rgb(180, 179, 245);
    }
```

```
/*
form validation
*/
```

```
.formdesign {
font-size: 20px;
```

```
}
```

```
.formdesign input {
width: 50%;
padding: 12px 20px;
border: 1px solid blue;
margin: 14px;
border-radius: 4px;
font-size: 15px;
}
```

```
.formerror {
color: red;
}
```

```
.but {
border-radius: 9px;
width: 100px;
height: 50px;
font-size: 25px;
margin: 22px 20px;
}
```


intro.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
      scale=1.0">
    <title>webhelpbros.com</title>
    <link rel="stylesheet" href="style.css">

    </head>

    <body>
      <div class="container">
        <div class="sidebar sidebargo">
          <nav>
            <ul>
              <li><a href="/home.html">Home</a></li>
              <li><a href="/intro.html">my Intro</a></li>
              <li><a href="/blog.html">Blog</a></li>
              <li><a href="/cv.pdf">CV</a></li>
              <li><a href="/contact.html">contact</a></li>
            </ul>
          </nav>
        </div>

        <div class="main">
          <div class="hamburger">
            
            
          </div>

          <div class="intro">
```

```
<h1>About me</h1>
<p> Are you worried for web development come to us . We
    will help you in your web
    development through out the journey .
    </p>
    <h2>My Skills</h2>
    <div class="parentcontainer">

        <div class="skillContainer">

            <div class="skillitem">HTML<div class="skill eighty"></div>
                </div>
            <div class="skillitem"> CSS<div class="skill seventy"></div>
                </div>
            <div class="skillitem">JS<div class="skill twenty"></div>
                </div>
            <div class="skillitem">PYTHON<div class="skill eighty">
                </div></div>
            <div class="skillitem">C ++<div class="skill twenty"></div>
                </div>

        </div>
        <div class="logo">

            
            </div>

        </div>

    </div>

    <div>

        <div class="hireme">
            <p>Let Me Get You A Beautiful Website.</p>
            <a class="button-two" href="#">Hire Me</a>
        </div>

    </div>
</div>

<script src="script.js"></script>
</body>
</html>
```

blog.html-4

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
      scale=1.0">
    <title>webhelpbros.com</title>
    <link rel="stylesheet" href="style.css">

  </head>

  <body>
    <div class="container">
      <div class="sidebar sidebargo">
        <nav>
          <ul>
            <li><a href="/home.html">Home</a></li>
            <li><a href="/intro.html">my Intro</a></li>
            <li><a href="/blog.html">Blog</a></li>
            <li><a href="/cv.pdf">CV</a></li>
            <li><a href="/contact.html">contact</a></li>
          </ul>
        </nav>
      </div>

      <div class="main">
        <div class="hamburger">
          
          
        </div>
        <div class="blogcontainer">
```

```
<div class="blogitem">
  <h2>learn java-script in fun way</h2>
  <p>Lorem ipsum dolor, sit amet consectetur adipisicing
elit. Reiciendis officiis voluptas ad voluptatem quis, ea cum, ipsum
odio est molestiae accusantium modi expedita, quaerat ducimus
  assumenda esse qui laboriosam amet!</p>
  <div class="buttons"><button>Read more</button> </div>
</div>

  <div class="blogitem">
    <h2>learn HTML in fun way</h2>
    <p>Lorem ipsum dolor, sit amet consectetur adipisicing
elit. Reiciendis officiis voluptas ad voluptatem quis, ea cum, ipsum
odio est molestiae accusantium modi expedita, quaerat ducimus
    assumenda esse qui laboriosam amet! </p>
    <div class="buttons"> <button> Read More</button> </div>
    </div>

    <div class="blogitem">
      <h2>learn CSS in fun way</h2>
      <p> Lorem ipsum dolor, sit amet consectetur adipisicing
elit. Reiciendis officiis voluptas ad voluptatem quis, ea cum, ipsum
odio est molestiae accusantium modi expedita, quaerat ducimus
      assumenda esse qui laboriosam amet!</p>
      <div class="buttons"><button>Read More</button> </div>
      </div>

      <div class="blogitem">
        <h2>learn PYTHON in fun way</h2>
        <p>Lorem ipsum dolor, sit amet consectetur adipisicing
elit. Reiciendis officiis voluptas ad voluptatem quis, ea cum, ipsum
odio est molestiae accusantium modi expedita, quaerat ducimus
        assumenda esse qui laboriosam amet! </p>
        <div class="buttons"> <button>Read More</button> </div>
        </div>

      </div>

    </div>

    </div>
    </div>
    <script src="script.js"></script>
  </body>
</html>
```

contact.html

```
<div class="blogitem">
  <h2>learn java-script in fun way</h2>
  <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Reiciendis officiis voluptas
ad voluptatem quis, ea cum, ipsum odio est molestiae accusantium modi expedita, quaerat ducimus
  assumenda esse qui laboriosam amet!</p>
  <div class="buttons"><button>Read more</button> </div>
</div>

<div class="blogitem">
  <h2>learn HTML in fun way</h2>
  <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Reiciendis officiis voluptas ad
voluptatem quis, ea cum, ipsum odio est molestiae accusantium modi expedita, quaerat ducimus
  assumenda esse qui laboriosam amet! </p>
  <div class="buttons"> <button> Read More</button> </div>
</div>



<div class="blogitem">
  <h2>learn CSS in fun way</h2>
  <p> Lorem ipsum dolor, sit amet consectetur adipisicing elit. Reiciendis officiis voluptas
ad voluptatem quis, ea cum, ipsum odio est molestiae accusantium modi expedita, quaerat ducimus
  assumenda esse qui laboriosam amet!</p>
  <div class="buttons"><button>Read More</button> </div>
</div>




<div class="blogitem">
  <h2>learn PYTHON in fun way</h2>
  <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Reiciendis officiis voluptas ad
voluptatem quis, ea cum, ipsum odio est molestiae accusantium modi expedita, quaerat ducimus
  assumenda esse qui laboriosam amet! </p>
  <div class="buttons"> <button>Read More</button> </div>
</div>

</div>

</div>
<script src="script.js"></script>
</body>
</html>
```

RESULTS





Welcome to the webhelpbros !

Name:

Email:

*Email length is too long

Phone:

*Phone number should be of 10 digits!

Password:

*Password should be atleast 6 characters long!

Confirm Password:

*Password and Confirm password should match!

Submit

CONCLUSION

Currently in the recent market many MSMEs are trying to list themselves in the digital market. Thus our company comes into play by providing them a domain as a solution.

We as the students of Lovely Professional University have come up with this digital friendly idea to help budding businessmen reach out their targeted audience and hit their aimed profit margins.

Visit Our Website
WEBHELPBROS.COM

Thank You

