

## 雨课堂

- Chapter 01 Lesson test
  - Which part is the most important of an information system? 信息系统的哪个部分是最重要的? People √ 人
  - Which part of an information system consists of the rules or guidelines for people to follow? 信息系统的哪一部分包含了人们要遵循的规则或指导方针? Procedures √ 程序
  - Which part is the second most important of an information system? 哪个部分是信息系统的第二重要部分? Data √ 数据
  - [Software] is another name for a program or programs. The Purpose of software is to convert [data] (unprocessed facts) into [information] (processed facts) 软件是程序或程序的另一个名称项目。软件的目的是将数据(未处理的事实)转换为信息(处理过的事实)
- Chapter 1 Test
  - The most widely used handheld computers are \_\_\_\_ 使用最广泛的手持计算机是 smartphones √ 智能手机
  - The purpose of software is to convert data into information 软件的目的是把数据转换成信息。√
  - What are the two major software types? 两种主要的软件类型是什么? System software and application software 系统软件和应用软件
  - System software includes all of the following except: 系统软件包括以下所有内容除了: Operating systems 操作系统 Device drivers 设备驱动程序 Utilities 公/实用程序 Browsers 浏览器 √
  - An information system has several parts: [people], [procedures], [software], [hardware], [data], and [the Internet]. 一个信息系统有几个部分
  - There are four types of computers: [supercomputers], [mainframe computers], [midrange computers], and [personal computers]. 超级计算机 大型计算机 中型电脑 个人电脑
- Chapter 1 Quiz
  - Which of the following computers is also referred to as a server and is used to support end users for things such as retrieving data from a database or providing application software? 以下哪一种计算机也被称为服务器, 用于支持终端用户从数据库检索数据或提供对应用程序软件的访问? A. Midrange √ B. Mainframe C. Supercomputer D. Microcomputer
  - Antivirus programs protect your computer system from viruses or malicious programs. This is an example of which type of software? 防病毒程序保护您的计算机系统免受病毒或恶意程序的侵害。这是哪一种软件的例子? A. Browser software B. Operating system C. Application software D. Utilities √
  - Application software is "background" software which helps the computer manage its own internal resources. √ 应用软件是帮助计算机管理自身内部资源的"后台"软件。
  - This computer component holds the program and data that is currently being processed. 这个计算机部件保存着当前正在处理的程序和数据。 RAM
  - Unlike memory this type of storage holds data and programs even after electric power to the computer system has been turned off. 与内存不同的是, 这种类型的存储即使在计算机系统断电后也能保存数据和程序。 secondary
  - [Smartphones] are cell phones with wireless connections to the internet. 智能手机是可以无线上网的手机
  - [Microblogs], unlike traditional blogs, use only short sentences that take only a few seconds to write. 与传统的博客不同, 微博只使用短短几秒钟就能写出来的短句。
  - [System software] enables the application software to interact with the computer hardware. 系统软件使应用软件能够与计算机硬件交互。
  - [Program] consists of the step-by-step instructions that tell the computer how to do its work. 程序由告诉计算机如何工作的一步一步的指令组成。
  - What is an operating system? Give two examples. Operating systems are programs that coordinate computer resources, provide an interface between users and the computer Such as windows and linux. 操作系统是协调计算机资源, 提供用户和计算机之间的接口的程序, 如windows和linux。

## 第 2 章 互联网、万维网和电子商务

### 选择

1. The network that connects computers all over the world. Internet 连接世界各地的计算机的网络。互联网公司
2. The rules for exchanging data between computers. protocols 在计算机之间交换数据的规则。协议
3. Using file transfer utility software, you can copy files to your computer from specially configured servers on the Internet. This is called: downloading 使用文件传输实用软件, 您可以从互联网上特别配置的服务器复制文件到您的计算机。这将被称为: 正在下载
4. Communities of individuals who share a common interest typically create Facebook: groups 有共同兴趣的个人的社区通常会创建脸书: 群体
5. Type of e-mail account that does not require an e-mail program to be installed on a user's computer is: web-based 不需要在用户的计算机上安装电子邮件程序的电子邮件帐户的类型为: 基于网络的
6. The most popular microblogging site: Twitter 最受欢迎的微博网站: 推特
7. Using a keyword, a search engine returns a list of related sites known as: hits 搜索引擎使用关键字, 搜索引擎返回一个相关站点列表, 称为: hits
8. This is the Internet's equivalent to traditional cash. digital cash 这是互联网相当于传统现金。数字式现金
9. The continuing Internet development that allows objects to send and receive data over the Internet. 互联网的持续发展, 允许对象通过互联网发送和接收数据。IoT
10. Three basic components to cloud computing are clients, Internet, and \_\_. service providers 云计算的三个基本组件是客户端、互联网和service提供商

### 匹配

1. The most popular Internet activity. c. communicating 最受欢迎的互联网活动。 c.通信
2. The most common way to access the Internet is through a(n). f. ISP 最常见的互联网接入方式是通过a(n)。 f.ISP信息处理系统
3. Transmission of electronic messages over the Internet. d. e-mail 通过互联网传输电子信息。 d.电子邮件
4. Two popular instant messaging services are Google Talk and Facebook \_\_. a.chat 两种受欢迎的即时通讯服务是谷歌谈话网站和脸书\_网站。 a.聊天室
5. A business-oriented social networking site. g. LinkedIn 一个面向商业的社交网站。 g.领英
6. Individual website to keep in touch with friends and family. j. blog 在个人网站, 与朋友和家人保持联系。 j.博客
7. Publishes short sentences that only take a few seconds to write. h. microblog 发布只需几秒钟就能写出来的短句子。 h.微博
8. Maintain huge databases relating to information provided on the Web and the Internet. b. search services 维护与在网络和互联网上提供的信息相关的大型数据库。 b.搜索服务
9. Electronic commerce involving individuals selling to individuals. b. C2C 涉及到个人销售给个人的电子商业。 b.C2C
10. The basic components of cloud computing are clients, service providers, and the \_\_\_\_. e. Internet 云计算的基本组成部分是客户端、服务提供商和。 e.互联网

## 第3章 应用程序软件

## 第 3 章 应用程序软件

#### 选择

1. This type of software works with end users, application software, and computer Hardware to handle the majority of technical details. system 这种类型的软件可以与最终用户、应用程序软件和计算机硬件合作，以处理大部分的技术细节。 自动控制系统
2. A rectangular area that can contain a document, program, or message. window 可以包含文档、程序或消息的一种矩形区域。窗口
3. Programs that create text-based document. word processors 创建基于文本的文档的程序。文字处理器
4. Programs that organize, analyze, and graph numerical data such as budgets and financial reports. spreadsheets 组织、分析和绘制数字数据的程序，如预算和财务报告。电子表格
5. Program that allows you to mix text and graphics to create publications of professional quality. desktop publishing 程序，允许您混合文本和图形，以创建专业质量的出版物。桌面发布
6. The type of image that consists of geometric shapes. vector 由几何形状组成的图像的类型。矢量
7. An online diary or commentary. blog 一个在线日记或评论。博客
8. Programs that combine a variety of visual objects to create attractive, visually interesting presentations. presentation software 结合各种视觉对象，创建有趣的、视觉上有趣的演示文稿的程序。制作演示文稿的软件
9. Programs typically used to create sophisticated commercial websites. web authoring programs 程序通常用于创建复杂的商业网站。网页创作程序
10. Also known as an online office suite. cloud suite 也被称为在线办公套件。云计算套件

#### 匹配

1. Toolbars typically appear below the menu bar and include small graphic elements called \_\_. a. buttons 工具栏通常出现在菜单栏下面，并包括名为\_\_的小图形元素。a.按钮
2. Simplifies the process of making a selection from a list of alternatives by graphically displaying the effect of alternatives before being selected. d. galleries 通过图形化显示备选方案的效果，简化从备选方案列表中进行选择的过程。d.画廊
3. A general purpose program that creates text-based documents. j. word processor 一种创建基于文本的文档的通用程序。j.文字处理器
4. Program that organizes, analyzes, and graphs numeric data. g. spreadsheet 组织、分析和绘制数字数据的程序。g.电子表格
5. A collection of related data. c. database 一种相关数据的集合。c.数据库
6. Also known as a photo editor, this specialized graphics program edits or modifies digital photographs. e. image editor 也被称为照片编辑器，这个专门的图形程序可以编辑或修改数码照片。e.图像编辑器
7. Image editors create images made up of thousands of dots known as \_\_. f. pixels 图像编辑器创建由数千个点组成的图像，点被称为\_\_。f.像素
8. A Web site that provides access to specific mobile apps is known as an app \_\_. h. store 提供访问特定移动应用程序的网站被称为应用程序\_\_。h.存储区
9. A type of suite that is stored at a server on the Internet and is available anywhere you can access the Internet. b. cloud 一种存储在互联网上的服务器上的套件，可在任何你可以访问互联网的地方使用。b.云计算
10. A type of specialized suite that includes a variety of programs designed to make computing easier and safer. i. utility 一种专用的套件，它包括各种旨在使计算更容易、更安全的程序。i.实用程序

## 第 4 章 系统软件

### 雨课堂

- Chapter 04 Online Test
  - Which of the following is not a system software program type? Utilities Device drivers Language translators Sectors ✓ 以下哪一种类型不是系统软件程序类型？公用设施 设备驱动程序 语言翻译器 部门✓
  - Which of the following is not a function of the operating system? Managing resources Providing Internet access ✓ Providing a user interface Running applications 以下哪一项不是操作系统的功能？提供互联网访问 ✓
  - This type of boot occurs when the computer is already on and you restart it without turning off the power. Warm boot 当计算机已开机，并且您无需关机即可重新启动它时，就会出现这种启动类型。 暖启动系统
  - This operating system is widely used by servers on the web, mainframe computers, and very powerful personal computers. UNIX 这个操作系统被网络上的服务器、大型机和非常强大的个人计算机广泛使用。UNIX
  - When a single physical computer runs this type of software, it operates as though it were two or more separate and independent computers. Virtualization 当一台物理计算机运行这种类型的软件时，它的运行方式就像两台或两台以上独立的计算机一样。 虚拟化技术
  - When a file is broken up into small parts that are stored wherever space is available, the hard disk is said to become \_\_\_\_\_. fragmented 当一个文件被分解成小部分，存储在可用空间的地方，硬盘就会变成。 碎片的
  - Before sending a large file over the Internet, you might want to use one of these programs. File compression program 在通过互联网发送一个大文件之前，您可能需要使用这些程序之一。 文件压缩程序
  - A utility program that makes a copy of all files or selected files that are in the libraries, contacts, and favorites on the desktop. Backup and Restore 一种实用程序，它是制作桌面上的库、联系人和收藏夹中的所有文件或选定文件的副本。 备份和恢复
  - Starting or restarting a computer is called tasking the system. false 启动或重新启动计算机被称为任务处理系统。假
  - The operating system allows the user to interact with the application programs and computer hardware through a user interface. true 该操作系统允许用户通过用户界面与应用程序和计算机硬件进行交互。 真实
  - The operating system is often referred to as the software platform. true 该操作系统通常被称为软件平台。 真实
  - Utility suites come with one program only. false 实用程序套件只附带一个程序。假
  - Windows Update makes it easy to update the device drivers on your computer. true Windows更新便于更新计算机上的设备驱动程序。 真实
  - [ Icons ] are graphic representations for a program, type of file, or function. [图标]是程序、文件类型或函数的图形表示。
  - [ Network ] operating systems are used to control and coordinate computers that are linked together. 操作系统用于控制和协调连接在一起的计算机。
  - [Virtualization] refers to the process whereby a single physical computer can support multiple operating systems. [虚拟化]是指单台物理计算机可以支持多个操作系统的过程。

## 第五章 系统单元

- Chapter 05 Online Test (System Unit)
  - This type of computer is a thin slab that is almost all monitor with the system unit located behind the monitor. Tablet 这种类型的计算机是一个薄板，几乎都是监视器，系统单元位于监视器的后面。 平板片
  - This character encoding scheme allows non-English characters and special characters to be represented. Unicode 此字符编码方案允许表示非英语字符和特殊字符。 单极管
  - Tiny circuit-boards etched onto squares of sand-like material, called silicon, are called \_\_\_\_\_. chips 蚀刻在正方形砂状材料上的小电路板，被称为硅，被称为硅芯片
  - Pathways that support communication among the various electronic components on the system board are called \_\_\_\_\_. bus lines 支持系统板上各种电子元件之间的通信的路径被称为。 公交线路
  - Which of the following allows a computer to run two or more operations simultaneously? Multicore chip 以下哪一项允许计算机同时运行两个或多个操作？ 多孔芯片芯片
  - A type of specialty processor devoted exclusively to protecting your privacy. Cryptoprocessor 一种专门用来保护您的隐私的专业处理器。 加密处理器
  - With this type of memory, large programs are divided into parts and the parts are stored on a secondary device, usually a hard disk. Virtual 使用这种类型的内存，大程序被分成部分，部分存储在辅助设备上，通常是硬盘。 虚拟的
  - Which of the following offers a combination of the features of RAM and ROM? Flash Memory 以下哪一项提供了RAM和ROM功能的组合？ 闪存存储器
  - Most personal computers allow users to expand their systems by providing these on the system board. Expansion slots 大多数个人电脑允许用户通过在系统板上提供这些系统来扩展他们的系统。 扩展插槽
  - Which of the following ports is used for connecting musical instruments to a sound card? MIDI 以下哪些端口用于将乐器连接到声卡上？ 米音
  - Laptops and tablets use \_\_\_\_ that are typically located outside the system unit. AC adapters 笔记本电脑和平板电脑的使用 它们通常位于系统单元的外部。 交流电适配器
  - ASCII supports Chinese and Japanese. false ASCII支持中文和日语。 假
  - The control unit directs the movement of electronic signals between the memory and the ALU. ture 控制单元指示存储器与ALU之间的电子信号的移动。 真
  - Virtual memory is stored on a RAM chip. false 虚拟内存存储在RAM芯片上。 假
  - Graphics cards connect the system board to secondary storage. false 图形卡将主板连接到辅助存储器。 假
  - USB ports are used to connect keyboards, mice, printers, storage devices, and a variety of specialty devices. true USB端口用于连接键盘、鼠标、打印机、存储设备和各种专用设备。 真
  - Firewire ports are used to connect keyboards, mice, printers, and storage devices. false 火线端口用于连接键盘、鼠标、打印机和存储设备。 假
  - Computers require direct current (DC) to power their electronic components and to represent data and instructions. true 计算机需要直流电(DC)来为其电子元件供电，并表示数据和指令。 真
  - A(n) [64] -bit-word computer can access eight bytes of information at a time. (n)[64]位字计算机一次可以访问8个字节的信息。
  - [Logical] operations consist of making comparisons. 逻辑操作包括进行比较。
  - The system board is also known as the [motherboard] . 该主板也被称为[主板]。
  - The most widely used character encoding standard today is [Unicode] . 当今使用最广泛的字符编码标准是[Unicode]。
  - The processing speed of a microprocessor is typically represented by its [clock] speed. 微处理器的处理速度通常以其时钟速度来表示
  - [Sound] cards accept audio input from a microphone and convert it into a form that can be processed by the computer. [声音]卡接受来自麦克风的音频输入，并将其转换为计算机可以处理的形式。
  - Network interface cards (NIC) are connected through [expansion] slots on the motherboard. 网络接口卡(NIC)通过主板上的扩展[插槽]插槽连接。
  - The number of bits that can travel simultaneously down a bus is known as the bus [width]. 可以同时沿着总线行驶的位数称为总线的宽度。

## 第六章 输入和输出

- Chapter 6 Online Test (Input and Output)
  - \_\_\_\_\_ is any data or instructions that are used by a computer. Input 是计算机使用的任何数据或指令。 输入信息
  - A keyboard key, like Caps Lock, that turns a feature on or off is called a \_\_\_\_\_. key. toggle 一个键盘键，如大写锁，打开或关闭一个功能的键盘键被称为a 键。 切换按钮
  - This type of mouse emits and senses light to detect mouse movement. Optical 这种类型的鼠标会发出和感应光来检测鼠标的移动。 光学上的
  - Which of the following is not a type of scanning device? Stylus 以下哪一种类型不是扫描设备的类型？ 手写笔系统
  - Bar code readers use \_\_\_\_\_ embedded in them to read bar codes. photoelectric cells 条形码阅读器的使用方式 嵌入到它们中以读取条形码。 光电管电池
  - \_\_\_\_\_ -input devices convert sounds into a form that can be processed by the system unit. Audio -输入设备将声音转换为系统单元可以处理的形式。 音频系统
  - The distance between each pixel. Dot pitch 每个像素之间的距离。 圆点间距
  - The size, or \_\_\_\_\_, is measured by the diagonal length of a monitor's viewing area. active display area 该文件的大小，或，是通过监视器的查看区域的对角线长度来测量的。 活动的显示区域
  - Specialized devices with a large display connected to a computer projector and are widely used in classrooms and corporate boardrooms. Digital or interactive whiteboards 将大型显示器连接到电脑投影仪上，广泛应用于教室和公司会议室。 数字板或交互式白板
  - Which of the following printer features enables you to print on both sides of a sheet of paper? Duplex 以下哪些打印机功能使您能够在纸张的两侧进行打印？ 双工设备
  - An optical mouse uses light in order to detect movement. true 光鼠标使用光线来检测运动。 真实
  - Optical scanners recognize individual letters or images. false 光学扫描仪可以识别单个的字母或图像。 假
  - A magnetic card reader does not require the card to actually make contact with the reader. false 磁卡读卡器不需要卡与读卡器接触。 假
  - The monitor size is measured by the diagonal length of the viewing area. true 监视器的尺寸由观看区域的对角线长度来测量。 真实
  - Digital or interactive whiteboards display a computer's desktop and can be controlled using a special pen or a finger. true 数字或交互式白板显示计算机的桌面，可以使用特殊的笔或手指来控制。 真实
  - Shared laser printers typically support color, are more expensive, and are used by a group of people. true 共享激光打印机通常支持颜色，更昂贵，而且被一群人使用。 真实
  - Wireless audio-output connections typically use Bluetooth technology. true 无线音频输出连接通常使用蓝牙技术。 真实
  - Flatbed, document, and portable are types of [scanners] that accept documents and convert them into machine-readable form. 平板式、文档式和便携式文件是接受文档并将其转换为机器可读形式的扫描仪类型。
  - Supermarkets use [bar] code readers to scan codes printed on product containers. 超市使用条形码阅读器来扫描打印在产品容器上的代码
  - [RFID] tags are tiny chips that can be embedded into almost anything and contain information used to track and locate lost pets; to monitor production and update inventory; to record prices, product descriptions, and locations of retail items. [RFID]标签是一种小芯片，几乎可以嵌入到任何东西的芯片中，并包含用于跟踪和定位丢失宠物的信息；监视生产和更新库存；记录价格、产品描述和零售物品的位置。
  - [Laser] printers use a technology similar to that used in a photocopy machine. [激光]打印机使用一种类似于复印机的技术。
  - [Cloud] printers are printers connected to the Internet that provide printing services to others on the Internet. [云]打印机是指连接到互联网上向他人提供打印服务的打印机。
  - [Internet] telephones are specialized input and output devices for receiving and sending voice communication. 电话是用于接收和发送语音通信的专用输入和输出设备。
  - [Aspect] ratio indicates the proportional relationship between a display's width and height. "纵横比"比例"表示显示器的宽度和高度之间的比例关系。

## 第七章 二级存储

- Chapter 7 Online Test(Secondary Storage)
  - On a hard disk each track is divided into invisible wedge-shaped sections called \_\_\_\_\_. sectors
  - 在硬盘上，每条轨道都被分成看不见的楔形部分，称为扇区
  - The hard disk's disk surface is scratched and some or all of the data is destroyed when there is a \_\_\_\_\_. head crash
  - 硬盘的磁盘表面被刮伤，部分或全部数据在a时被销毁。头部撞
  - The process of accessing information from secondary storage devices is referred to as \_\_\_\_\_. reading
  - 从辅助存储设备访问信息的过程被称为。读数
  - Which of the following measures the amount of time required by the storage device to retrieve data and programs? Access speed
  - 以下哪项测量存储设备检索数据和程序所需的时间？访问速度
  - One way to improve the storage capacity of a hard disk is to \_\_\_\_\_. use file compression
  - 提高硬盘存储容量的一种方法是。使用文件压缩
  - This process improves system performance by acting as a temporary high-speed holding area between a secondary storage device and the CPU. Disk caching
  - 该过程通过充当辅助存储设备和CPU之间的临时高速保持区域来提高系统性能。磁盘高速缓存
  - Which of these is not an example of solid state storage? Digital versatile disc
  - 其中哪一个不是固态存储的例子？数字式多功能光盘
  - Optical discs use these to represent data. Pits and lands
  - 光盘使用这些数据来表示数据。矿坑和土地
  - What is it called when servers on the Internet supply applications as a service, rather than a product? Cloud computing
  - 当互联网上的服务器提供服务而不是产品时，它叫什么？云计算技术
  - Which of these is not a mass storage device? RAID system File server Optical disc ✓ Organizational cloud storage
  - 其中哪一种不是大容量存储设备？RAID系统 文件服务器 光盘✓ 组织性云存储
  - The process of saving information to a secondary storage device is referred to as embedding. false
  - 将信息存储到辅助存储设备的过程称为嵌入。假
  - Hard disks use tracks, sectors, and cylinders to store and organize files. true
  - 硬盘使用轨迹、扇区和圆柱体来存储和组织文件。真实
  - A hard crash typically occurs on an optical disk when it makes contact with particles on its surface. false
  - 当光盘与其表面的粒子接触时，通常会发生硬碰撞。假
  - External hard disks use different technology than internal hard disks. false
  - 外部硬盘使用了与内部硬盘不同的技术。假
  - Disk caching improves hard-disk performance by compressing files. false
  - 磁盘缓存通过压缩文件来提高硬盘性能。假
  - File compression is only available on hard disk drives. false
  - 文件压缩仅在硬盘驱动器上使用。假
  - Mass storage devices are specialized high-capacity secondary storage devices designed to store large amounts of data for an organization. true
  - 大容量存储设备是专门的高容量辅助存储设备，设计用于为组织存储大量数据。真
  - If you have used Google Docs to create a word processing document, you have used cloud computing. true
  - 如果您已经使用谷歌文档创建了一个文字处理文档，那么您就使用了云计算。真
  - File [compression] programs scan files for ways to reduce the amount of required storage.
  - 文件[压缩]程序扫描文件，以寻找减少所需存储量的方法。
  - A(n) [head crash] occurs when a read/write head makes contact with the hard disk's surface or with particles on its surface.
  - 当读写磁头与硬盘表面或其表面上的粒子接触时，就会发生磁头碰撞。
  - Tracks are divided into invisible wedge-shaped sections called [sectors] .
  - 轨道被划分为不可见的楔形部分，称为扇区。
  - A good way to share files with others is to use a(n) [cloud] , or online, storage service.
  - 与他人共享文件的一个好方法是使用(n)[云]或联机存储服务。

## 第八章 通信和网络

• Chapter 8 Online Test( Communications and Networks)

- In a communication system, which among the following originate and accept messages in the form of data, information, and/or instructions? Sending and receiving device
- 在通信系统中，以下以数据、信息和/或指令的形式产生并接受消息？收发设备
- Which physical connection is the fastest? Fiber-optic cable
- 哪种物理连接速度最快？1、光缆
- Which among the following is considered a line-of-sight communication medium? Microwave
- 以下哪一种被认为是视线通信媒介？微波技术
- Using this type of communications channel, several users can simultaneously use a single connection for high-speed data transfer. Broadband
- 使用这种类型的通信信道，多个用户可以同时使用单一连接进行高速数据传输。宽带的
- \_\_\_\_ is the process of breaking down information sent or transmitted across the Internet into small parts. Packetization
- 是将通过互联网发送或传输的信息分解成小部分的过程。数据包
- The \_\_\_\_ is the central node that coordinates the flow of data by sending messages directly between the sender and receiver nodes. switch
- 是通过在发送节点和接收节点之间直接发送消息来协调数据流的中心节点。开关
- This device enables connectivity between two LANS or a LAN and a larger network. Network gateway
- 此设备支持两个LANS或LAN与较大网络之间的连接。网络网关
- A network topology in which the central node is connected to two or more subordinate nodes that, in turn, are connected to other subordinate nodes. Tree
- 一种网络拓扑，其中中心节点连接到两个或多个下级节点，这些节点又连接到其他下级节点。树状
- Organizations use the following to allow suppliers and others limited access to their networks. Extranets
- 组织使用以下内容来允许供应商和其他公司有限地访问其网络。外联网系统
- All communications between a company's internal networks and the outside world pass through this server. Proxy
- 公司内部网络与外部世界之间的所有通信都将通过此服务器。代理机构
- TCP/IP protocol involves identifying, sending, and receiving devices and breaking information into small parts for transmission across the Internet. true
- TCP/IP协议包括识别、发送和接收设备，并将信息分解成小部分，以便通过互联网传输。真实
- Network operating systems (NOS) control and coordinate the activities of all computers and other devices on a network. true
- 网络操作系统(NOS)控制和协调网络上所有计算机和其他设备的活动。真实
- The most common standard in LANs is called Ethernet. true
- 局域网中最常见的标准被称为以太网。真实
- The client/server network strategy can handle very large networks efficiently. true
- 客户端/服务器网络策略可以有效地处理非常大的网络。真实
- In a peer-to-peer network, only the central host computer supplies the resources, the other computers request resources from this host. false
- 在对等网络中，只有中央主机提供资源，其他计算机从此主机请求资源。假
- Intrusion detection systems can recognize signs of a network attack and disable access before an intruder can do damage. true
- 入侵检测系统可以识别网络攻击的迹象，并在入侵者造成破坏之前禁用访问。真实
- A network [gateway] is a device that allows one LAN to be linked to other LANs or to larger networks.
- 网络[网关]是一种允许一个局域网连接到其他局域网或更大网络的设备。
- A LAN set up for a household's personal use is called a(n) [home] network.
- 为家庭个人使用而设置的局域网称为(n)家庭网络。
- [Wide] area networks are countrywide and worldwide networks.
- 广域网是在全国范围内和世界范围内的网络。

## 第九章 隐私、安全和道德



### 选择

1. The three primary privacy issues are accuracy, property, and: Access 三个主要的隐私问题是准确性、属性和: 访问
2. Highly detailed and personalized descriptions of individuals are electronic: profiles 高度详细和个性化的个人描述是电子化的: 配置文件
3. Browsers store the locations of sites visited in a: history file 浏览器存储在a中访问的站点的位置: a.历史记录文件
4. The browser mode that ensures your browsing activity is not recorded. privacy 确保不记录浏览活动的浏览器模式。隐私权
5. The information that people voluntarily post in social networking sites, blogs, and photo- and video-sharing sites is used to create their: online identity 人们自愿在社交网站、博客、照片和视频分享网站上发布的信息被用来创建他们的: 在线身份
6. Computer criminals who create and distribute malicious programs. crackers 创建和分发恶意程序的计算机罪犯b. Cracker是以破解各种加密或有限的商业软件为乐趣的人
7. Programs that come into a computer system disguised as something else are called: Trojan horses 伪装成其他东西进入计算机系统的程序被称为: a.特洛伊木马
8. The use of the Internet, cell phones, or other devices to send or post content intended to hurt or embarrass another person is known as: cyberbullying 使用互联网、手机或其他设备发送或发布旨在伤害他人或使他人难堪的内容, 被称为: a.网络欺凌
9. Special hardware and software used to control access to a corporation's private network is known as a(n): firewall 用于控制对公司私有网络的访问的特殊硬件和软件称为(n): c.防火墙
10. To prevent copyright violations, corporations often use: DRM 为了防止侵犯版权, 公司经常使用: b.DRM

### 匹配

1. Privacy concern that relates to the responsibility to ensure correct data collection. a. accuracy 与确保正确收集责任相关的隐私问题。a.精度
2. Individuals who collect and sell personal data. e. information brokers 收集和销售个人数据的个人。e.信息经纪人
3. Small data files deposited on your hard disk from websites you have visited. c. cookies 从访问的网站存在硬盘上的小数据文件。c.痕迹
4. Wide range of programs that secretly record and report an individual's activities on the Internet. i. spyware 在互联网上秘密记录和报告个人活动的各种程序。i.间谍软件
5. Malicious programs that damage or disrupt a computer system. f. malware 破坏计算机系统的恶意程序。f.恶意软件
6. Infected computers that can be remotely controlled. j. zombies 可以被远程控制被感染的计算机。j.僵尸
7. Used by scammers to trick Internet users with official-looking websites. g. phishing 被骗子用来用官方外观的网站欺骗互联网用户。g.网络钓鱼服务
8. A type of scanning device such as fingerprint and iris (eye) scanner. b. biometric 一种扫描装置, 如指纹和虹膜(眼)扫描仪。b.生物特征学特征
9. Process of coding information to make it unreadable except to those who have a key. d. encryption 编码信息的过程, 使它不能够不读取, 除了那些有一个密钥。d.加密
10. An ethical issue relating to using another person's work and ideas as your own without giving credit to the original source. h. plagiarism 关于将他人的工作和想法作为你自己的而不相信原始来源的伦理问题。h.剽窃

## 第 10 章 信息系统

### 选择

1. Which of the basic organizational functions records all financial activity from billing customers to paying employees? a. accounting 哪些基本组织职能记录了从计费客户到付费员工的所有财务活动? a.会计核算
2. What managerial level has information flow that is vertical, horizontal, and external? a. top 什么管理级别具有垂直、水平和外部的信息流? a.顶部
3. Which computer-based information system uses data from TPS and analytical tools to support middle managers? c. DSS 哪种基于计算机的信息系统使用来自TPS的数据和分析工具来支持中层管理人员? a.经验
4. Accounts payable refers to money the company owes its suppliers for materials and services it has: d. received 应付账款是指公司欠其供应商的材料和服务的款项: d.已收到的信息
5. What accounting activity keeps track of all summaries of all transactions? b. general ledger 哪些会计活动可记录所有交易的所有摘要? b.总账
6. What accounting statement lists the overall financial condition of an organization? a. balance sheet 哪些会计报表列出了一个组织的总体财务状况? a.资产负债表
7. What type of report is produced at regular intervals? d. periodic 定期生产什么类型的报告? d.周期性的
8. A DSS consists of four parts: user, system software, decision models, and: b. data DSS由四个部分组成: 用户、系统软件、决策模型和: b.数据
9. What type of worker is involved with the distribution, communication, and creation of information? c. information 什么类型的员工参与了信息的分发、通信和创建? c.相关信息
10. What type of program is designed to schedule, plan, and control project resources? c. project managers 计划、计划和控制项目资源? c.项目经理

### 匹配

1. Function that plans, prices, promotes, sells, and distributes the organization's goods and services. c. marketing 计划、价格、促进、销售和分发贡献组织商品和服务的功能。c.市场营销活动
2. Managerial level where information flow is vertical and horizontal. d. middle 信息流, 垂直和水平的管理水平。d.中间的
3. Computer-based information system that uses data from TPS to support middle-level managers. e. MIS 基于计算机的信息系统, 使用来自TPS的数据来支持中层管理者。e.管理系统
4. The accounting activity that records the customer requests for the company's products or services is sales order \_\_\_\_\_. g. processing 记录客户对公司产品或服务的请求的会计活动是销售订单\_\_\_\_。g.处理过程
5. The accounting activity concerned with calculating employee paychecks. f. payroll 与计算员工工资单有关的会计活动。f.工资单
6. MIS produces this type of report. h. standardized MIS将生成这类报告。h.标准化版
7. A type of report that calls attention to unusual events. b. exception 一种能引起人们注意的不寻常事件的报告。b.异常
8. Type of software that works behind the scenes to handle detailed operating procedures. i. system 在幕后工作以处理详细操作程序的软件的类型。i.自动控制系统
9. Type of worker who is involved with the distribution and communication of information. a. data 参与部门=和信息交流的工人类型。a.数据
10. Computer system that allows people located at various geographic locations to communicate and have in-person meetings. j. videoconferencing 计算机系统, 允许位于不同地理位置的人们进行面对面会议的交流。j.视频会议

## 第 11 章 数据库

选择

- 1. Facts or observations about people, places, things, and events are: a. data 关于人、地方、事物和事件的事实或观察是: a.数据
- 2. The most basic logical data element such as a single letter, number, or special character is known as a(n): a. character 最基本的逻辑数据元素, 如单个字母、数字或特殊字符, 称为(n): a.字符
- 3. Each record in a database has at least one distinctive field, called the: a. key field 数据库中的每个记录都至少有一个独特的字段, 称为: a.关键字字段
- 4. One element of database security is to provide only authorized users with: c. passwords 数据库安全的一个要素是仅向授权用户提供: c.密码
- 5. The bridge between the logical and physical views of the data is provided by: a. DBMS 数据的逻辑视图和物理视图之间的桥梁由: a.数字数据库
- 6. Highly trained computer specialists who interact with the data administration subsystem are known as: c. database administrators 与数据库管理系统交互的训练有素的计算机专家被称为: c.数据库管理员
- 7. In a network database, each child node may have more than one parent node; this is known as a: b. many-to-many relationship 在网络数据库中, 每个子节点可以有多个父节点, 这称为: b.多对多的关系
- 8. Connections between parent nodes and child nodes are provided by: d. pointers 父节点和子节点之间的连接由: d.指针
- 9. Two of the most significant advantages of multidimensional databases over relational databases are processing speed and: a. conceptualization 多维数据库比关系数据库更显著的两个优点是处理速度和: a.概念化的概念
- 10. Object-oriented databases organize data by classes, attributes, methods, and: a. objects 面向对象的数据库按类、属性、方法和以下方式组织数据: a.对象

匹配

- 1. View that focuses on the actual format and location of the data. f. physical 重点关注数据的实际格式和位置的视图。f.物理的
- 2. Group of related characters. d. field 一组相关字符。d.字段
- 3. Type of processing in which data is collected over several hours, days, or even weeks and then processed all at once. b. batch 在数小时、几天甚至数周收集数据然后一次处理-的处理类型。b.批次
- 4. A data problem that often occurs when individual departments create and maintain their own data. g. redundancy 当各个部门创建和维护自己的数据时, 经常发生的一种数据问题。g.冗余度
- 5. Another name for a data dictionary. i. schema 数据字典的另一个名称。i.模式
- 6. Type of database structure where fields or records are structured in nodes that are connected like the branches of an upside-down tree. e. hierarchical 数据库结构的类型, 其中字段或记录的节点, 如倒置树的分支。e.层次结构
- 7. Type of database structure where the data elements are stored in different tables. h. relational 将数据元素存储在不同表中的数据库结构的类型。h.是关系型的
- 8. Two of the most significant advantages of multidimensional databases are conceptualization and processing \_\_. j. speed 多维数据库的两个最显著的优点是概念化和处理\_\_。j.速度
- 9. Object-oriented databases organize data by classes, objects, methods, and \_\_. a. attributes 面向对象的数据库按类、对象、方法和\_\_来组织数据。a.属性
- 10. Type of database that uses communication networks to link data stored in different locations. c. distributed 使用通信网络连接存储在不同位置的数据的数据库类型。c.已分布的

第 12 章 系统分析与设计

选择

- 1. An information system is a collection of hardware, software, people, procedures, the Internet, and: a. data 信息系统是一个包含硬件、软件、人员、程序、互联网等方面的集合: a.数据
- 2. What is the first phase in the systems life cycle? b. preliminary investigation 系统生命周期中的第一阶段是什么? b.初步调查
- 3. Which phase involves installing the new system and training people? d. systems implementation 哪个阶段包括安装新系统和培训人员? d.系统的实现
- 4. This phase is concerned about determining system requirements not with design. b. systems analysis 本阶段涉及确定系统需求, 而不是涉及设计。b.系统分析
- 5. Which systems analysis tool shows the relationship between input and output documents? c. grid chart 哪些系统分析工具显示了输入文档和输出文档之间的关系? c.网框图
- 6. These tools relieve the systems analysts of many repetitive tasks, develop clear documentation, and, for larger projects, coordinate team member activities. b. CASE 这些工具减轻了系统分析人员的许多重复性任务, 开发清晰的文档增强, 并且, 对于更大的项目, 协调团队成员的活动。b.案例
- 7. Which phase is concerned with economic, technical, and operational feasibility? c. systems design 哪个阶段涉及经济、技术和运营可行性? c.系统设计
- 8. What type of feasibility evaluates whether the people within the organization will embrace or resist a new system? c. operational 什么类型的可行性可以评估组织内的人员是否会接受或抵制一个新系统? c.的可操作性信息
- 9. Which approach to conversion begins by trying out a new system in only one part of an organization? b. pilot 哪种转换方法从仅在组织的一部分中尝试一个新系统开始? b.试点项目
- 10. An alternative to the systems life cycle approach using powerful development software, small specialized teams, and highly trained personnel. d. RAD 使用强大的开发软件、小型专业团队和训练有素的人员的系统生命周期方法的替代方法。d.雷达

匹配

- 1. Systems analysis and design is a six-phase problem solving procedure for examining and improving an information \_\_. h. system 系统分析和设计是一个六个阶段的问题-解决过程, 用于检查和改进信息\_\_。h.系统
- 2. Systems life cycle phase that studies the present system in depth. a. analysis 系统的生命周期阶段, 深入研究目前的系统。a.分析
- 3. Systems analysis involves suggesting alternative \_\_. g. solutions 系统分析包括建议替代的\_\_。g.解决方案
- 4. The last and ongoing phase of the systems life cycle is systems \_\_. e. maintenance 系统生命周期的最后一个和正在进行的阶段是系统\_\_。e.的维护
- 5. The document that shows the levels of management and formal lines of authority is an \_\_. j. organization chart 显示管理级别和正式权限线的文档是一个\_\_。j.组织字符
- 6. This phase begins with designing alternative systems. i. systems design 该阶段从设计替代系统开始。i.系统设计
- 7. Another name for systems implementation. b. conversion 系统实现的另一个名称。b.转换
- 8. The phase in which the old system is replaced and training begins. d. implementation 更换旧系统和开始培训的阶段。d.实现
- 9. The four approaches to conversion are parallel, pilot, phased, and \_\_. c. direct 这四种转换方法是并行的、试点的、分阶段的和\_\_的。c.直接处理
- 10. The approach in which the new system is implemented gradually over a period of time. f. phased 新系统在一段时间内逐步实施的方法。f.是分阶段进行的