

第一章

32.判断题 (1分)

The parts of an information system are people, procedures, software, hardware, data, and the Internet. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

41.填空题 (1分)

People are the most important part of any information system.

本题得分: 1分

正确答案:

- 填空1** : People

42.填空题 (1分)

Cloud computing uses the Internet and the web to shift many computer activities from a user's computer to computers on the Internet.

本题得分: 1分

正确答案:

- 填空1** : Cloud

_____ software is a collection of programs that helps the computer manage its own resources and enables application software to interact with computer hardware.

- ☐ A
Application
- ☐ B
System
- ☐ C
Operating
- ☐ D
Database management

45.判断题 (1分)

Four common types of files are document files, worksheet files, database files, and presentation files. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

46.判断题 (1分)

A system unit consists of the keyboard and the monitor. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

48.判断题 (1分)

System software might be described as end-user software. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

49.单选题 (1分)

Which of the following are two important components of the system unit?_____

- ☐ A
Microphone and speakers
- ☐ B
Keyboard and mouse
- ☐ C
Monitor and printer
- ☐ D
Microprocessor and memory

本题得分: 1分

正确答案: D

51.单选题 (1分)

Identify the four basic categories of hardware in a personal computer system. ____

- ☐ A
System unit, input/output, secondary storage, and primary storage
- ☐ B
Hard disk, input/output, secondary storage, and display devices
- ☐ C
System unit, input/output, secondary storage, and communication
- ☐ D
Hard disk, modem, RAM, and microprocessor

本题得分: 1分

正确答案: A

55.填空题 (1分)

Smartphones are cell phones with wireless connections to the Internet.

本题得分: 1分

正确答案:

- **填空1**: Smartphones

56.单选题 (1分)

A(n. ____ file might contain audience handouts and speaker notes in addition to electronic slides.

- ☐ A
worksheet
- ☐ B
OneNote
- ☐ C
database
- ☐ D
presentation

本题得分: 1分

正确答案: D

58.单选题 (1分)

The five types of personal computers are: desktops, laptops, tablets, smartphones, and ____.

- ☐ A
microcomputers
- ☐ B
macrocomputers
- ☐ C
midranges
- ☐ D
wearables

本题得分: 0分

正确答案: D

62.判断题 (1分)

Two important components of the system unit are the keyboard and the hard disk. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

主板 (motherboard) 和 中央处理器 (CPU)

63.单选题 (1分)

Increased use of mobile or wireless communication devices and cloud computing has been termed "the ____ revolution."

- ☐ A
Internet of Things
- ☐ B
wireless

- ☐ C
network
- ☐ D
connectivity

本题得分: 1分

正确答案: B

64.单选题 (1分)

Antivirus programs protect your computer system from viruses or malicious programs. This is an example of which type of software? ____

- ☐ A
Operating system
- ☐ B
Application software
- ☐ C
Browser software
- ☐ D
Utilities

本题得分: 1分

正确答案: D

66.单选题 (1分)

The component of the information system that is described as raw, unprocessed facts, including text, numbers, images, and sounds, is called ____.

- ☐ A
software
- ☐ B
cloud computing
- ☐ C
the Internet
- ☐ D
data

本题得分: 1分

正确答案: D

71.单选题 (1分)

____ use(s. rigid metallic platters to store programs and very large data files.

- ☐ A
ROM
- ☐ B
Solid-state storage (固态闪存芯片)
- ☐ C
Hard disks (rigid metallic platter刚性金属盘片)
- ☐ D
RAM

本题得分: 1分

正确答案: C

72.单选题 (1分)

"Background" software that helps the computer manage its own internal resources is called ____.

- ☐ A
application software
- ☐ B
desktop
- ☐ C
system software
- ☐ D
shareware

本题得分: 1分

正确答案: C

81.单选题 (1分)

____ are all about making people (end users. more productive.

- ☐ A
Mainframe computers

- ☐ B
Supercomputers
- ☐ C
Midrange computers
- ☐ D
Personal computers

本题得分： 0分
正确答案： D
86.判断题 (1分)

To be an effective and efficient computer user, you need to recognize the role of information technology in your personal and professional life. ()

- ☐
- ☐

本题得分： 1分
正确答案： 正确
87.填空题 (1分)
In most cases, the word "software" is interchangeable with the word program program.
本题得分： 0分
正确答案：

- 填空1：**

92.判断题 (1分)

Another name for a midrange computer is "server." ()

- ☐
- ☐

本题得分： 1分
正确答案： 正确

第二章

1.单选题 (1分)

This type of e-mail account is more widely used because it frees the user from installing and maintaining an e-mail client on every computer used to access e-mail._____

- ☐ A
Mobile
- ☐ B
Cloud
- ☐ C
Web-based
- ☐ D
Client-based

本题得分： 1分

正确答案： C

2.填空题 (2分)

The search engine compares your entry against its database and returns the result, a list of sites on that topic.

本题得分： 2分

正确答案：

- 填空1** : search engine

5.填空题 (2分)

The most common way to access the Internet is through ISP .

本题得分： 2分

正确答案：

- 填空1** : ISP

6.单选题 (1分)

An Internet _____ is a collection of utility programs designed to maintain your security and privacy while you are on the web._____

- ☐ A
file transfer set
- ☐ B
filter set
- ☐ C
security suite
- ☐ D
plug-in suite

本题得分： 1分

正确答案： C

(互联网安全套件是一组实用程序，旨在在您上网时维护您的安全和隐私。)

7.判断题 (1分)

Client-based e-mail accounts require a special program called an e-mail client to be installed on your computer. ()

- ☐
- ☐

本题得分： 1分

正确答案： 正确

8.单选题 (1分)

Knowledge of HTML and CSS is considered essential for the job of a _____._____

- ☐ A
browser manager
- ☐ B
podcaster
- ☐ C
web developer
- ☐ D
blogger

本题得分： 1分

正确答案： C

9.单选题 (1分)

These special automated programs continually look for new information and update the databases used by search services._____

- ☐ A
Spiders
- ☐ B
Hits
- ☐ C
Bugs
- ☐ D
Webcrawlers

本题得分：1分

正确答案： A

特殊的自动化程序被称为 "web crawlers" (网络爬虫) 或 "web spiders" (网络蜘蛛)，它们不断搜索新信息并更新搜索服务使用的数据库。

10.判断题 (1分)

The Internet connects millions of computers and resources throughout the world via wires, cables, and satellite. ()

- ☐
- ☐

本题得分：1分

正确答案： 正确

11.单选题 (1分)

The Web was introduced in _____._____

- ☐ A
2004
- ☐ B
1998
- ☐ C
1991
- ☐ D
1967

本题得分：1分

正确答案： C

13.填空题 (2分)

A Wiki is a website specially designed to allow visitors to use their browser to add, edit, or delete the site's content.

本题得分：2分

正确答案：

- 填空1 : wiki

14.单选题 (1分)

In the URL "http://www.simnetonline.com," what is the domain name?_____

- ☐ A
com
- ☐ B
simnetonline
- ☐ C
http://www.simnetonline.com
- ☐ D
www.simnetonline.com

本题得分：1分

"Domain" (域名) 是互联网上用于标识和定位网站的名称。域名是一个可读性较高的字符串，用于替代网站的 IP 地址，使用户能够更轻松地访问网站。

域名由多个部分组成，通常以点号分隔。例如，在域名 "example.com" 中，"example" 是二级域名，"com" 是顶级域名。域名的层次结构可以有多个级别，具体取决于域名的配置。

15.单选题 (1分)

Online banking is an example of what type of e-commerce?_____

- ☐ A
C2C

- ☐ B
C2B
- ☐ C
B2C
- ☐ D
B2B

本题得分：1分

C2C: C2C指的是“Consumer-to-Consumer”（消费者对消费者），是指个人之间直接进行的电子商务交易。在C2C模式下，个人作为卖家和买家，通过在线市场或平台进行商品或服务的交换，例如在线拍卖网站。

C2B: C2B指的是“Consumer-to-Business”（消费者对企业），是指个人消费者向企业提供产品、服务或信息，以满足企业的需求。C2B模式逆转了传统的商业模式，消费者在这种模式下成为产品或服务的供应方，例如自由职业者向公司提供专业服务。

B2C: B2C指的是“Business-to-Consumer”（企业对消费者），是指企业向个人消费者提供产品或服务的电子商务交易。B2C模式是最为常见的电子商务形式，包括在线零售商、服务提供商等，例如网上购物、在线预订等。

B2B: B2B指的是“Business-to-Business”（企业对企业），是指企业之间进行的电子商务交易。在B2B模式下，企业之间进行产品、服务或信息的交换，例如供应链管理、批发和伙伴关系等。

16.判断题 (1分)

One of the greatest challenges for the growth of e-commerce is the development of fast, secure, and reliable payment methods for buying goods. ()

- ☐
- ☐

本题得分：1分

正确答案： 正确

17.单选题 (1分)

Unsolicited e-mail is called _____. _____

- ☐ A
casting
- ☐ B
blog
- ☐ C
spam
- ☐ D
wiki

本题得分：1分

正确答案： C

18.单选题 (1分)

Parents can use this type of program to block access to selected websites. _____

- ☐ A
FTP
- ☐ B
Spider
- ☐ C
BitTorrent
- ☐ D
Filter

本题得分：1分

"BitTorrent"是一种点对点（P2P）文件共享协议，用于高效地在多个计算机之间共享大型文件。它是一种分布式协议，通过将文件分成小块并允许用户同时下载和上传这些小块，从而实现快速的文件传输。

在BitTorrent网络中，文件被分割成许多小块，并通过种子文件（.torrent文件）进行描述和索引。种子文件包含有关文件的元数据，包括文件名、大小、分块信息和追踪器（tracker）的地址。用户可以使用BitTorrent客户端软件打开种子文件，并连接到追踪器来获取其他用户（称为对等方）的信息。

19.单选题 (1分)

A _____ is a website specially designed to allow visitors to use their browser to add, edit, or delete the site's content. _____

- ☐ A
podcast

- ☐ B
social network
- ☐ C
wiki
- ☐ D
blog

本题得分: 1分

正确答案: C

22.单选题 (1分)

_____ are used to download media files to your computer. _____

- ☐ A
Microblogs
- ☐ B
Wikis
- ☐ C
Podcasts
- ☐ D
Twitter

本题得分: 1分

正确答案: C

23.判断题 (1分)

PHP is a language often used within HTML documents to improve a website's interactivity. ()

- ☐
- ☐

本题得分: 0分

PHP (Hypertext Preprocessor) 是一种广泛使用的开源服务器端脚本语言。它主要用于开发动态网页和 Web 应用程序。PHP 的设计目标是快速、灵活和易于学习和使用。

PHP 脚本在服务器上执行，生成动态的网页内容。与静态的 HTML 页面不同，PHP 脚本可以与数据库进行交互、处理表单数据、生成动态图像、进行文件操作等。这使得 PHP 成为构建动态和交互性网站的强大工具。

24.单选题 (1分)

Apple's Mail and Microsoft's Outlook are examples of a ____.

- ☐ A
spam filter
- ☐ B
spam blocker
- ☐ C
web-based e-mail system
- ☐ D
client-based e-mail system

本题得分: 1分

正确答案: D

25.判断题 (1分)

News feed is the first page you see after logging into a social networking site. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

26.单选题 (1分)

Which of the following is not a well-known browser? _____

- ☐ A
Apple Safari
- ☐ B
Microsoft Edge
- ☐ C
Windows Explorer

- ☐ D
Google Chrome

本题得分：0分

正确答案： A

28.填空题 (2分)

In “http://www.simnetonline.com” the underlined section is the domain name.

本题得分：2分

正确答案：

- ☐ **填空1** : domain

29.判断题 (1分)

JavaScript is a language often used within HTML documents to trigger interactive features. ()

- ☐
- ☐

本题得分：1分

正确答案： 正确

30.判断题 (1分)

Instant messaging allows text only. ()

- ☐
- ☐

本题得分：1分

正确答案： 错误

31.单选题 (1分)

This version of the web defined by the use of social media that connect friends and family to social media posts about each other’s lives._____

- ☐ A
Web 2.0
- ☐ B
Web 1.0
- ☐ C
Web 3.0
- ☐ D
Web 4.0

本题得分：1分

正确答案： A

Web 1.0: Web 1.0是互联网的早期阶段，也被称为“静态网页时代”。在这个阶段，互联网主要由静态网页组成，内容主要由网站所有者创建和发布。用户在网页上浏览信息，但参与互动的机会有限。Web 1.0的特点是信息的单向传输，缺乏用户生成的内容和社交互动。

Web 2.0: Web 2.0是互联网的演进阶段，也被称为“社交互动时代”。在这个阶段，互联网变得更加交互和社交化。用户可以创建、共享和交流内容，而不仅仅是被动地浏览网页。Web 2.0的特点包括社交媒体、博客、在线社区、用户生成内容和多媒体共享等。用户可以评论、点赞、分享和参与在线讨论，形成了更丰富的互动和合作环境。

Web 3.0: Web 3.0被视为互联网的下一个阶段，也被称为“智能网页时代”或“语义网”。Web 3.0的目标是实现更智能、个性化和语义化的互联网体验。它利用人工智能、大数据和语义分析等技术，为用户提供更准确、个性化的信息和服务。Web 3.0的关键特点包括智能搜索、语义网、机器学习和个性化推荐等。

Web 4.0: Web 4.0是对未来互联网发展的一个猜测，目前还没有明确的定义。它被认为是在Web 3.0的基础上进一步发展，将更多涉及人工智能、虚拟现实、增强现实和物联网等技术。Web 4.0可能涉及更深入的智能化、更高度个性化的互联网体验，并与物理世界更紧密地融合。

这些Web版本之间的区别主要体现在互动性、用户参与程度和技术的发展。Web 1.0是静态的，用户参与度较低；Web 2.0增加了用户生成内容和社交互动；Web 3.0利用人工智能和语义分析提供更智能和个性化的体验；而Web 4.0则是对未来互联网发展的推测，将涉及更先进的技术和更深入的智能化。

32.单选题 (1分)

Which of the following is not one of the three basic components of cloud computing?_____

- ☐ A
service providers
- ☐ B
wireless connectivity
- ☐ C
the Internet
- ☐ D
clients

本题得分：1分

正确答案: B

33.判断题 (1分)

LinkedIn is a business-oriented social networking site that you should visit if you are looking for professional employment. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

35.单选题 (1分)

This method of file transfer distributes file transfers across many different computers._____

- ☐ A
FTP
- ☐ B
Onedrive.com
- ☐ C
SSP
- ☐ D
BitTorrent

本题得分: 1分

正确答案: D

SSP代表供应方平台 (Supply Side Platform) 。在数字广告行业中, SSP是一种技术平台, 用于管理和优化供应方 (媒体发布者) 的广告库存。它允许媒体发布者通过实时拍卖和自动化方式将其广告库存 (例如网站、移动应用程序、视频广告空间等) 提供给广告买方。SSP提供了一种集中管理和优化广告库存的方式, 以便媒体发布者能够最大化广告收入。

36.单选题 (1分)

In a() _____ sellers post descriptions of products at a website and buyers submit bids electronically.

- ☐ A
Web auction
- ☐ B
digital transaction
- ☐ C
spider commerce
- ☐ D
ActiveX control

本题得分: 0分

正确答案: A

38.单选题 (1分)

Special web browsers, called _____ browsers, are designed to run on portable devices such as cell phones and tablets._____

- ☐ A
mobile
- ☐ B
web-based
- ☐ C
client-based
- ☐ D
cloud

本题得分: 1分

正确答案: A

39.单选题 (1分)

In the URL "http://www.simnetonline.com," ".com" is the _____.

- ☐ A
domain name
- ☐ B
uniform resource locator (URL)
- ☐ C
domain name server (DNS)
- ☐ D
top-level domain (TLD)

本题得分：1分

正确答案： D

域名是用于标识和定位网站的字符串。
URL是用于标识和定位特定资源的字符串，其中包含了访问资源所需的信息。
DNS是将域名转换为与之对应的IP地址的服务。
TLD是域名中的最高级别域名标识符，表示域名的分类或国家/地区标识。
当提及域名、URL、DNS和TLD时，以下是一些例子：

- 1. 域名 (Domain Name) : 例如, "google.com"、"facebook.com"、"wikipedia.org"都是常见的域名。
- 2. 统一资源定位符 (URL): 例如, "https://www.example.com/index.html" 是一个URL，其中包含了协议类型 (HTTPS)、域名 (www.example.com) 和资源路径 (/index.html) 。
- 3. 域名服务器 (DNS): DNS服务器负责将域名转换为相应的IP地址。例如，当你在浏览器中输入"www.example.com"时，DNS服务器将解析该域名并返回与之关联的IP地址，以便进行访问。
- 4. 顶级域名 (TLD): 常见的顶级域名包括:
 - 商业类域名: .com (例如, google.com、amazon.com)
 - 教育机构域名: .edu (例如, mit.edu、harvard.edu)
 - 国家/地区域名: .cn (中国)、.uk (英国)、.jp (日本) 等。

这些例子帮助说明了域名、URL、DNS和TLD之间的不同，并展示了它们在实际互联网环境中的应用。

42.单选题 (1分)

For browsers to connect to resources on the Internet, the location of the resources must be specified through addresses called _____._____

- ☐ A
Hypertext Markup Language (HTML)
- ☐ B
uniform resource locators (URLs)
- ☐ C
top-level domains (TLDs)
- ☐ D
hyperlinks

本题得分：1分

正确答案： B

43.单选题 (1分)

_____ currency is the Internet’s equivalent to traditional cash._____

- ☐ A
Digital
- ☐ B
Currency
- ☐ C
Wiki
- ☐ D
Bit

本题得分：1分

正确答案： A

45.单选题 (1分)

Launched in 1969 as a U.S.-funded project that developed a national computer network, the Internet was initially called _____._____

- ☐ A
NSFNet
- ☐ B
Intranet
- ☐ C
ARPANET
- ☐ D
World Wide Web

本题得分：1分

正确答案： C

46.判断题 (1分)

CAN-SPAM requirements have proven to be more effective than spam blockers at preventing unwanted e-mail. ()

- ☐

- ☐ 本题得分: 0分
正确答案: 错误
51.单选题 (1分)

This method of file transfer has been used for decades and is frequently used for uploading changes to a website hosted by an Internet service provider._____

- ☐ A
SSP
- ☐ B
FTP
- ☐ C
drive.Google.com
- ☐ D
BitTorrent

本题得分: 1分
正确答案: B
52.填空题 (2分)

For browsers to connect to resources on the Internet, the location of the resources must be specified through addresses called URL .

本题得分: 0分
正确答案:

- 填空1** : URLs

53.填空题 (2分)

The protocol hypertext transfer protocol is used for web traffic and is one of the most widely used Internet protocols.

本题得分: 0分
正确答案:

- 填空1** : https

54.单选题 (1分)

One of the most popular microblogging sites is _____.

- ☐ A
Twitter
- ☐ B
Facebook
- ☐ C
Wiki
- ☐ D
Google

本题得分: 1分
正确答案: A
56.判断题 (1分)

Cloud computing has the potential to free end users from owning, maintaining, and storing software and data.()

- ☐
- ☐

本题得分: 1分
正确答案: 正确
57.填空题 (2分)

The Internet is a physical network made up of wires, cables, satellites, and rules for exchanging information between computers connected to the network.

本题得分: 2分
正确答案:

- 填空1** : physical network

59.单选题 (1分)

When evaluating a website's content, whether or not the information is up to date is considered part of the _____ element.

- ☐ A
authority
- ☐ B
objectivity
- ☐ C
accuracy
- ☐ D
currency

本题得分: 1分

正确答案: D

62.单选题 (1分)

A() _____ engine is a specialized program that assists you in locating information on the web and the Internet. _____

- ☐ A
cloud
- ☐ B
micro
- ☐ C
search
- ☐ D
wiki

本题得分: 1分

正确答案: C

66.填空题 (2分)

A(n) microblog allows an individual or company to share posts with an audience; however, they are designed to be used with mobile devices and limit the size of posts.

本题得分: 2分

正确答案:

- **填空1** : microblog

70.单选题 (1分)

_____ are audio programs delivered over the Internet. _____

- ☐ A
Twitter
- ☐ B
Blogs
- ☐ C
Podcasts
- ☐ D
Microblogs

本题得分: 1分

正确答案: C

73.判断题 (1分)

The Apple Health application is a Web 3.0 application. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

74.单选题 (1分)

This type of e-commerce often resembles the electronic version of the classified ads or an auction. _____

- ☐ A
B2C
- ☐ B
C2C
- ☐ C
C2B
- ☐ D
B2B

本题得分: 1分

正确答案: B

75.单选题 (1分)

_____ messaging is the process of sending short electronic messages using a wireless network. _____

- ☐ A
Text
- ☐ B
Podcast
- ☐ C
Webcast
- ☐ D
E-mail

本题得分：1分
正确答案： A
76.判断题 (1分)

Uploading is the process of copying a file from a website to your computer.()

- ☐
- ☐

本题得分：1分

正确答案： 错误
downloading

78.单选题 (1分)

HTML stands for _____._____

- ☐ A
Hyperlink Tools Main Language
- ☐ B
Hypertools Main Linguistics
- ☐ C
Hypertext Markup Language
- ☐ D
Hypertools Markup Linguistics

本题得分：1分
正确答案： C
82.判断题 (1分)

Attachments to e-mail messages can be a document or an image. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确

第三章

1.判断题 (1分)

What-if analysis is a very powerful and simple tool to test the effects of different assumptions in a spreadsheet.

- ☐
- ☐

本题得分: 1分

正确答案: 正确

2.填空题 (2分)

Vector images are made up of geometric shapes or objects.

本题得分: 2分

正确答案:

- 填空1** : Vector

3.单选题 (1分)

As opposed to general-purpose applications, which are widely used in nearly every discipline, _____ applications are more narrowly focused.

- ☐ A
object-oriented
- ☐ B
specialized
- ☐ C
web authoring
- ☐ D
electronic

本题得分: 1分

正确答案: B

与广泛应用于各个领域的通用应用程序不同，专业应用程序更加狭窄地专注于特定领域。

4.判断题 (1分)

Presentation software is an excellent tool to communicate a message and to persuade people.

- ☐
- ☐

本题得分: 1分

正确答案: 正确

5.单选题 (1分)

_____ programs allow you to mix text and graphics to create publications of professional quality.

- ☐ A
Presentation
- ☐ B
Spreadsheet
- ☐ C
Desktop publishing
- ☐ D
Word processing

本题得分: 1分

正确答案: C

6.填空题 (2分)

The electronic equivalent of a file cabinet is a Database .

本题得分: 2分

正确答案:

- 填空1** : database
- 电子文件柜

8.判断题 (1分)

Image editors are used to create and edit vector images.

- ☐
- ☐

本题得分: 1分

正确答案: 错误

10.单选题 (1分)

Office suites are also known as _____ suites.

- ☐ A
symphony
- ☐ B
productivity
- ☐ C
Lotus
- ☐ D
utility

本题得分：1分

正确答案： B

11.填空题 (2分)

Spreadsheet programs organize, analyze, and graph numeric data such as budgets and financial reports.

本题得分：0分

正确答案：

- **填空1** : Spread sheet programs

13.单选题 (1分)

Which of the following is not a popular cloud suite or online office suite?

- ☐ A
Microsoft 365
- ☐ B
Lotus Symphony
- ☐ C
Apple iWorks
- ☐ D
Google Workspace

本题得分：1分

正确答案： B

Lotus Symphony是一款办公套件软件，由IBM（国际商业机器公司）开发和发布。它提供了处理文档、制作表格和创建演示文稿的功能，类似于Microsoft Office套件中的Word、Excel和PowerPoint。

Lotus Symphony最初于2007年发布，它由三个主要组件组成：

1. Symphony文档（Symphony Documents）：用于创建和编辑文档，类似于Microsoft Word。
2. Symphony表格（Symphony Spreadsheets）：用于创建和编辑电子表格，类似于Microsoft Excel。
3. Symphony演示（Symphony Presentations）：用于创建和展示演示文稿，类似于Microsoft PowerPoint。

Lotus Symphony提供了基本的办公套件功能，并支持多种文件格式，包括Microsoft Office的文件格式（如.doc、.xls和.ppt），以及OpenDocument Format（ODF）等开放标准的文件格式。

值得注意的是，IBM于2012年停止了对Lotus Symphony的进一步开发和支持，并推荐用户转向其他办公套件软件，如IBM的后继产品IBM Notes和Apache OpenOffice等。

15.填空题 (2分)

Creating a website is called web authoring .

本题得分：2分

正确答案：

- **填空1** : authoring

16.填空题 (2分)

Templates are used to quickly create a presentation by providing predesigned styles and layouts as well as suggested content based on the type you choose.

本题得分：2分

正确答案：

- **填空1** : Templates

19.填空题 (2分)

In a Ribbon GUI, tabs are used to divide the ribbon into major activity areas.

本题得分：2分

正确答案：

- **填空1** : tabs
- 在Ribbon GUI中，选项卡用于将Ribbon（功能区）分成主要的活动区域。

24.单选题 (1分)

A website that provides access to specific mobile apps that can be downloaded either for a nominal fee or free of charge.

- ☐ A
Mobile store
- ☐ B
App store

- ☐ C
QR store

- ☐ D
Cloud

本题得分: 1分

正确答案: B

31.单选题 (1分)

Specialized and powerful programs, called _____, are typically used to create specialized commercial sites.

- ☐ A
web authoring programs
- ☐ B
microblogs
- ☐ C
hyperlinks
- ☐ D
graphical site maps

本题得分: 1分

正确答案: A

35.单选题 (1分)

Cloud suites are stored at a _____ on the Internet, rather than on your microcomputer.

- ☐ A
pod site
- ☐ B
macrocomputer
- ☐ C
blog site
- ☐ D
server

本题得分: 1分

正确答案: D

36.单选题 (1分)

_____ are used to create text-based documents.

- ☐ A
Word processors
- ☐ B
Spreadsheets
- ☐ C
Databases
- ☐ D
Presentation programs

本题得分: 1分

正确答案: A

39.单选题 (1分)

This type of software can be described as end user software and is used to accomplish a variety of tasks.

- ☐ A
Communications
- ☐ B
System
- ☐ C
Utility
- ☐ D
Application

本题得分: 0分

正确答案: D

42.单选题 (1分)

Web authoring programs that allow you to build a page without interacting directly with HTML code are known as _____.

- ☐ A
flash apps
- ☐ B

- WYSIWYG editors
 - ☐ C
- animation editors
 - ☐ D
- mobile apps

本题得分：1分
正确答案： B
43.单选题 (1分)

_____ provide additional information and request user input.

- ☐ A
Windows
- ☐ B
Dialog boxes
- ☐ C
Toolbars
- ☐ D
Ribbons

本题得分：1分
正确答案： B
44.单选题 (1分)

Image editors edit images consisting of thousands of pixels that form this type of image.

- ☐ A
Object
- ☐ B
Bitmap
- ☐ C
Electronic
- ☐ D
Vector

本题得分：1分
正确答案： B
46.判断题 (1分)

Functions, formulas, charts, and what-if analysis are common features of database management systems.

- ☐
- ☐

本题得分：0分
正确答案： 错误

这句话是错误的，因为数据库管理系统（Database Management Systems, DBMS）通常不包括用于函数、公式、图表和"what-if"分析的功能。数据库管理系统是一种用于管理和组织数据的软件。它主要用于创建、检索、更新和删除数据库中的数据，并提供数据的安全性、完整性和一致性。数据库管理系统提供了一系列功能和工具，例如数据定义语言（DDL）和数据操作语言（DML），用于定义和操作数据库结构和数据。然而，函数、公式、图表以及"what-if"分析通常是与电子表格软件（如Microsoft Excel）或数据分析工具（如统计软件）相关的功能。这些功能用于对数据进行计算、可视化和分析，而不是数据库管理系统的主要特点。

51.判断题 (1分)

The last worksheet in a workbook is often a summary of the preceding worksheets.

- ☐
- ☐

本题得分：1分
正确答案： 错误

这句话是错误的，因为一个工作簿中的最后一个工作表通常不是前面工作表的总结。工作簿是电子表格软件（如Microsoft Excel）中的文件，由多个工作表组成，每个工作表都包含一张电子表格。每个工作表通常用于存储和处理特定的数据或信息。工作簿的最后一个工作表可以包含任何类型的数据或信息，它不一定是前面工作表的总结。在实际情况下，最后一个工作表可能是一个附加的工作表，用于存储额外的数据、备份数据或进行其他特定的任务。它的内容通常与前面的工作表无直接关联。如果需要前面的工作表进行总结，通常会在工作簿中创建一个额外的工作表，专门用于总结和汇总前面工作表中的数据或信息。这样的总结工作表通常位于工作簿的中间位置，而不是最后一个工作表。

52.判断题 (1分)

Many apps are written for a particular type of mobile device and will not run on other types.

- ☐
- ☐

本题得分：1分

正确答案： 正确

59.判断题 (1分)

In a database, primary keys are often used to link tables.

- ☐
- ☐

本题得分： 1分

正确答案： 正确

63.填空题 (2分)

Web authoring programs that allow you to build a page without interacting directly with HTML code are known as WYSIWYG editors .

本题得分： 2分

正确答案：

- 填空1** : WYSIWYG editors

64.单选题 (1分)

These organize commonly used commands into sets of related activities.

- ☐ A
Galleries
- ☐ B Contextual tabs
- ☐ C
Buttons
- ☐ D
Ribbons

本题得分： 1分

正确答案： D

65.判断题 (1分)

Microsoft Word can identify incomplete sentences, awkward wording, and incorrect punctuation.

- ☐
- ☐

本题得分： 1分

正确答案： 正确

66.判断题 (1分)

Worksheets are only used for limited types of applications in certain professions.

- ☐
- ☐

本题得分： 1分

正确答案： 错误

69.判断题 (1分)

In a Ribbon GUI, a gallery displays the additional options.

- ☐
- ☐

本题得分： 1分

正确答案： 正确

70.单选题 (1分)

General-purpose applications include all the following except:

- ☐ A
web authoring
- ☐ B
word processors
- ☐ C
spreadsheets
- ☐ D
database management systems

本题得分： 1分

正确答案： A

72.单选题 (1分)

This type of software works with end users, application software, and computer hardware to handle the majority of technical details.

- ☐ A
Communications
- ☐ B
Application
- ☒ C
System
- ☐ D
Utility

本题得分：1分

正确答案： C

76.判断题 (1分)

Microsoft applications use an interface with traditional menus and toolbars.

- ☐
- ☐

本题得分：1分

正确答案： 错误

这句话是错误的，因为现代的Microsoft应用程序已经转向使用基于Ribbon（功能区）的界面，而不再使用传统的菜单和工具栏。传统的菜单和工具栏界面是早期版本的Microsoft应用程序（如Microsoft Office 2003及之前版本）中常见的用户界面形式。这种界面使用经典的菜单栏（File、Edit、View等）和工具栏（包含图标按钮）来组织和呈现应用程序的功能和选项。然而，自Microsoft Office 2007发布以来，Microsoft应用程序（如Microsoft Word、Excel、PowerPoint等）开始采用了Ribbon界面，取代了传统的菜单和工具栏。Ribbon界面是一种基于选项卡和组的更现代化的用户界面形式，它将各种功能和选项以更直观和可视化的方式呈现给用户。Ribbon界面通过选项卡划分为不同的功能区域，每个功能区域包含与特定任务或活动相关的组。每个组内部有相关的命令按钮和选项。这种界面设计使得用户可以更快速、直观地访问和使用应用程序的功能。因此，现代的Microsoft应用程序已经不再使用传统的菜单和工具栏界面，而是采用了Ribbon界面作为主要的用户界面形式。

86.判断题 (1分)

Illustration programs are specialized graphics programs for editing bitmap or raster images.

- ☐
- ☐

本题得分：1分

正确答案： 错误

这句话是错误的，因为插图程序（Illustration programs）是专门用于编辑矢量图像（vector images），而不是位图或栅格图像（bitmap or raster images）的图形程序。插图程序是一类专门用于创建和编辑矢量图形的软件。它们提供了各种工具和功能，可以使用直线、曲线、基本几何形状和路径来创建艺术性、图表、图标、矢量图等类型的图像。插图程序的一个典型例子是Adobe Illustrator。相比之下，位图或栅格图像是由像素组成的图像，每个像素都包含颜色信息。位图图像通常在每个像素上定义了明确的颜色和位置。典型的位图图像格式包括JPEG、PNG和GIF。编辑位图或栅格图像的任务通常由图像编辑器（如Adobe Photoshop、GIMP等）来完成，而不是插图程序。图像编辑器提供了各种功能和工具，可用于修改、调整颜色、裁剪和处理位图图像的各个像素。因此，原句中插图程序与位图或栅格图像编辑联系起来是错误的。插图程序主要用于编辑矢量图像，而不是位图或栅格图像。

第四章

1.单选题 (1分)

_____ is an operating system widely used by servers on the web, mainframe computers, and very powerful personal computers.

- ☐ A
UNIX
- ☐ B
Windows
- ☐ C
macOS
- ☐ D
Lotus

本题得分：1分

正确答案： A

6.判断题 (1分)

Starting or restarting a computer is called tasking the system. ()

- ☐
- ☐

本题得分：1分

正确答案： 错误

boosting

7.单选题 (1分)

This type of embedded operating system is used by cell phones. ()

- ☐ A
Mobile
- ☐ B
Desktop
- ☐ C
Stand-alone
- ☐ D
Network

本题得分：1分

正确答案： A

嵌入式

8.单选题 (1分)

A() _____ converts the programming instructions written by programmers into a language that the computer understands and processes.

- ☐ A
utility
- ☐ B
app
- ☐ C
device driver
- ☐ D
language translator

本题得分：1分

正确答案： D

9.判断题 (1分)

Antivirus programs guard your computer system against viruses or other damaging programs that can invade your computer system. ()

- ☐
- ☐

本题得分：1分

正确答案： 正确

13.单选题 (1分)

In a virtualized environment, the operating system of each virtual machine is known as the _____ operating system.

- ☐ A
home
- ☐ B

- ☐ C
client
- ☐ D
host

本题得分：1分

正确答案： B

客户机

14.填空题 (2分)

Cell phone operating systems are a type of real-time operating system.

本题得分：2分

正确答案：

- **填空1** : real-time

16.填空题 (2分)

Icons are graphic representations for a program, type of file, or function.

本题得分：2分

正确答案：

- **填空1** : Icons

17.判断题 (1分)

In a network environment, the network server computer coordinates all communications between the other computers. ()

- ☐
- ☐

本题得分：1分

正确答案： 正确

18.填空题 (2分)

Virtualization refers to the process whereby a single physical computer can support multiple operating systems.

本题得分：2分

正确答案：

- **填空1** : Virtualization

19.单选题 (1分)

Which of the following is not a system software program type? ()

- ☐ A
Language translators
- ☐ B
Device drivers
- ☐ C
Storage
- ☐ D
Utilities

本题得分：1分

正确答案： C

20.填空题 (2分)

The operating system coordinates computer resources, provides the user interface, and runs applications.

本题得分：2分

正确答案：

- **填空1** : operating

24.填空题 (2分)

Search programs help solve the problem of running out of storage space by providing lists of application programs, stored videos, and other program files so that you can eliminate unused applications or archive large files elsewhere.

本题得分：0分

正确答案：

- **填空1** : Storage management
- 存储管理程序通过提供应用程序列表、存储的视频和其他程序文件来解决存储空间不足的问题，以便您可以删除未使用的应用程序或将大文件存档到其他位置。

26.单选题 (1分)

Most _____ are accompanied by several common utility programs, including a search program, a storage management program, and a backup program.

- ☐ A
servers
- ☐ B
operating systems

- ☐ C
virtual assistants
- ☐ D
virtual machines

本题得分：1分

正确答案： B

27.填空题 (2分)

Troubleshooting or diagnostic programs recognize and correct problems.

本题得分：2分

正确答案：

- 填空1** : Troubleshooting

29.填空题 (2分)

The operating system is often referred to as the software environment or software platform .

本题得分：2分

正确答案：

- 填空1** : platform

31.单选题 (1分)

_____ operating systems are used to control and coordinate computers that are linked together.

- ☐ A
Embedded
- ☐ B
Network
- ☐ C
Stand-alone
- ☐ D
Real-time

本题得分：1分

正确答案： B

32.单选题 (1分)

This type of boot occurs when the computer is already on and you restart it without turning off the power. ()

- ☐ A
Generic boot
- ☐ B
Live boot
- ☐ C
Warm boot
- ☐ D
Cold boot

本题得分：1分

正确答案： C

这四个词都与计算机的启动过程有关，下面是它们的解释和区别：

1. Generic boot (通用启动)：通常指计算机的正常启动过程，其中计算机硬件和操作系统按照预定的顺序加载并初始化。这是指普通的、标准的启动流程。
 2. Live boot (即插即用启动)：也称为即插即用启动或可移动启动，是指从可移动介质（如USB驱动器、光盘或网络）启动计算机并运行操作系统，而不需要将操作系统安装到计算机的硬盘上。Live boot可让用户在不改变计算机配置或系统状态的情况下尝试或体验操作系统。
 3. Warm boot (热启动)：也称为软启动，是指通过操作系统或特定的命令重新启动计算机，而无需完全断电。在热启动中，计算机会重新加载操作系统和其他必要的组件，但不会执行硬件自检和初始化过程。这种启动方式通常更快，因为它避免了计算机硬件重新启动的时间。
 4. Cold boot (冷启动)：也称为硬启动，是指通过完全断电并重新启动计算机来启动系统。在冷启动过程中，计算机会执行自检（POST）和硬件初始化过程，然后加载操作系统和其他软件。冷启动可用于解决某些硬件或软件问题，因为它可以清除临时存储和重置计算机的状态。
- 这四个术语的区别在于启动过程的具体情况和方法。Generic boot是指正常的标准启动过程，Live boot是通过可移动介质启动操作系统，Warm boot是通过操作系统或命令重新启动计算机，而Cold boot是通过完全断电并重新启动计算机。

34.填空题 (2分)

Virtual assistants accept commands through text or speech to allow intuitive interaction with your computer, cell phone, or tablet and coordinate personal data across multiple applications.

本题得分：0分

正确答案：

- 填空1** : Virtualassistants

36.判断题 (1分)

System software cannot handle technical details without user intervention. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

38.单选题 (1分)

A computer can become infected with viruses in all the following ways, except by ____.

- ☐ A
opening attachments to e-mail messages
- ☐ B
creating a new folder on your computer
- ☐ C
downloading files from the Web
- ☐ D
downloading software from the Internet

本题得分: 0分

正确答案: C

40.填空题 (2分)

System software consists of operating systems, utilities, device drivers, and language translators.

本题得分: 2分

正确答案:

- **填空1** : System

41.单选题 (1分)

In a network operating system, this computer coordinates all communication between computers. ()

- ☐ A
Server
- ☐ B
Mode
- ☐ C
Client
- ☐ D
Terminal

本题得分: 1分

正确答案: A

42.单选题 (1分)

_____ are specialized programs designed to make computing easier.

- ☐ A
Device drivers
- ☐ B
Language translators
- ☐ C
Utilities
- ☐ D
Virtualization assistants

本题得分: 1分

正确答案: C

47.单选题 (1分)

In a virtualized environment, this operating system runs on the physical machine. ()

- ☐ A
Host
- ☐ B
Client
- ☐ C
Home
- ☐ D
Guest

本题得分: 1分

正确答案: A

50.单选题 (1分)

Microsoft Windows 11 has the virtual assistant:

- ☐ A
Alexa
- ☐ B
Google Assistant
- ☐ C
Cortana
- ☐ D
Siri

本题得分: 1分

正确答案: C

51.判断题 (1分)

Because macOS 12 Monterey market share is so large, more application programs are developed to run under macOS 12 than any other operating system. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

54.单选题 (1分)

In many application programs, this feature is used to provide information or request input. ()

- ☐ A
Windows
- ☐ B
Pointer
- ☐ C
Menus
- ☐ D
Dialog boxes

本题得分: 1分

正确答案: D

55.填空题 (2分)

Antivirus programs, backup programs, and virtual assistants are all examples of operating system programs.

本题得分: 0分

正确答案:

- 填空1**: utility

56.判断题 (1分)

Google's Chrome OS integrates with web servers using cloud computing and storage to run applications and to perform other functions. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

62.判断题 (1分)

A standard desktop computer comes with an embedded operating system. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

63.单选题 (1分)

This version of macOS includes the ability to control multiple devices from one keyboard and mouse, improved videoconferencing tools, and ways to customize notifications to reduce distractions when working. ()

- ☐ A
Mojave
- ☐ B
High Sierra
- ☐ C
Monterey
- ☐ D
Yosemite

本题得分: 0分

正确答案: C

这四个词都是苹果公司发布的不同版本的 macOS 操作系统的名称，下面是它们的解释：

- 1. Mojave（莫哈韦）：macOS Mojave是苹果公司于2018年发布的操作系统版本。它引入了一些新的功能和改进，包括动态桌面背景、暗色模式、新的应用程序组织方式以及增强的隐私和安全性。
 - 2. High Sierra（高西拉）：macOS High Sierra是苹果公司于2017年发布的操作系统版本。它在外观上与前一个版本（Sierra）相似，但引入了一些性能改进和新功能，如文件系统升级、改进的图像和视频处理、Safari浏览器的改进等。
 - 3. Monterey（蒙特利）：macOS Monterey是预计于2021年发布的苹果公司最新操作系统版本。它将提供一些新的功能和改进，包括全新的设计、增强的通讯和协作工具、改进的隐私功能、支持更好的跨设备体验等。
 - 4. Yosemite（优胜美地）：macOS Yosemite是苹果公司于2014年发布的操作系统版本。它引入了全新的设计语言，包括扁平化界面、透明效果和重新设计的应用程序图标。Yosemite还提供了一些新的功能和改进，如增强的通知中心、改进的Spotlight搜索和iCloud Drive集成。
- 这些名称代表了苹果公司为其不同版本的操作系统选择的命名主题，通常与旅游胜地或地理特征有关。

66.判断题 (1分)

Programs such as word processors and spreadsheets are known as utilities. ()

- ☐
- ☐

本题得分：1分

正确答案： 错误

这句话是错误的。字处理器和电子表格等程序通常不被称为"utilities"（实用程序）。实用程序是指设计用于执行特定任务或提供特定功能的软件程序，用于计算机系统的操作和维护。实用程序的例子包括防病毒软件、磁盘管理工具、备份程序和系统优化工具。而字处理器和电子表格是生产力应用程序或办公软件，用于创建和编辑文档、管理数据和进行计算。虽然它们是重要的软件工具，但它们并不被归类为"utilities"（实用程序）。

70.判断题 (1分)

Cell phones generally include a network operating system. ()

- ☐
- ☐

本题得分：0分

正确答案： 错误

这句话是错误的。智能手机通常不包含网络操作系统。智能手机使用的操作系统通常是移动操作系统，如Android或iOS。这些操作系统专门为移动设备设计，提供了移动应用程序的支持，管理与通信、互联网和媒体相关的功能。网络操作系统通常指用于管理和控制计算机网络的操作系统，而不是智能手机所使用的操作系统。

72.填空题 (2分)

Windows Server is an example of a network operating system.

本题得分：2分

正确答案：

-

74.单选题 (1分)

The category of operating system used for small electronic devices. ()

- ☐ A
Network
- ☐ B
Stand-alone
- ☐ C
Open source
- ☐ D
Embedded

本题得分：1分

正确答案： D

76.单选题 (1分)

Which of the following is not a popular desktop operating system? ()

- ☐ A
Windows 11
- ☐ B
macOS 12
- ☐ C
Android
- ☐ D
Linux

本题得分：1分

正确答案： C

- ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

•

•

• ☐

• ☐

•

• ☐

• ☐

• ☐

• ☐

•

•

• ☐

• ☐

• ☐

• ☐

•

- [illegible]

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

•

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

•

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐

• ☐



第五章

1.单选题 (1分)

These types of ports typically provide high-definition video and audio, making it possible to use a computer as a video jukebox or an HD video recorder. ()

- ☐ A
HDMI
- ☐ B
Firewire
- ☐ C
Thunderbolt 3
- ☐ D
Ethernet

本题得分：0分

正确答案： A

HDMI（高清多媒体接口）：一种数字音视频接口标准，用于传输高质量的高清视频和多声道音频信号。常用于连接计算机、电视、音响系统等设备。

Firewire（火线）：又称为IEEE 1394接口，是一种高速串行数据传输接口，可用于连接计算机与外部设备，例如摄像机、硬盘驱动器和音频设备等。

Thunderbolt 3（雷电3）：一种高速串行接口技术，支持数据传输、视频输出、电源供应和其他功能。它使用USB-C连接器，并提供高速数据传输和视频传输功能。

Ethernet（以太网）：一种局域网技术，用于在计算机和其他设备之间传输数据。以太网常用于连接计算机网络中的各种设备，如计算机、打印机、路由器和交换机等。

2.多选题 (1分)

Network interface cards (NIC) are connected through ____ on the system board.

- ☐ A
expansion slots
- ☐ B
ports
- ☐ C
wireless network cards
- ☐ D
sound cards

本题得分：1分

正确答案： A (少选不得分)

声卡

3.填空题 (2分)

Wireless network cards allow computers to be connected without cables.

本题得分：2分

正确答案：

- 填空1** : Wireless network cards

4.单选题 (1分)

These specialty chips are designed to improve specific computing operations such as displaying 3-D images and encrypting data. ()

- ☐ A
CPUs
- ☐ B
Smartcards
- ☐ C
Coprocessors
- ☐ D
NIC cards

本题得分：1分

正确答案： C

CPUs（中央处理器）：也称为处理器或微处理器，是计算机系统中的核心组件之一。它执行计算机指令并控制计算机的操作。CPU负责执行各种算术、逻辑、控制和输入/输出操作，是计算机的大脑。

Smartcards（智能卡）：一种小型的塑料卡片，内置了集成电路芯片。智能卡通常用于存储和处理数据，并提供安全的身份验证和授权功能。它们广泛应用于电子支付系统、身份验证系统、门禁控制系统等领域。

Coprocessors（协处理器）：也称为辅助处理器，是与主CPU合作工作的处理器。它们被用来加速特定类型的计算任务，如图形处理、浮点运算、加密解密等。协处理器的存在可以提高计算机系统的性能和效率。

NIC cards（网络接口卡）：也称为网络适配器或网卡，是计算机与计算机网络之间进行数据传输的接口。网卡通常安装在计算机上，并提供与网络连接的功能。它使计算机能够通过网络发送和接收数据，以实现网络通信和互联网连接。

加密处理器

5.单选题 (1分)

A ____ is the number of bits that can be accessed at one time by the CPU.

- ☐ A
bit rate
- ☐ B
character
- ☐ C
word
- ☐ D
pulse width

本题得分：1分

正确答案： C
一个字是CPU一次可以访问的比特数。

6.填空题 (2分)

The number of bits that can travel simultaneously down a bus is known as the bus width .

本题得分：2分

正确答案：

- 填空1** : width
- 能够同时传输的比特数量被称为总线宽度。

7.单选题 (1分)

____ allow a single computer to run two or more operations at the same time.

- ☐ A
Multicore processors
- ☐ B
Graphics processors
- ☐ C
Parallel processors
- ☐ D
Coprocessors

本题得分：0分

正确答案： C
非常抱歉，我之前的回答有误。确实， "multicore processors"（多核处理器）是一个更准确的术语，而"parallel processors"（并行处理器）是一个更广泛的概念。让我更详细地解释一下：

- "Multicore processors" 是指在单个物理芯片上集成了多个独立的处理核心。每个核心都可以独立执行指令，因此允许单台计算机同时运行多个操作。这些核心之间可以通过共享内存或其他通信方式进行协调和同步。

- "Parallel processors" 是一个更一般性的术语，用于描述可以同时执行多个操作的处理器或计算系统。它不仅包括多核处理器，还包括其他形式的并行计算，例如使用多个独立的处理器、多台计算机进行分布式计算等。

因此， "parallel processors"可以更广泛地包含"multicore processors"，而后者是前者的一种特殊形式。非常抱歉之前给出的错误回答，感谢您的指正。

8.判断题 (1分)

The system unit, also known as the system chassis, is a container that houses most of the electronic components that make up a computer system. ()

- ☐

• ☐
本题得分：1分

正确答案： 正确

系统单元，也称为系统机箱，是一个容器，用于容纳组成计算机系统的大部分电子元件。

解释：
系统单元是计算机系统中的一个关键组件，它承载着许多电子元件。它通常采用机箱的形式，提供一个保护和支撑电子组件的结构。系统单元的主要功能是为计算机系统提供物理支持和保护，同时提供连接和交互的接口。

系统单元通常包含主板（Motherboard），它是连接各个组件的核心电路板。其他重要的电子组件可能包括中央处理器（CPU）、内存（RAM）、硬盘驱动器、光驱、电源和扩展卡等。这些组件共同工作，使得计算机能够运行程序、存储数据和完成各种任务。

通过使用系统单元，计算机的电子组件得到保护，并能够协调和协同工作。它还提供了外部接口，如USB端口、音频接口和显示端口等，使得用户可以连接设备、外部存储器、显示器和其他外部设备。

总而言之，系统单元是计算机系统的核心部件，承载着大部分的电子元件，并提供了物理支持、保护和接口连接功能。

9.判断题 (1分)

Virtual memory is stored on a RAM chip. ()

• ☐
• ☐

本题得分：1分

正确答案： 错误

这句话是不准确的。正确的表述应该是："Virtual memory is stored on a hard disk, not a RAM chip."

虚拟内存是存储在硬盘上的，而不是存储在RAM芯片上。虚拟内存是一种计算机系统使用的技术，它允许操作系统将部分存储在RAM中的数据移至硬盘上，以释放RAM空间供其他程序使用。当RAM中的内存不足时，操作系统会将一部分数据从RAM转移到硬盘上的虚拟内存空间中。

RAM芯片是主要的随机存取存储器，用于临时存储正在执行的程序和数据。虚拟内存则是一个抽象的概念，它是通过操作系统和硬盘之间的交互来实现的。当程序需要访问虚拟内存中的数据时，操作系统将相应的数据从硬盘中读取到RAM中，以便程序进行处理。

因此，虚拟内存存储在硬盘上，而不是RAM芯片上。

10.判断题 (1分)

DVI ports provide connections to digital monitors. ()

• ☐
• ☐

本题得分：1分

正确答案： 正确

11.判断题 (1分)

ASCII supports languages such as Chinese and Japanese. ()

• ☐
• ☐

本题得分：1分

正确答案： 错误

12.单选题 (1分)

The ____ system consists of only two digits—0 and 1.

- ☐ A
multiplexing
- ☐ B
coprocessor
- ☐ C
multicore
- ☐ D
binary

本题得分：1分

正确答案： D

二进制

14.单选题 (1分)

Which of the following offers a combination of the features of RAM and ROM? ()

- ☐ A
DDR
- ☐ B
Flash memory
- ☐ C
DRAM
- ☐ D
Cache memory

本题得分: 1分

正确答案: B

15.判断题 (1分)

Computers require direct current (DC) to power their electronic components and to represent data and instructions. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

16.单选题 (1分)

Laptops typically use _____ that are typically located outside the system unit.

- ☐ A
AC adapters
- ☐ B
power supply units
- ☐ C
MiniDC
- ☐ D
batteries

本题得分: 0分

正确答案: D

笔记本电脑通常使用位于系统单元外部的电池。

17.单选题 (1分)

With this type of memory, large programs are divided into parts and the parts are stored on a secondary device, usually a hard disk. ()

- ☐ A
Virtual
- ☐ B
Cache
- ☐ C
Extended
- ☐ D
Flash

本题得分: 1分

正确答案: A

18.单选题 (1分)

_____ ports are the standard high-speed networking ports for many of today's computers.

- ☐ A
ASCII
- ☐ B
Specialized
- ☐ C
Bus
- ☐ D
Ethernet

本题得分: 1分

正确答案: D

23.填空题 (2分)

Most desktop and laptop computers come with a standard set of ports for connecting peripherals , such as a monitor and keyboard.

本题得分: 0分

正确答案:

- **填空1** : ethernet

24.填空题 (2分)

The most widely used character encoding standard today is Unicode .

本题得分: 2分

正确答案:

- **填空1** : Unicode

25.判断题 (1分)

Graphics cards connect the system board to secondary storage. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

显卡 (Graphics cards) 并不直接连接系统主板与二级存储器。显卡主要用于处理图形和视频相关的任务, 包括图像渲染、视频解码和显示输出等。它通常与系统主板通过 PCIe插槽进行连接, 而不是直接连接到二级存储器。二级存储器 (如硬盘驱动器或固态硬盘) 则是用于存储数据的设备, 通过存储控制器与主板连接。

27.填空题 (2分)

System board buses connect the CPU to memory on the system board.

本题得分: 0分

正确答案:

- **填空1** : System

28.单选题 (1分)

Which of the following can be used to connect several devices to the system unit and are widely used to connect keyboards, mice, printers, storage devices, and a variety of specialty devices? ()

- ☐ A
Firewire bus
- ☐ B
USB port
- ☐ C
SATA
- ☐ D
Parallel port

本题得分: 1分

正确答案: B

33.判断题 (1分)

DP are an audiovisual port typically used to connect large monitors. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

34.单选题 (1分)

A type of specialty processor devoted exclusively to protecting your privacy. ()

- ☐ A
Data cards
- ☐ B
Micro cards
- ☐ C
Cryptoprocessor
- ☐ D
Embedded cards

本题得分: 1分

正确答案: C

36.填空题 (2分)

Desktop computers have a(n) power supply unit, located within the system unit, which plugs into a standard wall outlet, converts AC to DC, and provides the power to drive all the system unit components.

本题得分: 2分

正确答案:

- **填空1** : power supply

38.单选题 (1分)

On the motherboard, the connection points for chips are referred to as ____.

- ☐ A
sockets
- ☐ B
ports
- ☐ C
slots
- ☐ D
lines

本题得分: 1分

正确答案: A

39.判断题 (1分)

Parallel processing requires a computer to perform one complete task before beginning the next task. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

42.单选题 (1分)

Integrated circuits typically are mounted on ____, which are then plugged into the system board.

- ☐ A
slots
- ☐ B
ports
- ☐ C
chip carriers
- ☐ D
pins

本题得分: 1分

正确答案: C

43.填空题 (2分)

Thunderbolt 3 ports are a high-speed version of USB-C ports.

本题得分: 2分

正确答案:

- **填空1** : Thunderbolt3 / Thunderbolt 3

44.填空题 (2分)

The system board is also known as the motherboard .

本题得分: 2分

正确答案:

- **填空1** : motherboard

45.单选题 (1分)

Tiny circuit boards etched onto squares of sandlike material, called silicon, are called ____.

- ☐ A
buses
- ☐ B
slots
- ☐ C
chips
- ☐ D
sockets

本题得分: 1分

正确答案: C

46.单选题 (1分)

Which of the following ports is the port found on most laptops and desktops? ()

- ☐ A
FireWire
- ☐ B

- ☐ A
USB-A
 - ☐ B
Thunderbolt 3
 - ☐ C
USB-C
- 本题得分: 1分
正确答案: B
47.单选题 (1分)

Which of the following allows a computer to run two or more operations simultaneously? ()

- ☐ A
Multiplexing
- ☐ B
Multicore processors
- ☐ C
Binary system
- ☐ D
Coprocessors

本题得分: 1分

正确答案: B

p优先

48.单选题 (1分)

In most personal computer systems, the CPU is contained on a single chip called the ____.

- ☐ A
microprocessor
- ☐ B
control unit
- ☐ C
ALU
- ☐ D
semiconductor

本题得分: 1分

正确答案: A

49.单选题 (1分)

For multicore processors to be used effectively, computers must understand how to divide tasks into parts that can be distributed across each core—an operation called ____.

- ☐ A
arithmetic-logic processing
- ☐ B
multiplexer processing
- ☐ C
parallel processing
- ☐ D
graphics coprocessing

本题得分: 1分

正确答案: C

50.判断题 (1分)

The control unit directs the movement of electronic signals between the memory and the ALU. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

51.单选题 (1分)

_____ ports are audiovisual ports typically used to connect large monitors.

- ☐ A
Display
- ☐ B
USB-C
- ☐ C
FireWire

- ☐ D
Thunderbolt 3
本题得分：0分
正确答案：B

54.单选题 (1分)

This character encoding scheme allows non-English characters and special characters to be represented. ()

- ☐ A
ANSIC
- ☐ B
ASCII
- ☐ C
Unicode
- ☐ D
EBCDIC

本题得分：1分
正确答案：C

55.填空题 (2分)

Laptops typically use AC adapters that are typically located outside the system unit.

本题得分：0分
正确答案：

- 填空1** : batteries

56.填空题 (2分)

Display ports are audiovisual ports typically used to connect large monitors. They are popular on gaming computers with high-end graphics cards.

本题得分：2分
正确答案：

- 填空1** : Display

62.单选题 (1分)

Pathways that support communication among the various electronic components on the system board are called ____.

- ☐ A
network lines
- ☐ B
bus lines
- ☐ C
logic paths
- ☐ D
gate ways

本题得分：1分
正确答案：B

65.单选题 (1分)

____, also known as mini notebooks, are lighter and thinner with longer battery life than most laptops.

- ☐ A
Tablets
- ☐ B
Semiconductors
- ☐ C
Microprocessors
- ☐ D
Ultrabooks

本题得分：1分
正确答案：D

66.填空题 (2分)

FireWire ports provide high-speed connections to specialized devices such as camcorders and storage devices.

本题得分：2分
正确答案：

- 填空1** : FireWire
- firewall

67.单选题 (1分)

____ ports provide high-speed connections to specialized devices such as camcorders and storage devices.

- ☐ A
FireWire
- ☐ B
USB
- ☐ C
Thunderbolt 3
- ☐ D
DVI

本题得分: 1分

正确答案: A

69.填空题 (2分)

The processing speed of a microprocessor is typically represented by its clock speed .

本题得分: 2分

正确答案:

- 填空1** : clock speed

81.单选题 (1分)

With these systems, input and output devices are located outside the system unit. ()

- ☐ A
Laptop computers
- ☐ B
Personal digital assistants
- ☐ C
Smartphones
- ☐ D
Desktop systems

本题得分: 1分

正确答案: D

83.单选题 (1分)

_____ operations consist of making comparisons.

- ☐ A
Logical
- ☐ B
Multicore
- ☐ C
Specialty
- ☐ D
Microprocessor

本题得分: 1分

正确答案: A

85.单选题 (1分)

Most desktop and laptop computers come with a standard set of ports for connecting _____, such as a monitor and keyboard.

- ☐ A
FireWire devices
- ☐ B
peripherals
- ☐ C
HDMIIs
- ☐ D
ethernets

本题得分: 0分

正确答案: D

86.判断题 (1分)

The ALU tells the rest of the computer system how to carry out a program's instructions. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

控制器

87.填空题 (2分)

All the following are commonly used units of measurement to describe memory capacity, except nanobyte (NB) .

本题得分: 0分

正确答案:

- **填空1** : nano byte / NB

89.单选题 (1分)

Which of the following is not a character encoding standard? ()

- ☐ A
ASCII
- ☐ B
Unicode
- ☐ C
CISC
- ☐ D
EBCDIC

本题得分: 1分

正确答案: C

94.判断题 (1分)

Read-only memory (ROM. chips have information stored in them by the manufacturer. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

95.判断题 (1分)

Cables are used to connect exterior devices to the system unit via the ports. One end of the cable is attached to the device, and the other end has a connector that is attached to a matching connector on the port. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

96.单选题 (1分)

_____ memory uses the hard drive to substitute for RAM.

- ☐ A
Hard drive
- ☐ B
Virtual
- ☐ C
Flash
- ☐ D
Cache

本题得分: 1分

正确答案: B

99.填空题 (2分)

Ultrabooks , also known as mini notebooks, are lighter and thinner with longer battery life than most laptops.

本题得分: 2分

正确答案:

- **填空1** : Ultrabooks

106.单选题 (1分)

When you reboot your system, the computer follows start-up instructions stored in this type of memory. ()

- ☐ A
Cache
- ☐ B
Flash
- ☐ C
SDRAM
- ☐ D
DRAM

本题得分: 1分

正确答案: B

Chapter 5 Online Assignment

第六章

2.单选题 (1分)

Flatbed, document, and portable are types of ____ that accept documents and convert them into machine-readable form.

- ☐ A
optical scanners
- ☐ B
RFID readers
- ☐ C
recognition devices
- ☐ D
coprocessors

本题得分: 1分

正确答案: A

3.单选题 (1分)

____ tags are tiny chips that can be embedded into almost anything and contain information used to track and locate lost pets; to monitor production and update inventory; to record prices, product descriptions, and locations of retail items.

- ☐ A
UPC
- ☐ B
Bar code
- ☐ C
OCR
- ☐ D
RFID

本题得分: 1分

正确答案: D

4.填空题 (2分)

Thermal printers are widely used with ATMs.

本题得分: 2分

正确答案:

- **填空1** : Thermal

5.单选题 (1分)

____-input devices convert sounds into a form that can be processed by the system unit.

- ☐ A
Plotting
- ☐ B
Audio
- ☐ C
Electrolyzing
- ☐ D
Webcam

本题得分: 1分

正确答案: B

6.单选题 (1分)

Which of the following have sensors that collect data about your hand movements? ()

- ☐ A
Unmanned aerial vehicles (UAV)
- ☐ B
VR controllers
- ☐ C
Multifunctional devices
- ☐ D
PDAs

本题得分: 1分

正确答案: B

以下是这四个词的解释:

1. 无人机 (Unmanned Aerial Vehicles, UAV) : 无人机是指没有人员搭乘的飞行器, 可以通过遥控或预设的自动化程序进行操作。无人机通常用于各种任务, 包括航拍、军事侦察、科学研究等。

2. 虚拟现实控制器（VR controllers）：虚拟现实控制器是一种用于与虚拟现实环境进行交互的设备。它通常由手柄、按钮、传感器等组成，可以感知用户的动作和手势，将其转化为虚拟世界中的操作和动作。
3. 多功能设备（Multifunctional devices）：多功能设备指同时具备多种功能的设备。常见的例子是多功能打印机，它可以打印、复印、扫描和传真等多种功能集于一体。
4. 个人数码助理（Personal Digital Assistants, PDAs）：个人数码助理是一种便携式电子设备，用于管理个人信息和执行简单计算任务。它们通常具有日历、备忘录、联系人管理、计算器等功能，并且能够与计算机同步数据。随着智能手机的普及，传统意义上的PDA已经逐渐被取代。

7.判断题 (1分)

Robots use cameras, microphones, and other sensors as inputs; outputs can be as complex as exploring damaged nuclear reactors to as simple as taking a photo. ()

- ☐
- ☐

本题得分： 1分
正确答案： 正确

8.填空题 (2分)

Dot pitch is the distance between pixels on a monitor.

本题得分： 2分
正确答案：

- 填空1** : Dot pitch

10.单选题 (1分)

Bar code readers use _____ embedded in them to read bar codes.

- ☐ A
magnetic cells
- ☐ B
photoelectric cells
- ☐ C
coprocessors
- ☐ D
RFID microchip

本题得分： 1分
正确答案： B

"Photoelectric cells" (光电池) 是一种装置，也被称为光电二极管或光电传感器。它们是一种能够将光能转换为电能的器件。光电池通常由半导体材料制成，当光照射到其表面时，光子会激发内部的电子，从而产生电流。这种装置在许多应用中被广泛使用，包括光电传感器、太阳能电池和光电探测器等。

11.判断题 (1分)

One particular type of RSI, carpal tunnel syndrome, found among heavy computer users, consists of damage to nerves and tendons in the hands. ()

- ☐
- ☐

本题得分： 1分
正确答案： 正确

13.单选题 (1分)

The proportional relationship between a display's width and height. ()

- ☐ A
Dot pitch
- ☐ B
Resolution
- ☐ C
Clock speed
- ☐ D
Aspect ratio

本题得分： 1分
正确答案： D

14.单选题 (1分)

3D printers, also known as _____, create three-dimensional shapes by adding very thin layer after layer of material until the final shape is fully formed.

- ☐ A
additive manufacturing
- ☐ B
cloud printing
- ☐ C
virtual reality

- ☐ D
multifunctional printing

本题得分: 1分

正确答案: A

16.单选题 (1分)

The size, or _____, is measured by the diagonal length of a monitor's viewing area.

- ☐ A
resolution
- ☐ B
active display area
- ☐ C
dot pitch
- ☐ D
aspect ratio

本题得分: 1分

正确答案: B

17.判断题 (1分)

Shared laser printers typically support color, are more expensive, and are used by a group of people. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

21.单选题 (1分)

The most common card reader is the _____ card reader which reads encoded information stored on a thin magnetic strip located on the back of the card.

- ☐ A
OCR
- ☐ B
bar code
- ☐ C
QR code
- ☐ D
magnetic

本题得分: 1分

正确答案: D

22.单选题 (1分)

This penlike device is typically used with tablets and mobile devices. ()

- ☐ A
Mechanical pencil
- ☐ B
Multitouch device
- ☐ C
Game controller
- ☐ D
Stylus

本题得分: 1分

正确答案: D

23.判断题 (1分)

Combination keys perform an action when held down in combination with another key. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

24.填空题 (2分)

Optical-mark recognition is often used to score standardized multiple-choice tests.

本题得分: 2分

正确答案:

- 填空1** : Optical-mark / optical mark

26.填空题 (2分)

Laser printers use a technology similar to that used in a photocopying machine.

本题得分: 2分

正确答案:

- **填空1** : Laser

27.判断题 (1分)

E-ink produces images that reflect light like ordinary paper, making the display easy to read. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

28.单选题 (1分)

_____ is any data or instructions that are entered into a computer.

- ☐ A
Output
- ☐ B
Digital
- ☐ C
Input
- ☐ D
Information

本题得分: 0分

正确答案: B

29.单选题 (1分)

_____ are specialized digital video cameras that capture images and send them to a computer for broadcast over the Internet.

- ☐ A
Pods
- ☐ B
Stylus
- ☐ C
Webcams
- ☐ D
RFIDs

本题得分: 1分

正确答案: C

30.填空题 (2分)

Plotters are special-purpose printers that use output from graphics tablets or other graphical input devices that are typically found in architectural and engineering environments.

本题得分: 2分

正确答案:

- **填空1** : Plotters
- 绘图仪 (Plotters) 是一种专用打印机, 使用来自绘图板或其他图形输入设备的输出, 通常用于建筑和工程环境中。

32.判断题 (1分)

Multifunctional devices () are used to capture as well as play back recorded sounds. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

39.单选题 (1分)

What kind of specialized monitor is used for cell phones with screens that wrap around the edges of the phone and for curved monitors whose edges wrap toward the viewer? ()

- ☐ A
Digital projector
- ☐ B
Interactive whiteboard
- ☐ C
Flat-panel monitor
- ☐ D
Flexible screens

本题得分: 1分

正确答案: D

用于屏幕环绕手机和边缘向观看者弯曲的曲面显示器的特殊监视器是什么类型的?

44.单选题 (1分)

Type of keyboard that uses a touch screen as the input device. ()

- ☐ A
Virtual
- ☐ B
PDA
- ☐ C
Traditional
- ☐ D
Wireless

本题得分: 1分

正确答案: A

48.判断题 (1分)

Unmanned aerial vehicles (UAV. are too expensive for anything but military budgets. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

50.单选题 (1分)

_____ indicates a monitor's ability to display colors by comparing the light intensity of the brightest white to the darkest black.

- ☐ A
Contrast ratio
- ☐ B
Pixel width
- ☐ C
Dot pitch
- ☐ D
Resolution

本题得分: 1分

正确答案: A

对比度

51.单选题 (1分)

The arrangement of keys on a keyboard, QWERTY reflects the keyboard layout by _____.

- ☐ A
representing the phonetics of the alphabets most closely associated with the keyboard
- ☐ B
using the alphabetic characters most frequently used on the keyboard
- ☐ C
taking the letters of the first six alphabetic characters found on the top row of keys
- ☐ D
using the letters of the alphabetic characters that are closest to access while typing

本题得分: 1分

正确答案: C

键盘的键位排列, QWERTY, 通过使用键盘顶部一行键位上前六个字母字符来反映键盘布局。

52.单选题 (1分)

Which of the following statements is incorrect? ()

- ☐ A
Printer resolution is measured in dpi (dots per inch..
- ☐ B
Printer output is often called hard copy.
- ☐ C
Memory within a printer is used to store printing instructions and documents waiting to be printed.
- ☐ D
Printer speed is measured in the number of words printed per minute.

本题得分: 1分

正确答案: D

这句话之所以不正确是因为打印机速度通常以每分钟打印的页面数量（页/分钟）来衡量，而不是以单词数量来衡量。打印机速度指的是打印机每分钟能够处理和输出的页面数量，而不是特定单词的数量。因此，正确的说法是"Printer speed is measured in the number of pages printed per minute."（打印机速度是以每分钟打印的页面数量来衡量。）

53.单选题 (1分)

A keyboard key, like Caps Lock, which turns a feature on or off is called a ____ key.

- ☐ A
power
- ☐ B
combination
- ☒ C
toggle
- ☐ D
function

本题得分：1分

正确答案： C

"Toggle key"（切换键）是指键盘上的一种特殊键，用于切换某种功能的状态。常见的切换键包括Caps Lock（大小写锁定键）、Num Lock（数字锁定键）和Scroll Lock（滚动锁定键）。切换键在按下时改变其状态，并在再次按下时返回初始状态。例如，Caps Lock键在按下时切换字母的大小写模式，Num Lock键切换数字键盘的功能，Scroll Lock键切换滚动功能。这些切换键的具体功能取决于操作系统和应用程序的设置。

54.填空题 (2分)

The mouse, game controllers, and touch screens are all types of pointing devices.

本题得分：2分

正确答案：

- 填空1** : pointing

56.单选题 (1分)

Printers connected to the Internet that provide printing services to others on the Internet are called ____.

- ☒ A
cloud printers
- ☐ B
plotters
- ☐ C
thermal printers
- ☐ D
dot-matrix printers

本题得分：1分

正确答案： A

58.单选题 (1分)

Which of the following types of character recognition systems is used for standardized multiple-choice testing? ()

- ☐ A
OCR
- ☐ B
UPC
- ☐ C
MICR
- ☒ D
OMR

本题得分：1分

正确答案： D

以下是对这四个词组的解释：

- OCR（Optical Character Recognition，光学字符识别）：OCR是一种技术，用于将印刷文本或手写文本转换为可编辑和可搜索的电子文本。它使用光学扫描仪或相机来捕捉文本图像，并使用特定的算法和模式识别技术将图像转化为文本数据。
- UPC（Universal Product Code，通用产品代码）：UPC是一种广泛应用于商品和零售行业的条形码系统。每个产品都有一个唯一的UPC码，可以通过扫描或输入该码来获取有关该产品的信息，例如价格、库存和描述等。
- MICR（Magnetic Ink Character Recognition，磁性墨水字符识别）：MICR是一种用于处理银行支票和其他金融文件的字符识别技术。它使用磁性墨水和特殊设计的字体，使得银行机器能够准确读取和识别支票上的银行账号、金额和其他关键信息。
- OMR（Optical Mark Recognition，光学标记识别）：OMR是一种技术，用于自动读取和识别填涂型问卷、调查表等纸质表单上的标记。它使用光学扫描仪或图像传感器来捕捉表单上的标记图像，并根据标记的位置和类型来分析和解释数据，常用于评分标准化的考试和调查表单。

59.填空题 (2分)

A keyboard key, like Caps Lock, which turns a feature on or off is called a toggle key.

本题得分：2分

正确答案：

- 填空1** : toggle

60.单选题 (1分)

_____ combine() the capabilities of a scanner, printer, fax, and copy machine.

- ☐ A
Multifunctional devices
- ☐ B
Multiprocessors
- ☐ C
Virtual reality
- ☐ D
Parallel devices

本题得分: 1分

正确答案: A

63.单选题 (1分)

Which of the following printer features enables you to print on both sides of a sheet of paper? ()

- ☐ A
Simplex
- ☐ B
Dual Matrix
- ☐ C
Resolution
- ☐ D
Duplex

本题得分: 1分

正确答案: D

这个文本询问一种打印机的特性，即能够在一张纸的两面打印。这个特性通常称为“双面打印”或“自动双面打印”。技术术语：- 打印机 (printer)：一种输出设备，能够将电脑或其他设备中的文本、图像等信息打印到纸张或其他介质上。- 双面打印 (duplex printing)：一种打印机特性，能够在一张纸的两面打印。- 自动双面打印 (automatic duplex printing)：一种更高级的双面打印技术，能够自动翻转纸张并在两面上进行打印。

66.单选题 (1分)

Two categories of laser printers are _____.

- ☐ A
thermal and personal
- ☐ B
active matrix and passive matrix
- ☐ C
ink-jet and high-definition
- ☐ D
personal and shared

本题得分: 1分

正确答案: D

67.单选题 (1分)

This reading device is used in banks to read the numbers on the bottom of checks and deposit slips. ()

- ☐ A
OCR
- ☐ B
OMR
- ☐ C
UPC
- ☐ D
MICR

本题得分: 1分

正确答案: D

70.单选题 (1分)

A _____ is any injury that is caused by fast, repetitive work that can generate neck, wrist, hand, and arm pain.

- ☐ A
VRI
- ☐ B
RSI
- ☐ C
pointer

- ☐ D
ergonomy
本题得分：1分
正确答案： B
71.单选题 (1分)

The most widely used audio-output devices. ()

- ☐ A
S and headphones
- ☐ B
Faxes
- ☐ C
Microphones
- ☐ D
Cloud printers

本题得分：1分
正确答案： A
72.单选题 (1分)

_____ are used primarily on cell phones and tablets.

- ☐ A
Mouse pointers
- ☐ B
Game controllers
- ☐ C
Virtual keyboards
- ☐ D
Ethernet ports

本题得分：1分
正确答案： C
73.单选题 (1分)

Specialized devices with a large display connected to a computer projector that are widely used in classrooms and corporate boardrooms. ()

- ☐ A
HDTV
- ☐ B
Digital or interactive whiteboards
- ☐ C
E-books
- ☐ D
Scanners

本题得分：1分
正确答案： B
78.判断题 (1分)

Optical scanners recognize individual letters or images. ()

- ☐
- ☐

本题得分：1分
正确答案： 错误

这句话是错误的。光学扫描仪（optical scanners）实际上无法识别单个字母或图像。光学扫描仪主要用于捕捉纸质文档的图像或文本，并将其转换为数字格式，但它们并不具备直接识别和理解单个字母或图像的能力。光学扫描仪只是将整个文档视为图像进行处理，而不对其内容进行解析。为了识别和理解文本或图像中的个别元素，需要进行进一步的图像处理和文字识别技术（如OCR）。因此，正确的说法应该是“Optical scanners capture images or text from documents, but they cannot recognize individual letters or images.”（光学扫描仪可以捕捉文档的图像或文本，但不能识别单个字母或图像。）

79.判断题 (1分)

Flexible screens allow digital devices to display images on non-flat surfaces. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确
80.单选题 (1分)

The study of human factors related to things people use. ()

- ☐ A
Ergonomics
- ☐ B
Technical study
- ☐ C
RSI
- ☐ D
Headgear

本题得分: 1分

正确答案: A

人机工程学

82.判断题 (1分)

Output devices are any hardware used to provide or to create output. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

84.判断题 (1分)

Handwriting recognition software translates handwritten notes into a form that the system unit can process. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

86.单选题 (1分)

Keyboards that include all the keys found on a typical virtual keyboard, as well as extra keys, such as function and navigation keys. ()

- ☐ A
Traditional
- ☐ B
Combination
- ☐ C
Laptop
- ☐ D
Cell phone

本题得分: 0分

正确答案: C

87.判断题 (1分)

An MICR device senses the presence or absence of a mark, such as a pencil mark. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

93.单选题 (1分)

Today's _____ are inexpensive, faster, and smarter, making them a valuable tool and fun high-tech toy.

- ☐ A
unmanned aerial vehicles
- ☐ B
additive manufacturing
- ☐ C
multifunctional devices
- ☐ D
MiniDC

本题得分: 1分

正确答案: A

无人驾驶飞行器

第七章

1.单选题 (1分)

One way to improve the storage capacity of a hard disk is to ____.

- ☐ A
use file compression
- ☐ B
format often
- ☐ C
increase memory
- ☐ D
use disk caching

本题得分：1分

正确答案：A

2.单选题 (1分)

Typically a personal computer uses an ____ to store the operating system and software applications.

- ☐ A
flash drive
- ☐ B
external hard disk
- ☐ C
internal hard disk
- ☐ D
optical drive

本题得分：1分

正确答案：C

3.单选题 (1分)

____ memory cards are a form of a solid-state storage device widely used in cell phones, laptops, and GPS navigation systems.

- ☐ A
SSD
- ☐ B
Flash
- ☐ C
RAID
- ☐ D
Digital versatile disc

本题得分：0分

正确答案：B

7.判断题 (1分)

Media are the actual physical material that holds the data and programs. ()

- ☐
- ☐

本题得分：1分

正确答案：正确

8.单选题 (1分)

Due to its expanded storage capability, fast access speed, and high reliability, ____ is often used by Internet servers and large organizations.

- ☐ A
RAM
- ☐ B
external hard drives
- ☐ C
RAID
- ☐ D
flash drives

本题得分：1分

正确答案：C

RAID（冗余磁盘阵列）是一种数据存储技术，它使用多个磁盘驱动器（硬盘或固态硬盘）组合成一个逻辑单元，以提供更高的数据可靠性、容错性和/或性能。

RAID技术的核心思想是将数据分散存储在多个磁盘驱动器上，从而在出现单个驱动器故障时能够保护数据的完整性。RAID通过数据条带化（striping）、数据镜像（mirroring）、

奇偶校验 (parity) 等技术来实现。

常见的RAID级别包括：

- 1. RAID 0：数据条带化 (striping) ， 提供了较高的性能，但没有冗余机制，单个驱动器故障会导致数据完全丢失。
- 2. RAID 1：数据镜像 (mirroring) ， 将数据完全复制到多个驱动器上，提供了高可靠性，但存储容量利用率较低。
- 3. RAID 5：使用奇偶校验技术，将数据和校验信息分布存储在多个驱动器上，提供了较高的性能和容错能力，但在单个驱动器故障时需要进行数据重建。
- 4. RAID 6：类似于RAID 5，但使用双奇偶校验技术，可以容忍两个驱动器的故障。
- 5. RAID 10：将RAID 1的镜像组合在RAID 0的条带化上，提供了较高的性能和容错性。

这些RAID级别在可靠性、性能和存储容量利用率之间存在权衡。选择合适的RAID级别取决于应用程序的需求和预算限制。

9.单选题 (1分)

Three common storage options discussed in your text are hard disk, _____, and solid-state storage.

- ☐ A
read/write storage
- ☐ B
virtual disc
- ☐ C
Blu-ray storage
- ☐ D
optical disc

本题得分： 1分

正确答案： D

12.单选题 (1分)

_____ are a popular solution for individuals and businesses where access speed is not essential, but capacity and durability are crucial.

- ☐ A
USB drives
- ☐ B
Internal hard disks
- ☐ C
Network drives
- ☐ D
External hard disks

本题得分： 0分

正确答案： C

14.单选题 (1分)

Which of the following characteristics about RAID is incorrect? ()

- ☐ A
one high-capacity hard disk drive
- ☐ B
highly reliable
- ☐ C
fast access speed
- ☐ D
expanded storage capability

本题得分： 1分

正确答案： A

15.判断题 (1分)

Hard disks use tracks, sectors, and cylinders to store and organize files. ()

- ☐
- ☐

本题得分： 1分

正确答案： 正确

硬盘使用磁道 (tracks) 、扇区 (sectors) 和柱面 (cylinders) 来存储和组织文件。

17.单选题 (1分)

The hi-def largest capacity format for optical discs is the _____ disc.

- ☐ A
Ultra HD Blu-ray

- ☐ B
DVD-RAM
- ☐ C
HD DVD
- ☐ D
HD CD

本题得分：1分
正确答案： A
18.判断题 (1分)

If you have used Google Drive Docs to create a word processing document, you have used cloud computing. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确
19.判断题 (1分)

Network hard disk drives exist local to the system unit, either within the system unit or nearby. ()

- ☐
- ☐

本题得分：0分
正确答案： 错误

这句话是错误的。"Network hard disk drives exist local to the system unit, either within the system unit or nearby"（网络硬盘驱动器存在于系统单元附近，要么在系统单元内部，要么在附近）。

实际上，网络硬盘驱动器（也称为网络存储设备或网络附加存储）不是直接连接到系统单元或附近的。它们是通过网络连接与计算机系统通信的存储设备。

网络硬盘驱动器通常是独立的设备，如网络存储阵列（Network Attached Storage，NAS）或存储区域网络（Storage Area Network，SAN）。它们通过网络协议（如Ethernet）与计算机网络相连，提供数据存储和访问服务。

因此，网络硬盘驱动器不是直接安装在系统单元内或附近，而是通过网络连接提供远程存储功能。

20.判断题 (1分)

CD-ROMs are often used to archive data and to record music downloaded from the Internet. ()

- ☐
- ☐

本题得分：1分
正确答案： 错误

这句话是错误的。"CD-ROMs are often used to archive data and to record music downloaded from the Internet"（CD-ROM经常被用于存档数据和记录从互联网上下载的音乐）。

CD-ROMs（Compact Disc Read-Only Memory）是一种只读光盘，它主要用于存储和传输数据，而不是用于记录音乐或其他内容。

CD-ROMs通常在制造时将数据写入光盘，并以只读方式出售。用户无法将新数据写入CD-ROM。因此，它们不适合用于记录从互联网下载的音乐或进行数据存档。

相反，记录和存档音乐和数据通常使用可重写光盘，如CD-R（可写光盘）和CD-RW（可重写光盘）。这些光盘类型允许用户多次写入和擦除数据，从而进行记录和存档操作。

21.填空题 (2分)

Disk caching improves hard-disk performance by anticipating data needs and reducing time to access data from secondary storage.

本题得分：0分
正确答案：

- 填空1：Diskcaching

22.填空题 (2分)

Storage that retains its data after the power is turned off is referred to as nonvolatile storage.

本题得分：2分
正确答案：

- 填空1：nonvolatile

25.单选题 (1分)

Optical discs use these to represent data. ()

- ☐ A
Pits and lands
- ☐ B
Laser beams

- ☐ C
Analog signals
- ☐ D
Magnetic charges

本题得分: 1分

正确答案: A

这个说法是正确的。光盘，如CD-ROM、DVD和蓝光光盘，使用凹坑（pits）和平地（lands）来表示数据。

光盘由一个反射表面和一个含有微小凹坑和平地的透明层构成。这些凹坑和平地用于表示二进制数据，其中凹坑或平地的存在与否对应于数据的1和0。

当读取光盘时，激光束被照射到光盘表面上。激光在凹坑和平地上反射的方式不同，使得传感器能够检测到反射的变化。这些变化然后被转换回二进制数据，实现对存储信息的检索。

通过改变光盘表面上凹坑和平地的模式，不同类型的光盘可以存储不同数量的数据，范围从几兆字节到几十个或更多的千兆字节。

27.单选题 (1分)

Four ways to improve the performance of a hard disk include ()

- ☐ A
file compression, disk caching, hybrid drives, and file encryption.
- ☐ B
disk caching, RAID, network drives, and file expansion.
- ☐ C
RAID, file compression, cloud storage, and disk expansion.
- ☐ D
disk caching, hybrid drives, RAID, and file compression.

本题得分: 1分

正确答案: D

30.单选题 (1分)

The large-capacity, high-definition optical discs designed to store hi-def video and video games are ____.

- ☐ A
HD CD
- ☐ B
DVD-RAM
- ☐ C
HD DVD
- ☐ D
Blu-ray

本题得分: 1分

正确答案: D

31.单选题 (1分)

CD-ROM is an example of an ____ type of storage medium.

- ☐ A
mass storage
- ☐ B
solid-state
- ☐ C
volatile
- ☐ D
optical disc

本题得分: 1分

正确答案: D

32.单选题 (1分)

DVD-R stands for DVD ____.

- ☐ A
RAM
- ☐ B
recordable
- ☐ C
RAID
- ☐ D
readable

本题得分: 1分

正确答案: B

33.单选题 (1分)

Most large organizations store data through a strategy called a() _____ to promote efficient and safe use of data across the networks within their organizations.

- ☐ A
mass storage device
- ☐ B
storage area network
- ☐ C
organizational cloud
- ☐ D
enterprise storage system

本题得分: 1分

正确答案: D

34.单选题 (1分)

Tracks are divided into invisible wedge-shaped sections called _____.

- ☐ A
bits
- ☐ B
cylinders
- ☐ C
sectors
- ☐ D
platters

本题得分: 1分

正确答案: C

35.单选题 (1分)

Which of these is not a mass storage device? ()

- ☐ A
RAID system
- ☐ B
Organizational cloud storage
- ☐ C
File server
- ☐ D
Optical disc

本题得分: 1分

正确答案: D

36.判断题 (1分)

Disk caching uses a combination of hardware and software. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

37.判断题 (1分)

DVDs and Blu-rays have largely replaced CDs as the standard optical disc. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

38.单选题 (1分)

Solid-state storage devices are different than hard disks in that they _____.

- ☐ A
have no moving parts
- ☐ B
are volatile

- ☐ C
have a higher capacity
- ☐ D
have slower access speed

本题得分: 1分

正确答案: A

40.单选题 (1分)

_____ are storage drives that contain both solid-state storage and hard disks in an attempt to gain the speed and power benefits of SSDs while still having the low cost and large capacity of hard drives.

- ☐ A
Hybrid drives
- ☐ B
USB drives
- ☐ C
Disk caches
- ☐ D
Flash drives

本题得分: 1分

正确答案: A

43.填空题 (2分)

Access speed is the measure of the amount of time required by a storage device to retrieve data and programs.

本题得分: 2分

正确答案:

- 填空1** : Access
- 存取速度是衡量存储设备检索数据和程序所需时间的指标。

44.单选题 (1分)

Cell phones use which of these storage technologies? ()

- ☐ A
Flash memory card
- ☐ B
Digital versatile disc
- ☐ C
Flash drive
- ☐ D
Optical drive

本题得分: 1分

正确答案: A

46.单选题 (1分)

Which of these is not an example of solid-state storage? ()

- ☐ A
Flash memory cards
- ☐ B
SSDs
- ☐ C
USB drives
- ☐ D
Digital versatile disc

本题得分: 1分

正确答案: D

50.填空题 (2分)

USB drives are also known as flash drives.

本题得分: 2分

正确答案:

- 填空1** : flash

51.单选题 (1分)

DVD stands for digital _____ disc.

- ☐ A
versatile

- ☐ B
verifiable
- ☐ C
virtual
- ☐ D
volatile

本题得分: 1分

正确答案: A

52.单选题 (1分)

These discs have a capacity of 50 gigabytes on one side. ()

- ☐ A
CD
- ☐ B
HD DVD
- ☐ C
Blu-Ray
- ☐ D
DVD

本题得分: 1分

正确答案: C

53.单选题 (1分)

The _____ of a secondary storage device indicates how much data the storage medium can hold.

- ☐ A
capacity
- ☐ B
memory
- ☐ C
storage
- ☐ D
access

本题得分: 1分

正确答案: A

54.单选题 (1分)

All the following are true of DVD-ROM drives except: ()

- ☐ A
They are also known as erasable optical discs.
- ☐ B
They are a type of optical disc.
- ☐ C
They can provide over two hours of high-quality video and sound comparable to that found in motion picture theatres.
- ☐ D
DVD-ROM stands for "digital versatile disc-read only memory."

本题得分: 1分

正确答案: A

55.单选题 (1分)

Which of the following is true about an internal hard disk? ()

- ☐ A
Variable amount of storage
- ☐ B
Slow
- ☐ C
Portable
- ☐ D
Often stores the operating system

本题得分: 1分

正确答案: D

56.判断题 (1分)

External hard disks use different technology than internal hard disks. ()

- ☐

- ☐
- 本题得分: 1分
正确答案: 错误
58.判断题 (1分)

File servers are appropriate devices to use in an enterprise storage system. ()

- ☐
 - ☐
- 本题得分: 1分
正确答案: 正确
61.单选题 (1分)

An external hard disk ____.

- ☐ A
is heavy
- ☐ B
usually connects to a USB or Thunderbolt port
- ☐ C
cannot be used in addition to an internal hard disk
- ☐ D
is hard to remove

本题得分: 1分
正确答案: B
62.单选题 (1分)

USB drives are also known as ____ drives.

- ☐ A
external hard
- ☐ B
flash
- ☐ C
RAID
- ☐ D
RAM

本题得分: 1分
正确答案: B
63.判断题 (1分)

Facebook is an example of cloud storage. ()

- ☐
 - ☐
- 本题得分: 1分
正确答案: 错误
65.判断题 (1分)

RAID connects several inexpensive hard-disk drives to one another. ()

- ☐
 - ☐
- 本题得分: 1分
正确答案: 正确
71.单选题 (1分)

A CD-RW disc ____.

- ☐ A
cannot be erased
- ☐ B
can be written to only once
- ☐ C
cannot be written on
- ☐ D
can be erased and rewritten

本题得分: 1分
正确答案: D
76.判断题 (1分)

Typically, hybrid drives use SSD to store the operating system and applications and hard disks to store videos, music, and documents. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确

第八章

1.填空题 (2分)

A wide area network is a type of wireless network that works within your immediate surroundings to connect cell phones to headsets, controllers to game systems, and so on.

本题得分: 0分

正确答案:

- **填空1** : personal

2.单选题 (1分)

A() _____ is a private network that connects more than one organization.

- ☐ A
intranet
- ☐ B
internet
- ☐ C
extranet
- ☐ D
Ethernet

本题得分: 1分

正确答案: C

4.单选题 (1分)

Remote users can connect to an organization's network through this type of secure private connection. ()

- ☐ A
VPN
- ☐ B
P2P
- ☐ C
DSL
- ☐ D
WWAN

本题得分: 1分

正确答案: A

5.填空题 (2分)

A _____ local area network _____ is a network where the nodes are in close physical proximity to each other.

本题得分: 2分

正确答案:

- **填空1** : local area network / LAN

7.单选题 (1分)

A _____ network system uses central servers to coordinate and supply services to other nodes on the network.

- ☐ A
gateway
- ☐ B
wide area
- ☐ C
client-server
- ☐ D
switch

本题得分: 0分

正确答案: A

8.填空题 (2分)

Wide area networks _____ are countrywide and worldwide networks.

本题得分: 2分

正确答案:

- **填空1** : Wide area networks / WAN

9.填空题 (2分)

The range of Wi-Fi networks using microwave connections is being extended over greater distances using a wireless technology known as WiMax .

本题得分: 2分

正确答案:

- **填空1** : WiMax

10.判断题 (1分)

Network operating systems ()control and coordinate the activities of all computers and other devices on a network. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

11.判断题 (1分)

Fiber-optic cable transmits data as pulses of light through tiny tubes of glass. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

12.单选题 (1分)

Most firewalls include a special computer called a ____ server to manage communications between the internal networks and the outside world.

- ☐ A
proxy
- ☐ B
client
- ☐ C
node switch
- ☐ D
base station

本题得分: 1分

正确答案: A

代理服务器

14.单选题 (1分)

____ is the name of the process of converting from analog to digital.

- ☐ A
Virtualization
- ☐ B
Demodulation
- ☐ C
Optical recognition
- ☐ D
Modulation

本题得分: 1分

正确答案: B

15.单选题 (1分)

A network topology in which the central node is connected to two or more subordinate nodes that, in turn, are connected to other subordinate nodes. ()

- ☐ A
Tree
- ☐ B
Mesh
- ☐ C
Star
- ☐ D
Bus

本题得分: 1分

正确答案: A

16.单选题 (1分)

This type of network strategy uses central servers to coordinate and supply services to other nodes on the network. ()

- ☐ A
Client/server
- ☐ B
BitTorrent
- ☐ C
Personal Area Network

- ☐ D
Peer-to-peer
本题得分：1分
正确答案：A
17.单选题 (1分)

Organizations use the following to allow suppliers and others limited access to their networks. ()

- ☐ A
Firewalls
- ☐ B
Extranets
- ☐ C
Intranets
- ☐ D
Proxy servers

本题得分：1分

正确答案：B

组织使用以下方式允许供应商和其他人有限地访问他们的网络。

19.填空题 (2分)

An extranet is a private network that connects more than one organization.

本题得分：2分

正确答案：

- 填空1** : extranet

20.判断题 (1分)

Connection devices are the actual connecting or transmission medium that carries the message. ()

- ☐
- ☐

本题得分：0分

正确答案：正确

21.填空题 (2分)

Microwave communication uses high-frequency radio waves .

本题得分：2分

正确答案：

- 填空1** : radio waves

23.单选题 (1分)

In a communication system, which among the following originate and accept messages in the form of data, information, and/or instructions? ()

- ☐ A
Sending and receiving devices
- ☐ B
Connection devices
- ☐ C
Data transmission specifications
- ☐ D
Communication channel

本题得分：1分

正确答案：A

24.填空题 (2分)

The switch is the central node that coordinates the flow of data by sending messages directly between the sender and receiver nodes.

本题得分：2分

正确答案：

- 填空1** : switch

25.判断题 (1分)

With respect to peer-to-peer network, there is an abundant amount of powerful management software that monitors the network activities. ()

- ☐
- ☐

本题得分：1分

正确答案：错误

这句话是错误的，因为在点对点网络（peer-to-peer network）中，通常没有集中式的管理软件来监控网络活动。点对点网络是一种分散的网络结构，其中每个节点（peer）都可以充当客户端和服务器的角色。在点对点网络中，节点之间共享资源和服务，而不依赖于中央管理机构或服务器。因此，点对点网络通常不需要强大的管理软件来监控网络活动，因为节点之间的通信是直接的、对等的。

26.单选题 (1分)

A service that uses existing phone lines to provide high-speed connections is called ____.

- ☐ A
3G/4G
- ☐ B
Voiceband
- ☐ C
WWAN
- ☐ D
DSL

本题得分：1分

正确答案：D

以下是对这些术语的解释：

1. 3G/4G: 3G（第三代移动通信技术）和4G（第四代移动通信技术）是移动通信标准，用于无线移动通信。它们提供了更高的数据传输速率和更好的网络性能，支持广泛的移动应用，包括语音通话、数据传输和互联网接入。
2. Voiceband（语音带宽）：Voiceband指的是用于传输语音信号的频带范围。通常，语音信号在300 Hz至3400 Hz的频率范围内。传统的电话网络使用语音带宽进行语音通信。
3. WWAN（Wireless Wide Area Network，无线广域网）：WWAN是一种无线通信技术，用于在较大的地理区域范围内提供互联网连接。它使用蜂窝网络技术，允许移动设备通过无线信号连接到互联网，如通过移动运营商提供的数据网络。
4. DSL（Digital Subscriber Line，数字用户线）：DSL是一种宽带互联网接入技术，通过电话线传输数字信号。它利用了电话线路的高频段来传输数据，同时保持语音通信在低频段的可用性。DSL提供了相对较高的数据传输速率，适用于家庭和企业用户的宽带接入需求。

27.填空题 (2分)

A(n) intranet is a private network within an organization that is designed to resemble the Internet.

本题得分：2分

正确答案：

- **填空1**：intranet
- 内部网络（Intranet）是组织内部的私有网络，其设计目的是类似于互联网。

28.单选题 (1分)

The essential features of this include identifying, sending, and receiving devices and breaking information into small parts for transmission across the Internet. ()

- ☐ A
FTP
- ☐ B
HTTPs
- ☐ C
DNS
- ☐ D
TCP/IP

本题得分：1分

正确答案：D

这个的基本特征包括识别、发送和接收设备，以及将信息分割成小部分以在互联网上传输。

30.判断题 (1分)

Standard telephone lines use coaxial cables. ()

- ☐
- ☐

本题得分：1分

正确答案：错误

这句话不正确，因为标准电话线路并不使用同轴电缆（coaxial cables）。传统的电话线路使用的是双绞线（twisted pair cables）。双绞线是一种由两根绝缘的导线以螺旋方式绞合在一起的电缆，用于传输语音信号和低速数据。同轴电缆则主要用于传输高频信号，例如电视信号和宽带互联网连接。因此，标准电话线路不使用同轴电缆。

31.单选题 (1分)

In a wireless LAN, all communications pass through the network's centrally located wireless access point or ____ station.

- ☐ A
base
- ☐ B
node
- ☐ C
gateway
- ☐ D
proxy

本题得分：1分

正确答案： A

32.单选题 (1分)

Which among the following is considered a line-of-sight communication medium?()

- ☐ A
Microwave
- ☐ B
Bluetooth
- ☐ C
Satellite
- ☐ D
Broadcast radio

本题得分： 1分

正确答案： A

以下哪个被认为是视距通信介质？

视距通信介质是指需要在传输路径上存在可见直线路径的通信介质。其中，无线电波通过直接的可见路径进行传输，不会受到障碍物的阻挡或干扰。以下是一些被认为是视距通信介质的选项：

1. Microwave links（微波链路）：微波链路使用微波无线电信号进行通信，需要建立两个站点之间的直接视距路径。
2. Laser communication（激光通信）：激光通信利用激光束进行数据传输，需要无障碍的直线视距路径。
3. Free space optical communication（自由空间光通信）：自由空间光通信使用可见光或红外光进行数据传输，同样需要直接的视距路径。

所以，这些选项中，微波链路、激光通信和自由空间光通信都被认为是视距通信介质。

33.填空题 (2分)

A service that uses existing phone lines to provide high-speed connections is called protocol .

本题得分： 0分

正确答案：

- **填空1** : DSL

35.单选题 (1分)

All communications between a company's internal networks and the outside world pass through this server. ()

- ☐ A
Proxy
- ☐ B
Base station
- ☐ C
Supercomputer
- ☐ D
Node

本题得分： 1分

正确答案： A

37.单选题 (1分)

A wireless access point that provides Internet access in a public place such as a coffee shop, library, bookstore, or university. ()

- ☐ A
NIC
- ☐ B
Hotspot
- ☐ C
Gateway
- ☐ D
Blindspot

本题得分： 1分

正确答案： B

38.单选题 (1分)

Which physical connection is the fastest? ()

- ☐ A
Fiber-optic cable
- ☐ B
Coaxial cable
- ☐ C
Microwave
- ☐ D
Twisted pair

本题得分: 1分

正确答案: A

40.单选题 (1分)

Using this type of communications channel, several users can simultaneously use a single connection for high-speed data transfer. ()

- ☐ A
Voiceband
- ☐ B
Broadband
- ☐ C
Medium band
- ☐ D
Baseband

本题得分: 1分

正确答案: B

41.判断题 (1分)

A MAN is a network that is frequently used as links between office buildings that are located throughout a city. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

43.单选题 (1分)

The actual connecting or transmission medium that carries the message in a communication system is called the ____.

- ☐ A
communication system
- ☐ B
connection device
- ☐ C
data transmission
- ☐ D
communication channel

本题得分: 1分

正确答案: D

45.填空题 (2分)

Packetization is the process of breaking down information sent or transmitted across the Internet into small parts.

本题得分: 2分

正确答案:

- **填空1** : Packetization
- 分组化 (Packetization) 是将通过互联网发送或传输的信息分解为小部分的过程。

47.填空题 (2分)

Coaxial cable is a high-frequency transmission medium that has a single solid-copper core.

本题得分: 2分

正确答案:

- **填空1** : Coaxial cable

49.单选题 (1分)

WiMax stands for ____.

- ☐ A
Wide-area Access for Maximum Reach
- ☐ B
Worldwide Access to Maximize Interoperability
- ☐ C
Worldwide Interoperability for Microwave Access
- ☐ D
Wide-area Range to Maximize Access

本题得分: 1分

正确答案: C

50.单选题 (1分)

A network ____ is a device that allows one LAN to be linked to other LANs or to larger networks.

- ☐ A
client
- ☐ B
server
- ☐ C
gateway
- ☐ D
switch

本题得分: 1分

正确答案: C

51.单选题 (1分)

_____ is a high-frequency transmission medium that has a single solid-copper core.

- ☐ A
Fiber-optic cable
- ☐ B
Microwave
- ☐ C
Twisted pair
- ☐ D
Coaxial cable

本题得分: 1分

正确答案: D

52.判断题 (1分)

The most common standard in LANs is called Ethernet. ()

- ☐
- ☐

本题得分: 0分

正确答案: 正确

53.单选题 (1分)

_____ describes how a network is arranged and how resources are coordinated and shared.

- ☐ A
Base strategy
- ☐ B
Proxy structure
- ☐ C
Network architecture
- ☐ D
Node topology

本题得分: 1分

正确答案: C

网络架构描述了网络的组织方式以及资源如何协调和共享。

56.单选题 (1分)

In a communication system, which among the following convert messages into packets that can travel across the communication channel? ()

- ☐ A
Connection devices
- ☐ B
Storage devices
- ☐ C
Sending and receiving devices
- ☐ D
Secondary devices

本题得分: 1分

正确答案: A

59.单选题 (1分)

A _____ network topology does not use a specific physical layout but requires that each node have more than one connection to the other nodes.

- ☐ A
star
- ☐ B
bus

- ☐ C
mesh

- ☐ D
tree

本题得分: 1分

正确答案: C

62.单选题 (1分)

Cellular services use ____ to provide wireless connectivity to the Internet for smartphones.

- ☐ A
ADSL
- ☐ B
T1 and T3 cellular networks
- ☐ C
3G and 4G cellular networks
- ☐ D
DSL

本题得分: 1分

正确答案: C

63.判断题 (1分)

A prototype is a set of communication rules for the exchange of information. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

66.单选题 (1分)

____ is a term relating to sending data to a satellite.

- ☐ A
Uplink
- ☐ B
Downlink
- ☐ C
Upload
- ☐ D
Download

本题得分: 1分

正确答案: A

"Uplink"是一个术语，通常用于描述无线通信或卫星通信系统中的数据传输方向。它指的是从用户设备或地面站向卫星、基站或上级网络发送数据的方向。在无线通信中，用户设备发送数据或信号到基站或卫星，以便在网络中传输或进一步处理。因此，"uplink"可以理解为数据或信号的上行传输。

72.判断题 (1分)

Intrusion detection systems can recognize signs of a network attack and disable access before an intruder can do damage. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

73.单选题 (1分)

Microwave communication uses high-frequency ____.

- ☐ A
infrared
- ☐ B
radio waves
- ☐ C
satellite communications
- ☐ D
optic fibers

本题得分: 1分

正确答案: B

76.单选题 (1分)

This device enables connectivity between two LANS or a LAN and a larger network. ()

- ☐ A
Node
- ☐ B
Hub
- ☐ C
Network gateway
- ☐ D
Router

本题得分：1分
正确答案： C
77.判断题 (1分)

Modulation is the name of the process of converting from digital to analog. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确
82.单选题 (1分)

One of the most dramatic changes in connectivity and communications in the past few years has been ____.

- ☐ A
chat rooms
- ☐ B
widespread use of mobile devices with wireless Internet connectivity
- ☐ C
running programs on remote computers
- ☐ D
satellite uplinks

本题得分：1分
正确答案： B
84.判断题 (1分)

The client/server network strategy can handle very large networks efficiently. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确
87.填空题 (2分)

The capacity of a communication channel is measured in bandwidth .

本题得分：2分
正确答案：

- 填空1 : bandwidth
-

第九章

1.单选题 (1分)

A ____ Wi-Fi hotspot imitates a legitimate free Wi-Fi hotspot in order to capture personal information.

- ☐ A
worm
- ☐ B
viral
- ☐ C
phishing
- ☐ D
rogue

本题得分: 1分

正确答案: D

一个恶意的Wi-Fi热点模仿一个合法的免费Wi-Fi热点, 以获取个人信息。

84.判断题 (1分)

Rogue Wi-Fi hotspots imitate free hotspots and capture information, such as usernames and passwords, sent by users to legitimate sites. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

2.单选题 (1分)

This is a legal concept that gives content creators the right to control use and distribution of their work. ()

- ☐ A
Copyright
- ☐ B
Piracy
- ☐ C
Ethics
- ☐ D
Privacy

本题得分: 1分

正确答案: A

3.单选题 (1分)

Which among the following is a fraudulent or deceptive act designed to trick individuals on the Internet into spending time or money for little or no return? ()

- ☐ A
Data manipulation
- ☐ B
Internet scam
- ☐ C
Theft
- ☐ D
Malicious program

本题得分: 1分

正确答案: B

4.单选题 (1分)

Programs used to secretly record an individual's activities on the Internet are called ____.

- ☐ A
cookies
- ☐ B
spyware
- ☐ C
keyloggers
- ☐ D
sniffer programs

本题得分: 1分

正确答案: B

5.单选题 (1分)

This uses software to try thousands of common words sequentially in an attempt to gain unauthorized access to a user's account. ()

- ☐ A
Encryption
- ☐ B
Password
- ☐ C
Firewall
- ☐ D
Dictionary attack

本题得分: 1分

正确答案: D

6.单选题 (1分)

Which among the following is a way to shut down an ISP or website? ()

- ☐ A
Trojan horses
- ☐ B
Viruses
- ☐ C
Denial of service attack
- ☐ D
Worms

本题得分: 1分

正确答案: C

9.填空题 (2分)

Plagiarism is representing some other person's work and ideas as your own without giving credit to the original source.

本题得分: 2分

正确答案:

- **填空1** : Plagiarism
- 抄袭是将他人的作品和观点作为自己的，而不给予原创来源以信用。

12.判断题 (1分)

Spyware is alarmingly common on laptops and desktops, but recent spyware is designed to work on other types of computers, such as iOs and Android cell phones. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

14.单选题 (1分)

A ____ attempts to slow down or stop a computer system or network by sending repetitive requests for information.

- ☐ A
worm
- ☐ B
Trojan horse
- ☐ C
zombie
- ☐ D
DoS attack

本题得分: 1分

正确答案: D

15.单选题 (1分)

Free computer games and free screen saver programs are typical carriers of ____.

- ☐ A
worms
- ☐ B
Trojan horses
- ☐ C
DoS
- ☐ D
viruses

本题得分: 1分

正确答案: B

19.判断题 (1分)

The essential element that controls how computers are used is a law. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

one of

20.单选题 (1分)

These programs record virtually everything you do on your computer and are used by employers to search employee email and computer files. ()

- ☐ A
Cookies
- ☐ B
Freeware
- ☐ C
Spyware
- ☐ D
Employee-monitoring software

本题得分: 1分

正确答案: D

21.填空题 (2分)

Cyberbullying is the use of the Internet to send or post content intended to hurt or embarrass another person.

本题得分: 2分

正确答案:

- 填空1**: Cyberbullying

24.判断题 (1分)

The most common protocol for website encryption is https -Hypertext Transfer Protocol Secure. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

25.判断题 (1分)

It is against the law for keyloggers to be deposited on your hard drive by the company you work for. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

由您工作的公司在您的硬盘上安装键盘记录器是违法的。

这句话是错误的, 因为它没有考虑到法律规定在特定情况下使用键盘记录器是合法的。

26.单选题 (1分)

The process of coding information to make it unreadable except to those who have a special piece of information known as a key. ()

- ☐ A
Security
- ☐ B
Encryption
- ☐ C
Protection
- ☐ D
Restriction

本题得分: 1分

正确答案: B

"加密 (encryption) "是指将信息使用密码学算法进行转换, 使其在未经授权的情况下变得不可读或难以理解。通过加密, 原始的可读信息被转换为密文 (ciphertext) , 只有掌握相应密钥 (key) 的人才能将其解密还原为可读的形式。

加密被广泛用于保护敏感数据的安全性, 例如在网络通信、数据存储和传输过程中。它可以防止未经授权的访问者获取或篡改数据, 确保机密性和完整性。常见的加密算法包括对称加密算法 (如AES) 和非对称加密算法 (如RSA)。加密技术在信息安全领域扮演着重要角色, 帮助保护个人隐私和敏感信息的安全。

27.填空题 (2分)

Viruses are programs that migrate through networks and operating systems and attach themselves to various other programs and databases.

本题得分: 2分

正确答案:

- **填空1** : Viruses

28.单选题 (1分)

A _____ is a computer criminal who creates and distributes malicious programs or malware.

- ☐ A
logger
- ☐ B
cracker
- ☐ C
hacker
- ☐ D
cookie

本题得分: 1分

正确答案: B

黑客 (cracker) 是指创建和分发恶意程序或恶意软件的计算机犯罪分子。

30.单选题 (1分)

_____ is concerned with protecting hardware from possible human and natural disasters..

- ☐ A
Cloud computing
- ☐ B
Data security
- ☐ C
Physical security
- ☐ D
Phishing

本题得分: 1分

正确答案: C

31.填空题 (2分)

Web bugs are invisible images or HTML code hidden within a web page or e-mail message and are used to transmit information without your knowledge.

本题得分: 2分

正确答案:

- **填空1** : Web bugs
- 网络跟踪器 (Web bugs) 是隐藏在网页或电子邮件中的不可见图像或HTML代码, 用于在您不知情的情况下传输信息。

32.单选题 (1分)

_____, a privacy issue, relates to the responsibility of controlling who is able to use data.

- ☐ A
Encryption
- ☐ B
Access
- ☐ C
Protection
- ☐ D
Restriction

本题得分: 1分

正确答案: B

34.判断题 (1分)

The archiving and search features of the web make your online identity available indefinitely. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

网络的存档和搜索功能使得您的在线身份可以无限期地被获取。

36.单选题 (1分)

Computers infected by a virus, worm, or Trojan horse that allows them to be remotely controlled for malicious purposes are called _____.

- ☐ A
Web bugs

- ☐ B
phishes
- ☐ C
DoS sites
- ☐ D
zombies

本题得分: 1分

正确答案: D

僵尸

37.单选题 (1分)

_____ are malicious programs that come into a computer system disguised as something else such as a free computer game or screen saver.

- ☐ A
Scams
- ☐ B
Zombies
- ☐ C
Rogues
- ☐ D
Trojan horses

本题得分: 1分

正确答案: D

特洛伊木马 (Trojan horse) 是一种恶意程序, 以其他形式伪装进入计算机系统, 比如免费电脑游戏或屏幕保护程序。

38.单选题 (1分)

_____ store information about the current session, your general preferences, and your activity on the website.

- ☐ A
Keyloggers
- ☐ B
Third-party cookies
- ☐ C
First-party cookies
- ☐ D
Web bugs

本题得分: 1分

正确答案: C

42.单选题 (1分)

According to which law is it illegal for an owner of a commercial program to make backup copies for their personal use and resell or give them away? ()

- ☐ A
Computer Fraud and Abuse Act
- ☐ B
Computer Abuse Amendments Act
- ☐ C
Digital Millennium Copyright Act
- ☐ D
The Gramm-Leach-Bliley Act

本题得分: 1分

正确答案: C

45.判断题 (1分)

Spy removal programs are designed to detect and remove various types of privacy threats. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

46.填空题 (2分)

Biometric scanning devices use fingerprints and iris scanners to identify individuals.

本题得分: 2分

正确答案:

- 填空1**: Biometric

48.单选题 (1分)

Small data files that are deposited on a user's hard disk when they visit a website are called _____.

- ☐ A
proxies
- ☐ B
cookies
- ☐ C
codes
- ☐ D
cache

本题得分: 1分

正确答案: B

51.单选题 (1分)

Which of the following is the most widely used wireless network encryption for home wireless networks? ()

- ☐ A
WPA2
- ☐ B
WPA
- ☐ C
WEP
- ☐ D
WPE

本题得分: 1分

正确答案: A

52.单选题 (1分)

_____ are used by advertising companies to keep track of your web activity as you move from one site to the next.

- ☐ A
Sniffers
- ☐ B
First-party cookies
- ☐ C
Third-party cookies
- ☐ D
Keyloggers

本题得分: 1分

正确答案: C

53.判断题 (1分)

A tracking cookie is generally used by an advertising company affiliated with a website you have visited to keep track of your web activity as you move from one site to the next. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

54.单选题 (1分)

A program that replicates itself and clogs computers and networks. ()

- ☐ A
Virus
- ☐ B
Worm
- ☐ C
Trojan horse
- ☐ D
Denial-of-service attack

本题得分: 1分

正确答案: B

59.填空题 (2分)

As a security buffer, all electronic communications coming into and leaving a corporation must be evaluated by the firewall .

本题得分: 2分

正确答案:

- 填空1** : firewall

61.单选题 (1分)

Which type of program would likely be used by investigators to record a potential suspect's Internet activities? ()

- ☐ A
Keylogger
- ☐ B
Web bug
- ☐ C
Global positioning system
- ☐ D
Cookie

本题得分: 1分

正确答案: A

68.单选题 (1分)

_____ attempts to trick Internet users into thinking a fake but official-looking website or e-mail is legitimate.

- ☐ A
A first-party cookie
- ☐ B
A third-party cookie
- ☐ C
A Trojan horse
- ☐ D
Phishing

本题得分: 1分

正确答案: D

77.判断题 (1分)

Information systems consist of people, procedures, software, hardware, data, and the Internet. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

78.判断题 (1分)

Cutting and pasting material from a website directly into your own report or paper without giving proper credit to the original source is unethical. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

79.单选题 (1分)

_____ is concerned with protecting software and data from unauthorized tampering or damage.

- ☐ A
Physical security
- ☐ B
Disaster recovery plan
- ☐ C
Data security
- ☐ D
Data backup

本题得分: 1分

正确答案: C

第十章

1.单选题 (1分)

The ____ keeps records of the number of each kind of part or finished good in the warehouse.

- ☐ A
sales order processing
- ☐ B
payroll
- ☐ C
inventory control system
- ☐ D
general ledger

本题得分： 1分
正确答案： C

2.填空题 (2分)

A decision support system consists of four parts: the user, system software, data, and decision models .

本题得分： 2分
正确答案：

- 填空1 : decision models

3.判断题 (1分)

A purchase order form pertains to the payroll department. ()

- ☐
- ☐

本题得分： 1分
正确答案： 错误
"采购订单表格"涉及到"工资部门"。

4.单选题 (1分)

Effective operation within any organization requires an efficient and coordinated flow of ____ throughout the organization.

- ☐ A
research
- ☐ B
market awareness
- ☐ C
information
- ☐ D
accounting data

本题得分： 1分
正确答案： C
在任何组织内，有效运作都需要信息在组织中高效和协调地流动。

5.单选题 (1分)

This level of management is concerned with long-range planning and uses information that will help them plan the future growth and direction of the organization. ()

- ☐ A
Supervisors
- ☐ B
Top management
- ☐ C
Middle management
- ☐ D
Stockholders

本题得分： 1分
正确答案： B

6.判断题 (1分)

Demand reports do not have to be produced on a regular basis. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

7.填空题 (2分)

Office automation systems focus on managing documents, communicating, and scheduling.

本题得分: 2分

正确答案:

- **填空1** : Office automation systems / OA

8.判断题 (1分)

The marketing department identifies, investigates, and develops new products and services. ()

- ☐
- ☐

本题得分: 0分

正确答案: 错误

research

9.填空题 (2分)

Knowledge workers use OAS systems and are involved with the creation of information in their areas of expertise.

本题得分: 2分

正确答案:

- **填空1** : Knowledge

11.单选题 (1分)

What documentation shows the income, expenses, and difference between them for a company during a specific time period? ()

- ☐ A
Income statements
- ☐ B
Purchase order
- ☐ C
Balance sheets
- ☐ D
Accounts payable

本题得分: 1分

正确答案: A

12.填空题 (2分)

In a GDSS, the group is generally the decision maker.

本题得分: 2分

正确答案:

- **填空1** : group

13.单选题 (1分)

Project resources can be scheduled, planned, and controlled using ____.

- ☐ A
CAD/CAM systems
- ☐ B
operational managers
- ☐ C
project managers
- ☐ D
knowledge work systems

本题得分: 1分

正确答案: C

14.填空题 (2分)

A group decision support system is used to support collective work.

本题得分: 2分

正确答案:

- **填空1** : group

15.判断题 (1分)

Supervisors' responsibilities include operational matters. ()

- ☐
- ☐

本题得分: 1分

正确答案： 正确

16.单选题 (1分)

Some of these systems have the ability to retrieve information from databases outside the company, such as business-news services. ()

- ☐ A
Executive support systems (ESS).
- ☐ B
Decision support system (DSS).
- ☐ C
Management information system (MIS).
- ☐ D
Transaction processing system (TPS).

本题得分： 1分

正确答案： A

18.单选题 (1分)

A transaction processing system is also referred to as a ____.

- ☐ A
management information system
- ☐ B
sales order processing
- ☐ C
database management
- ☐ D
data processing system

本题得分： 1分

正确答案： D

19.填空题 (2分)

Supervisory -level information flow is primarily vertical.

本题得分： 2分

正确答案：

- **填空1** : Supervisory

22.单选题 (1分)

An MIS requires a ____ management system to integrate data from different departments.

- ☐ A
database
- ☐ B
decision support
- ☐ C
general ledger
- ☐ D
executive support

本题得分： 1分

正确答案： A

23.单选题 (1分)

____ systems are computer systems that allow people located at various geographic locations to communicate and have in-person meetings.

- ☐ A
Microsoft Project
- ☐ B
Blogging
- ☐ C
Video conferencing
- ☐ D
Virtual reality

本题得分： 1分

正确答案： C

24.单选题 (1分)

An example of this type of report would be a sales report that shows that certain items are selling significantly above or below forecasts. ()

- ☐ A
Periodic

- ☐ B
Demand
- ☐ C
Inventory
- ☐ D
Exception

本题得分: 1分

正确答案: D

26.单选题 (1分)

A _____ support system is designed to be easy to use and allows someone to obtain essential information without extensive training.

- ☐ A
management information
- ☐ B
decision
- ☐ C
executive
- ☐ D
transaction processing

本题得分: 0分

正确答案: A

27.单选题 (1分)

Money collected from or owed by customers is called _____.

- ☐ A
sales order processing
- ☐ B
accounts payable
- ☐ C
inventory
- ☐ D
accounts receivable

本题得分: 1分

正确答案: D

29.填空题 (2分)

TPS stands for transaction processing system .

本题得分: 2分

正确答案:

- 填空1** : transaction processing system / TPS

30.填空题 (2分)

Strategic models assist top-level managers in long-range planning, such as stating company objectives or planning plant locations.

本题得分: 2分

正确答案:

- 填空1** : Strategic

34.判断题 (1分)

In case of an unanticipated union strike, the manager in charge of manufacturing might consult the management information system to determine how it will affect production schedules. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

这句话是错误的,因为它错误地将"管理信息系统"(management information system)用于解决"预料之外的工会罢工"(unanticipated union strike)对生产进度的影响。管理信息系统是一个支持管理层决策和组织运营的计算机系统。它通常用于收集、存储、处理和提供与组织相关的数据和信息。然而,在这个具体的情境中,管理信息系统并不是解决预料之外的工会罢工影响生产进度的适当工具。在面临预料之外的工会罢工时,通常会涉及到劳工关系和人力资源管理方面的问题。在这种情况下,更适合咨询劳资关系专家、人力资源部门或者相关法律事务部门来了解罢工对生产进度的影响和可能的解决方案。

因此,一种修正的说法可能是:

"In case of an unanticipated union strike, the manager in charge of manufacturing might consult the labor relations expert or the human resources department to determine how it will affect production schedules." ("如果发生了意料之外的工会罢工,负责制造的经理可能会咨询劳资关系专家或人力资源部门,以确定它如何将如何影响生产进度。")

35.单选题 (1分)

A typical _____ system can produce income statements and balance sheets.

- ☐ A
executive support

- ☐ B
decision support
- ☐ C
general ledger
- ☐ D
management information

本题得分: 1分

正确答案: C

一个典型的总账系统可以生成损益表和资产负债表。

37.判断题 (1分)

The executive support system can analyze the effects of events and trends outside the organization. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

内部

39.判断题 (1分)

The research department strictly involves itself only with the creation of finished goods that are tangible. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

41.判断题 (1分)

Customer profiles, census data, and economic forecasts are examples of external data. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

42.单选题 (1分)

This lists the assets, liabilities, and the equity of an organization. ()

- ☐ A
Balance sheet
- ☐ B
Accounts payable
- ☐ C
Payroll
- ☐ D
Income statement

本题得分: 1分

正确答案: A

44.单选题 (1分)

Who is responsible for operational matters and monitoring day-to-day events? ()

- ☐ A
Middle management
- ☐ B
Stockholders
- ☐ C
Supervisors
- ☐ D
Top management

本题得分: 1分

正确答案: C

45.单选题 (1分)

_____level managers need summarized information in weekly or monthly reports in order to develop budget projections and evaluate the performance of supervisors.

- ☐ A
Low

- ☐ B
Upper
- ☐ C
Top
- ☐ D
Middle

本题得分: 1分

正确答案: D

47.单选题 (1分)

This system is a flexible tool for data analysis, since its reports do not have a fixed format. ()

- ☐ A
Transaction processing system
- ☐ B
Executive support system
- ☐ C
Decision support system
- ☐ D
Management information system

本题得分: 1分

正确答案: C

49.单选题 (1分)

When an order comes in, the ____ activity alerts the warehouse to ship a product.

- ☐ A
decision support system
- ☐ B
inventory control system
- ☐ C
sales order processing
- ☐ D
general ledger

本题得分: 1分

正确答案: C

50.单选题 (1分)

The ____ activity records the customer requests for products or services.

- ☐ A
payroll
- ☐ B
sales order processing
- ☐ C
accounts receivable
- ☐ D
inventory

本题得分: 1分

正确答案: B

51.单选题 (1分)

Which of the following refers to a system that summarizes detailed data from the transaction processing systems in standard reports for middle-level managers? ()

- ☐ A
Executive support system (ESS)
- ☐ B
Management information system (MIS)
- ☐ C
Data processing system (DPS)
- ☐ D
Decision support system (DSS)

本题得分: 1分

正确答案: B

52.单选题 (1分)

Pricing, promoting, selling, and distributing the organization's goods and services pertain to which of the following functions? ()

- ☐ A
Production
- ☐ B
Marketing
- ☐ C
Research
- ☐ D
Accounting

本题得分: 1分

正确答案: B

53.单选题 (1分)

Who uses management information systems? ()

- ☐ A
Supervisors
- ☐ B
Employee-level workers
- ☐ C
Middle-level managers
- ☐ D
Top-level managers

本题得分: 1分

正确答案: C

54.填空题 (2分)

Common names for computer-based information systems are transaction processing, management information, decision support , and executive support systems.

本题得分: 2分

正确答案:

- 填空1 : decision support

55.单选题 (1分)

Which system presents information in a highly summarized form? ()

- ☐ A
Transaction processing system (TPS)
- ☐ B
Executive support system (ESS)
- ☐ C
Decision support system (DSS)
- ☐ D
Management information system (MIS)

本题得分: 1分

正确答案: B

56.判断题 (1分)

There are three basic decision models used in GDSS: operational, strategic, and financial. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

57.单选题 (1分)

Basic activities in every accounting department, including sales order processing, accounts receivable, inventory and purchasing, accounts payable, and payroll, are recorded in the ____.

- ☐ A
accountant's database
- ☐ B
inventory control system
- ☐ C
corporate database
- ☐ D
general ledger

本题得分: 1分

正确答案: D

58.单选题 (1分)

_____ systems are also known as knowledge-based systems.

- ☐ A
Expert
- ☐ B
Office automation
- ☐ C
Knowledge work
- ☐ D
CAD/CAM

本题得分: 0分

正确答案: A

59.判断题 (1分)

The executive support system helps top-level managers oversee the company's operations and develop strategic plans. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

60.单选题 (1分)

Which system is a type of artificial intelligence that uses a database, containing facts and rules, to provide assistance to users? ()

- ☐ A
CAD/CAM system
- ☐ B
Knowledge work system
- ☐ C
Office automation system
- ☐ D
Expert system

本题得分: 1分

正确答案: D

61.判断题 (1分)

The management information system records day-to-day transactions, such as customer orders, bills, inventory levels, and production output. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

62.判断题 (1分)

Middle-level managers are responsible for tactical planning and the implementation of long-term goals. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

63.判断题 (1分)

An MIS differs from a TPS in that it creates databases. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

70.单选题 (1分)

_____ consists of programs designed to work behind the scenes to handle detailed operating procedures.

- ☐ A
Internal data
- ☐ B
System software
- ☐ C
External data
- ☐ D
Decision support

本题得分: 1分

正确答案: B

系统软件由旨在在幕后处理详细操作程序的程序组成。

71.判断题 (1分)

CAD/CAM systems use powerful personal computers running special programs that integrate the design and manufacturing activities. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

CAD/CAM代表计算机辅助设计/计算机辅助制造 (Computer-Aided Design/Computer-Aided Manufacturing) 。

CAD是指通过计算机系统辅助进行产品设计和绘图的技术。它使用专门的软件工具和计算机图形技术来创建、修改和优化产品设计。CAD系统可以帮助工程师和设计师以三维模型的形式构建和可视化产品，进行虚拟测试和分析，并生成详细的制图和规格说明。

CAM是指使用计算机控制和自动化技术来管理和控制制造过程的技术。它与CAD紧密结合，将设计数据直接转化为生产指令，用于控制机器和设备的操作。CAM系统可以自动化产品制造过程，包括数控机床操作、零件加工、装配和质量控制。

CAD/CAM的结合为产品设计和制造提供了高度集成和协调的工作流程。它可以提高生产效率、精确性和质量，减少生产时间和成本，并支持快速原型制作和定制化生产。

CAD/CAM技术在许多行业和领域中得到广泛应用，包括机械工程、汽车制造、航空航天、建筑设计、电子产品和医疗设备制造等。

如果你有任何进一步的问题，请随时提问。

73.单选题 (1分)

_____ systems help supervisors by generating databases that act as the foundation for other information systems.

- ☐ A
Decision support
- ☐ B
Management information
- ☐ C
Transaction processing
- ☐ D
Executive support

本题得分: 1分

正确答案: C

75.判断题 (1分)

Accounts payable refers to money the company owes its suppliers for materials and services it has received. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

76.单选题 (1分)

This typically consists of transactions from the transaction processing system. ()

- ☐ A
Internal data
- ☐ B
System software
- ☐ C
External data
- ☐ D
Decision model

本题得分: 1分

正确答案: A

77.判断题 (1分)

Knowledge workers use specialized information systems, called KWSs, to create information in their area of expertise. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

78.单选题 (1分)

This decision model helps middle-level managers control the work of the organization, such as financial planning and sales promotion planning. ()

- ☐ A
Operational model
- ☐ B

- Tactical model
 - ☐ C
 - Strategic model
 - ☐ D
 - Corporate model
- 本题得分: 1分
正确答案: B

- ☐
- ☐
- ☐
- ☐

第11章

1.判断题 (1分)

Individual databases are the foundation of management information systems. ()

- ☐
- ☐

本题得分：0分

正确答案： 错误

这句话是错误的。事实上，单个数据库并不是管理信息系统（Management Information Systems，简称MIS）的基础。管理信息系统是一个包含多个组件和子系统的综合系统，用于收集、存储、处理和管理组织内部的信息以支持决策制定和管理活动。数据库是管理信息系统的一个重要组成部分，它用于存储和管理数据。然而，管理信息系统还包括其他组件，例如数据采集、数据处理、数据分析和报告生成等。这些组件协同工作，共同支持组织内的信息管理和决策制定过程。因此，可以说管理信息系统的基础是包括数据库在内的多个组件和子系统，而不是单个数据库。

2.填空题 (2分)

If Mr. Smith's bike has been sent to his new address, but the bill to his old one, it can most likely be attributed to a lack of data integrity .

本题得分：2分

正确答案：

- 填空1** : integrity

3.单选题 (1分)

A network database utilizes these special connections between parent nodes and child nodes that allow multiple paths between records. ()

- ☐ A
Strings
- ☐ B
Connectors
- ☐ C
Pointers
- ☐ D
Links

本题得分：1分

正确答案： C

4.单选题 (1分)

In this type of database, the data and the DBMS are stored either on the user's hard-disk drive or on a LAN file server. ()

- ☐ A
Commercial
- ☐ B
Web
- ☐ C
Company
- ☐ D
Individual

本题得分：1分

正确答案： D

5.判断题 (1分)

A hierarchical database uses many-to-many relationships. ()

- ☐
- ☐

本题得分：1分

正确答案： 错误

这句话是错误的。层次数据库（Hierarchical Database）不使用多对多（Many-to-Many）的关系。事实上，层次数据库是一种数据组织结构，它使用一对多（One-to-Many）的关系。在层次数据库中，数据被组织成树状结构，其中每个节点可以有多个子节点，但每个子节点只能有一个父节点。这种结构反映了层次数据库中的父子关系。每个父节点可以有多个子节点，但每个子节点只能属于一个父节点，因此不会存在多对多的关系。多对多的关系更适用于关系型数据库（Relational Database），其中通过关联表（Join Table）可以实现多对多的关系。关系型数据库使用表格和关联来管理数据，而不是通过层次结构。因此，在层次数据库中，并不使用多对多的关系。

6.单选题 (1分)

_____ ensures that there aren’t multiple sources of the same data.

- ☐ A
Sharing

- ☐ B
Data integrity
- ☐ C
Security
- ☐ D
Reliability

本题得分：1分
正确答案： B

数据完整性确保不存在同一数据的多个来源。

这句话的含义是，数据完整性是指在数据库中确保数据的一致性和准确性，防止出现多个源同时存在相同数据的情况。
数据完整性的目标是保证数据库中的数据始终保持正确和一致。它可以通过以下方式来实现：

- 1. 唯一性约束：通过设置唯一性约束，确保某个列或属性中的值在整个数据库中是唯一的，防止重复数据的插入或更新。
 - 2. 主键约束：定义一个主键，使得每个表中的每一行都能被唯一标识，避免出现重复的数据。
 - 3. 外键约束：通过外键约束，确保关联表之间的数据一致性。外键约束保证了关系数据库中的关联关系的有效性，防止引用无效的外部数据。
 - 4. 数据类型约束：定义适当的数据类型，限制数据的格式和取值范围，确保数据的准确性和完整性。
 - 5. 触发器：通过触发器可以定义自动执行的规则和动作，用于验证或修正插入、更新或删除操作，以保证数据的一致性。
- 通过维护数据的完整性，数据库能够消除重复数据、保持数据的准确性和一致性，确保数据的可靠性和可信度。

7.单选题 (1分)

A ____ is a group of related characters

- ☐ A
record
- ☐ B
field
- ☐ C
attribute
- ☐ D
entity

本题得分：1分
正确答案： B

一个字段 (Field) 是一组相关的字符。

8.填空题 (2分)

Having several instances of the same data is called data redundancy .

本题得分：2分
正确答案：

- ☒ 填空1：redundancy
- ☐ 拥有多个相同数据的实例被称为数据冗余 (Data Redundancy) 。

11.单选题 (1分)

A data field that represents a description or characteristic of some entity. ()

- ☐ A
Attribute
- ☐ B
Record
- ☐ C
Character
- ☐ D
Entity

本题得分：1分
正确答案： A

在数据库中，字段 (Field) 是数据表中的列，用于存储特定类型的数据。字段是数据库表的基本组成单元，用于表示实体或对象的属性或特征。每个字段具有名称和数据类型，用于定义所存储数据的性质。

下面是一些字段的具体例子：

- 1. 在一个学生表中，可以有以下字段：
 - 学生ID (Student ID)：存储学生的唯一标识符。
 - 姓名 (Name)：存储学生的姓名。
 - 年龄 (Age)：存储学生的年龄。
 - 性别 (Gender)：存储学生的性别。
 - 成绩 (Grade)：存储学生的考试成绩。
- 2. 在一个产品表中，可以有以下字段：
 - 产品ID (Product ID)：存储产品的唯一标识符。
 - 产品名称 (Product Name)：存储产品的名称。
 - 价格 (Price)：存储产品的价格。
 - 生产日期 (Production Date)：存储产品的生产日期。
 - 库存数量 (Stock Quantity)：存储产品的库存数量。

这些字段定义了表中不同列的属性，每个字段用于存储特定类型的数据。通过组合不同的字段，可以构建出丰富和具有结构的数据库表，用于存储和管理相关的数据。

12.单选题 (1分)

Users of a ____ database have access through their personal computers linked to local or wide area networks.

- ☐ A
individual
- ☐ B
distributed
- ☐ C
company
- ☐ D
commercial

本题得分: 1分

正确答案: C

13.单选题 (1分)

The duties of a database administrator include determining which people have access to what kinds of data in the database; these are referred to as ____ rights.

- ☐ A
analysis
- ☐ B
processing
- ☐ C
management
- ☐ D
application

本题得分: 1分

正确答案: B

15.单选题 (1分)

This subsystem defines the logical structure of the database by using a data dictionary or schema. ()

- ☐ A
Data administration
- ☐ B
Data manipulation
- ☐ C
Data definition
- ☐ D
Application generation

本题得分: 1分

正确答案: C

数据管理 数据操纵 数据定义 应用生成

18.单选题 (1分)

A monthly bank credit card bill is the result of ____ processing.

- ☐ A
real-time
- ☐ B
batch
- ☐ C
group
- ☐ D
consignment

本题得分: 1分

正确答案: B

20.单选题 (1分)

In a network database, a node may be reached through more than one path with the help of ____.

- ☐ A
strings
- ☐ B
links
- ☐ C
pointers

- ☐ D
connectors
- 本题得分: 1分
正确答案: C
21.单选题 (1分)

The most basic logical element of data is a ____.

- ☐ A
binary
- ☐ B
word
- ☐ C
bit
- ☐ D
character

本题得分: 1分
正确答案: D
22.单选题 (1分)

Which of the following is not an advantage of using a database? ()

- ☐ A
Sharing
- ☐ B
Data Integrity
- ☐ C
Security
- ☐ D
Reliability

本题得分: 1分
正确答案: D
23.单选题 (1分)

These databases store not only data but also instructions to manipulate the data. ()

- ☐ A
Object-oriented
- ☐ B
Hierarchical
- ☐ C
Network
- ☐ D
Multidimensional

本题得分: 1分
正确答案: A
25.单选题 (1分)

Which of the following is an advantage of using multidimensional databases? ()

- ☐ A
Network ability
- ☐ B
Simpler relationships
- ☐ C
Smaller hard disk usage
- ☐ D
Conceptualization

本题得分: 1分

正确答案: D
speed

27.单选题 (1分)

A ____ database, sometimes called a data cube, allows data to be viewed as a cube having three or more sides and consists of cells.

- ☐ A
multidimensional

- ☐ B
relational
- ☐ C
object-oriented
- ☐ D
hierarchical

本题得分: 1分

正确答案: A

30.判断题 (1分)

Although hierarchical and network databases are still widely used, relational and multidimensional databases are the most popular today. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

32.填空题 (2分)

The data dictionary or schema contains a description of the structure of data in the database.

本题得分: 2分

正确答案:

- 填空1**: dictionary

35.单选题 (1分)

In this database model, the fields or records are structured in nodes. ()

- ☐ A
Relational
- ☐ B
Object-oriented
- ☐ C
Multidimensional
- ☐ D
Hierarchical

本题得分: 1分

正确答案: D

37.判断题 (1分)

Data redundancy can occur due to lack of data integrity. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

38.单选题 (1分)

Each entry in a ____ database has one parent node, with the parent node having several child nodes.

- ☐ A
object-oriented
- ☐ B
multidimensional
- ☐ C
relational
- ☐ D
hierarchical

本题得分: 1分

正确答案: D

40.单选题 (1分)

In the object-oriented database model, this term is the equivalent to a field in a relational model. ()

- ☐ A
Entity
- ☐ B
Class
- ☐ C
Attribute
- ☐ D
Method

本题得分: 1分

正确答案: C

41.单选题 (1分)

Analysis tools that support viewing all or selected parts of data, querying the database, and generating reports include query-by-example as well as a specialized programming language called ____.

- ☐ A
VBA
- ☐ B
SQL
- ☐ C
XML
- ☐ D
HTML

本题得分: 1分

正确答案: B

43.单选题 (1分)

The analysis tools associated with the ____ subsystem include query-by-example and structured query languages ().

- ☐ A
application generation
- ☐ B
data manipulation
- ☐ C
data administration
- ☐ D
attribute analysis

本题得分: 1分

正确答案: B

44.判断题 (1分)

In a network database, a node can be traced down through different branches. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

45.填空题 (2分)

The scenario wherein many files about the same person exist across different departments within an organization is called data redundancy .

本题得分: 2分

正确答案:

- **填空1** : redundancy

46.单选题 (1分)

Access to these databases is offered to the public or selected outside individuals, for a fee. ()

- ☐ A
Data warehouses
- ☐ B
Distributed databases
- ☐ C
Company databases
- ☐ D
Commercial databases

本题得分: 1分

正确答案: D

52.单选题 (1分)

A field that uniquely identifies each record. ()

- ☐ A
Numeric
- ☐ B
ID
- ☐ C
Common
- ☐ D

Primary key

本题得分: 1分

正确答案: D

57.填空题 (2分)

Real-time processing is also known as online processing.

本题得分: 2分

正确答案:

- **填空1** : Real-time / Real time / Online

58.单选题 (1分)

Which view of data deals with how the data is actually formatted and located? ()

- ☐ A
Physical view
- ☐ B
Logical view
- ☐ C
Technical view
- ☐ D
Information view

本题得分: 1分

正确答案: A

62.判断题 (1分)

Querying the database and generating reports is assisted by the application generation subsystem. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

这句话是错误的, 因为查询数据库和生成报告的工作通常不是由应用程序生成子系统 (Application Generation Subsystem) 来辅助完成的。

应用程序生成子系统通常用于生成应用程序的代码或界面, 而不是用于辅助查询数据库和生成报告的工作。查询数据库和生成报告通常是由专门的查询语言 (如SQL) 或报告生成工具来完成, 而不是由应用程序生成子系统。

因此, 正确的表述应该是: "Querying the database and generating reports can be facilitated by specialized query languages or reporting tools." (通过专门的查询语言或报告生成工具可以简化查询数据库和生成报告的工作。)

63.判断题 (1分)

The logical arrangement of data in a database is called the database model. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

68.判断题 (1分)

In an object-oriented database, attributes are specific instances of a class that can contain both data and instructions to manipulate the data. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

69.填空题 (2分)

In a hierarchical database, any action on one element immediately affects the elements related to it.

本题得分: 2分

正确答案:

- **填空1** : hierarchical

73.判断题 (1分)

Typically, one of the duties of a database administrator is to interact with the data administration subsystem. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

74.单选题 (1分)

This commercial database offers news and information on legal, public records, and business issues. ()

- ☐ A

- ☐ B
LexisNexis
- ☐ C
CSi
- ☐ D
ProQuest Dialog
- ☐ A
Dow Jones Factiva

本题得分: 1分

正确答案: A

81.单选题 (1分)

The analysis tools associated with the data manipulation subsystem that support querying databases include ____ and structured query languages ().

- ☐ A
data definition
- ☐ B
data redundancy
- ☐ C
query-by-example
- ☐ D
attribute analysis

本题得分: 1分

正确答案: C

82.单选题 (1分)

In this subsystem, a user can create data entry forms. ()

- ☐ A
Data definition
- ☐ B
DBMS engine
- ☐ C
Application generation
- ☐ D
Data administration

本题得分: 1分

正确答案: C

83.单选题 (1分)

The combined information presented on this type of database can be used to change the whole merchandising strategy of a store. ()

- ☐ A
Commercial
- ☐ B
Distributed
- ☐ C
Individual
- ☐ D
Company

本题得分: 1分

正确答案: D

- ☐
- ☐
- ☐
- ☐
- ☐
- ☐

-

- [illegible]

第十二章

1.判断题 (1分)

Data about how the present system works is collected during the preliminary investigation phase in order to determine the requirements of the new system. ()

- ☐
- ☐

本题得分：1分
正确答案： 错误

这句话是错误的，因为它混淆了两个不同的阶段：初步调查阶段和需求收集阶段。在系统分析与设计中，这些阶段是有区别的。初步调查阶段旨在对现有系统进行调查和评估，以了解其运作方式、问题和需求。这个阶段的主要目标是获得对现有系统的整体了解，以便确定是否需要引入新系统。在初步调查阶段，数据收集的重点是关于现有系统的信息。而需求收集阶段是在确定引入新系统之后进行的，目的是收集关于新系统所需功能、性能和约束条件的详细需求。这个阶段的主要目标是明确新系统的要求，并与利益相关者一起确定系统的功能和特性。因此，正确的表述应该是：“在初步调查阶段收集关于现有系统运作方式的数据，以了解其整体情况和问题，以便确定是否需要引入新系统。在需求收集阶段，收集详细需求以确定新系统的功能、性能和约束条件。”

2.判断题 (1分)

If a firm is deciding upon the acceptance of a project with a value of \$10,000, and if the client has a good credit history, the firm will most likely use the grid chart in the decision-making process. ()

- ☐
- ☐

本题得分：1分
正确答案： 错误

这句话是错误的，因为它混淆了两个不同的概念：项目接受决策和网格图表的使用。首先，项目接受决策涉及对项目是否被接受的决策过程。在这个决策过程中，公司通常会考虑多个因素，例如项目的价值、盈利潜力、风险等。客户的信用历史可以是其中之一因素，但通常不是唯一的决定因素。其次，网格图表（grid chart）是一种图形化工具，用于组织和比较不同因素的权重和评分。它通常用于决策分析和评估过程中，以帮助组织更好地理解 and 权衡不同的决策选项。因此，正确的表述应该是：“在决定是否接受一个价值为1万美元的项目时，公司可能会考虑多个因素，包括项目的价值、客户的信用历史以及其他相关因素。在决策过程中，公司可能会使用各种工具和方法，其中包括网格图表，来帮助比较和权衡不同的因素和决策选项。”

3.判断题 (1分)

Gathering data and information in the systems analysis phase can be achieved through conducting interviews and studying documents. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确

4.单选题 (1分)

This shows the relationship between input and output documents. ()

- ☐ A
Investigation report
- ☐ B
Top-down analysis method
- ☐ C
Checklist
- ☐ D
Grid chart

本题得分：1分
正确答案： D

5.填空题 (2分)

Systems analysis and design is a problem-solving procedure for examining and improving a(n) information system.

本题得分：2分
正确答案：

- 填空1** : information

7.填空题 (2分)

Data flow diagrams show the data or information flow within an information system; the data is traced from its origin through processing, storage, and output.

本题得分：2分
正确答案：

- 填空1** : Data flow diagrams
- 数据流程图展示了信息系统内部的数据或信息流动；数据从其来源经过处理、存储和输出的过程进行追踪。

8.单选题 (1分)

In this phase of the systems life cycle, the new information system is installed, and people are trained to use it. ()

- ☐ A
Systems development
- ☐ B
Systems implementation
- ☐ C
Systems design
- ☐ D
Systems analysis

本题得分：0分

正确答案： B

9.单选题 (1分)

An important aspect of the preliminary investigation phase is to ____.

- ☐ A
analyze the data
- ☐ B
gather the data
- ☐ C
suggest alternative solutions
- ☐ D
prepare a preliminary investment report

本题得分：1分

正确答案： C

10.单选题 (1分)

Identify the sixth phase of the systems life cycle. ()

- ☐ A
Systems analysis
- ☐ B
Systems maintenance
- ☐ C
Systems development
- ☐ D
Systems design

本题得分：1分

正确答案： B

系统生命周期的六个阶段是：

1. 可行性研究阶段 (Feasibility Study)：在这个阶段，对系统项目进行初步评估，确定其可行性，并确定是否值得继续进行详细的系统开发。
2. 系统分析阶段 (System Analysis)：在这个阶段，对当前系统进行详细调查和分析，以了解业务需求、问题和机会。收集需求并定义新系统的功能和目标。
3. 系统设计阶段 (System Design)：在这个阶段，基于系统分析的结果，设计新系统的体系结构、模块、数据库和用户界面等。确定技术规范、硬件和软件要求，并进行详细的系统设计。
4. 系统开发阶段 (System Development)：在这个阶段，根据系统设计，进行软件编码、测试和集成。开发人员根据需求规范构建系统，并进行单元测试和集成测试。
5. 系统实施阶段 (System Implementation)：在这个阶段，将开发完成的系统部署到目标环境中。进行用户培训、数据迁移、系统安装和设置，并逐步转移到新系统上运行。
6. 系统维护阶段 (System Maintenance)：在这个阶段，对系统进行维护、支持和改进。包括故障排除、错误修复、系统更新和功能增强等活动。系统维护可以持续很长时间，直到系统被替换或废弃。

这些阶段共同组成了系统生命周期，从最初的可行性研究到最后的系统维护，确保系统的有效运行和满足用户需求。

11.判断题 (1分)

In the data analysis step, the idea is to learn how information currently flows and to pinpoint why it is not flowing properly. ()

- ☐
- ☐

本题得分：1分

正确答案： 正确

12.单选题 (1分)

System ____ show the flow of input data to processing and finally to output.

- ☐ A
top-down analysis
- ☐ B
checklists
- ☐ C
grids
- ☐ D

flowcharts

本题得分: 1分

正确答案: D

13.单选题 (1分)

The _____ approach to systems implementation is used only in cases in which the cost of failure or of interrupted operation is great.

- ☐ A
phased
- ☐ B
direct
- ☐ C
parallel
- ☐ D
pilot

本题得分: 1分

正确答案: C

15.判断题 (1分)

The top-down analysis method breaks components into smaller components to make each component easier to analyze and deal with. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

16.填空题 (2分)

Testing of the system happens after the installation of software and hardware.

本题得分: 2分

正确答案:

- 填空1 : Testing

18.单选题 (1分)

A _____ shows the relationship between input and output documents.

- ☐ A
grid chart
- ☐ B
top-down analysis
- ☐ C
checklist
- ☐ D
investigation report

本题得分: 1分

正确答案: A

20.填空题 (2分)

In general, the pilot and phased approaches are the most favored conversion approaches.

本题得分: 2分

正确答案:

- 填空1 : phased

21.判断题 (1分)

Application software for new information systems always requires having it custom-designed to meet the needs of the organization. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

为新信息系统编写的应用软件总是需要进行定制设计，以满足组织的需求。

22.单选题 (1分)

In order to obtain financing to continue to Phase 2: Systems Analysis, the systems analyst does this. ()

- ☐ A
Prepares a preliminary investigation report
- ☐ B
Analyzes data
- ☐ C
Trains users on the new system

- ☐ D
Gathers data
- 本题得分: 1分
正确答案: A
23.单选题 (1分)

New hardware and software are acquired, developed, and tested in the systems ____ stage of the systems life cycle.

- ☐ A
development
- ☐ B
analysis
- ☐ C
design
- ☐ D
implementation

本题得分: 1分
正确答案: A
24.判断题 (1分)

In the systems design phase of the systems life cycle, the systems design report usually concludes by recommending one of the analyzed alternatives. ()

- ☐
- ☐

本题得分: 1分
正确答案: 正确
25.单选题 (1分)

In the preliminary investigation phase of the systems life cycle, which one of the following tasks would not be included? ()

- ☐ A
Briefly defining the problem
- ☐ B
Suggesting alternative solutions
- ☐ C
Preparing a short report
- ☐ D
Gathering the data

本题得分: 1分
正确答案: D
26.单选题 (1分)

This conversion type is not recommended because problems arising in this approach could be catastrophic. ()

- ☐ A
Pilot approach
- ☐ B
Direct approach
- ☐ C
Parallel approach
- ☐ D
Phased approach

本题得分: 0分
正确答案: B
27.填空题 (2分)

Another name for Phase 5, systems implementation, is conversion .

本题得分: 2分
正确答案:

- 填空1** : conversion

28.单选题 (1分)

The ____ report describes the current information system, the requirements for a new system, and a possible development schedule.

- ☐ A
top-down analysis
- ☐ B
components

- ☐ C
data flow
- ☐ D
systems analysis

本题得分: 1分

正确答案: D

30.单选题 (1分)

This conversion approach is preferred when there are many people in an organization performing similar operations. ()

- ☐ A
Pilot approach
- ☐ B
Direct approach
- ☐ C
Parallel approach
- ☐ D
Phased approach

本题得分: 1分

正确答案: A

32.单选题 (1分)

_____ feasibility is evaluated to determine if the proposed system can actually be made to operate in the organization.

- ☐ A
Technical
- ☐ B
Top-down
- ☐ C
Operational
- ☐ D
Economic

本题得分: 1分

正确答案: C

33.单选题 (1分)

A collection of activities and elements organized to accomplish a goal. ()

- ☐ A
Program
- ☐ B
System
- ☐ C
Information
- ☐ D
Data

本题得分: 1分

正确答案: B

36.单选题 (1分)

Which among the following would not be described in the systems analysis report? ()

- ☐ A
The training requirements for users
- ☐ B
The current information system
- ☐ C
The possible development schedule
- ☐ D
The requirements for a new system

本题得分: 1分

正确答案: A

38.单选题 (1分)

This is the first step in the systems design phase. ()

- ☐ A
Analyze the data

- ☐ B
Examine hardware requirements
- ☐ C
Design alternative systems
- ☐ D
Select the best system

本题得分: 1分

正确答案: C

42.判断题 (1分)

CASE tools are limited to systems analysis. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

这句话是错误的，因为它误导地声称CASE工具（计算机辅助软件工程工具）仅适用于系统分析。

CASE工具是一类计算机软件，用于支持软件工程中的各个阶段，包括系统分析、系统设计、编码、测试和维护等。虽然CASE工具在系统分析阶段中可能发挥重要作用，但它们并不仅限于此阶段。

在系统设计阶段，CASE工具可以用于建模和设计系统的结构、组件和关系。在编码阶段，CASE工具可以提供代码生成、调试和版本控制等功能。在测试阶段，CASE工具可以支持测试用例的创建和执行。在维护阶段，CASE工具可以帮助进行问题追踪和变更管理。

因此，正确的表述应该是：“CASE工具可用于支持软件工程的各个阶段，包括系统分析、系统设计、编码、测试和维护等。”

43.单选题 (1分)

In this activity, it is determined whether the system can be made secure against unauthorized use. ()

- ☐ A
Selecting the best system
- ☐ B
Writing the systems design report
- ☐ C
Testing the system
- ☐ D
Analyzing the data

本题得分: 1分

正确答案: A

45.单选题 (1分)

Which of the following is used to identify the components of a complex system and makes each component easier to analyze and deal with? ()

- ☐ A
Grid chart
- ☐ B
Top-down analysis method
- ☐ C
Checklist
- ☐ D
System flowchart

本题得分: 1分

正确答案: B

47.单选题 (1分)

The systems design report presents the ____.

- ☐ A
requirements for a new system
- ☐ B
possible development schedule
- ☐ C
description of the current system
- ☐ D
costs versus the benefits

本题得分: 1分

正确答案: D

48.单选题 (1分)

This individual studies an organization's systems to determine what actions to take and how to use computer technology to assist them. ()

- ☐ A

- ☐ B
Systems analyst
- ☐ C
Network administrator
- ☐ D
Computer engineer
- ☐ A
Cryptographer

本题得分：1分

正确答案：A

49.判断题 (1分)

Hardware and software are normally acquired during the implementation phase of the systems life cycle. ()

- ☐
- ☐

本题得分：1分

正确答案：错误

这句话是错误的，因为它混淆了系统生命周期的不同阶段和硬件/软件的获取时机。

在系统生命周期中，硬件和软件的获取通常不限于实施阶段。具体的硬件和软件采购时间取决于项目需求和计划。以下是一些通常的情况：

1. 可行性研究阶段：在此阶段，可能会初步考虑硬件和软件需求，并进行初步评估。
2. 系统分析阶段：在此阶段，确定系统需求并进行详细的系统分析。这可能包括对硬件和软件的需求进行具体规划和识别。
3. 系统设计阶段：在此阶段，根据系统需求和架构设计确定所需的硬件和软件配置。
4. 系统开发阶段：在此阶段，可能会进行具体的硬件和软件采购，以支持系统的开发和测试。
5. 系统实施阶段：在此阶段，根据系统设计和需求，部署所需的硬件和软件，并进行系统安装和设置。

因此，正确的表述应该是：“硬件和软件的获取通常不限于系统生命周期中的实施阶段，而是根据项目需求和计划在不同阶段进行。”

50.填空题 (2分)

Systems designers evaluate each alternative in the systems design phase for feasibility by looking at economic, technical, and operational factors.

本题得分：2分

正确答案：

- **填空1** : feasibility
- 系统设计师在系统设计阶段通过考虑经济、技术和操作等因素来评估每个备选方案的可行性。

52.判断题 (1分)

In the design phase of the systems life cycle, alternative systems are analyzed for economic, physical, and operational feasibility. ()

- ☐
- ☐

本题得分：1分

正确答案：不确定

在系统生命周期的设计阶段，会对备选系统进行经济、物理和操作可行性的分析。

54.单选题 (1分)

This is performed to determine whether the new procedures are actually furthering productivity. ()

- ☐ A
Systems inventory
- ☐ B
Testing
- ☐ C
Systems audit
- ☐ D
Designing alternatives

本题得分：1分

正确答案：C

57.填空题 (2分)

When evaluating alternative systems, systems designers must consider economic feasibility, technical feasibility, and operational feasibility.

本题得分：2分

正确答案：

- **填空1** : technical

60.单选题 (1分)

This is the process of building a model that can be modified before the actual system is installed. ()

- ☐ A
Rapid applications development
- ☐ B
Prototyping

- ☐ C
Systems analysis
- ☐ D
Systems maintenance

本题得分：1分

正确答案： B

63.判断题 (1分)

CASE stands for "Computer-Aided Software Engineering." ()

- ☐
- ☐

本题得分：1分

正确答案： 正确

64.判断题 (1分)

In Phase 2 of the systems life cycle, the primary concern is completing a new design. ()

- ☐
- ☐

本题得分：1分

正确答案： 错误

这句话是错误的，因为它混淆了系统生命周期的设计阶段和备选系统的可行性分析。

在系统生命周期的设计阶段，主要关注的是对所选定的系统进行具体设计，而不是对备选系统进行分析。

备选系统的可行性分析通常发生在系统分析阶段，而不是在设计阶段。在系统分析阶段，不同的备选方案会被评估，包括对其经济、物理和操作可行性的分析。

因此，正确的表述应该是：“在系统生命周期的设计阶段，主要关注对所选定的系统进行具体设计，而备选系统的可行性分析通常发生在系统分析阶段，涉及对备选系统的经济、物理和操作可行性的分析。”

66.判断题 (1分)

An organization chart shows where the hardware is located within the organization. ()

- ☐
- ☐

本题得分：1分

正确答案： 错误

这句话是错误的，因为它误导地声称组织结构图显示硬件在组织内的位置。

实际上，组织结构图（Organization Chart）是用来表示组织内部的层级结构、职责和关系，而不是用来展示硬件的位置。组织结构图通常显示不同部门、团队、岗位和人员之间的关系和层级。

硬件的位置通常由设备布置图（Equipment Layout）或网络拓扑图（Network Topology）等来表示，这些图表显示了硬件设备在组织内的布局 and 连接方式。

因此，正确的表述应该是：“组织结构图用于显示组织内部的层级结构和职责，而不是用来展示硬件在组织内的位置。”

- ☐

- ☐

67.单选题 (1分)

This is the final task in Phase 3: Systems Design. ()

- ☐ A
Examine hardware requirements
- ☐ B
Select the best design
- ☐ C
Design alternative systems
- ☐ D
Write a systems design report

本题得分：1分

正确答案： D

69.单选题 (1分)

These tools, also called computer-aided software engineering (CASE. tools, are used in system analysis to evaluate alternative hardware and software solutions. ()

- ☐ A
Report generators
- ☐ B
Project management tools

- ☐ C
Spreadsheets
- ☐ D
Automated design tools

本题得分: 1分

正确答案: D

70.单选题 (1分)

This is the final step of the systems implementation phase of the systems life cycle. ()

- ☐ A
Develop documentation
- ☐ B
Train users
- ☐ C
Select the conversion type
- ☐ D
Write the implementation report

本题得分: 1分

正确答案: B

72.单选题 (1分)

Gathering and analyzing data is part of this phase. ()

- ☐ A
Preliminary investigation
- ☐ B
Systems design
- ☐ C
Systems analysis
- ☐ D
Systems implementation

本题得分: 1分

正确答案: C

73.单选题 (1分)

During which phase of the systems life cycle are users trained to use the new system? ()

- ☐ A
Systems implementation
- ☐ B
Systems development
- ☐ C
Systems maintenance
- ☐ D
Preliminary investigation

本题得分: 1分

正确答案: A

77.单选题 (1分)

Selecting the _____ is the first step in implementing a new system.

- ☐ A
best alternative
- ☐ B
software requirements
- ☐ C
conversion type
- ☐ D
hardware requirements

本题得分: 1分

正确答案: C

81.单选题 (1分)

In this phase of the systems life cycle, new or alternative information systems are designed. ()

- ☐ A
Systems maintenance
- ☐ B
Systems analysis

- ☐ C
Systems development
 - ☐ D
Systems design
- 本题得分：1分
正确答案： D

•

.

第十三章

1.单选题 (1分)

These third-generation languages are designed to express the logic that can solve general problems. ()

- ☐ A
Machine
- ☐ B
Assembly
- ☐ C
Content-Markup
- ☐ D
Procedural

本题得分： 1分
正确答案： D

这四个词代表不同类型的编程语言：

- 1. 机器语言 (Machine Language)： 机器语言是一种由机器直接执行的二进制指令集，它使用计算机的底层硬件表示。机器语言是一种低级语言，通常用于控制计算机的操作，但对于人类来说难以阅读和编写。
 - 2. 汇编语言 (Assembly Language)： 汇编语言是一种低级别的编程语言，它使用助记符 (mnemonics) 来代表机器语言的指令。汇编语言通常与特定的计算机体系结构相关，每条汇编指令对应一条机器指令。它比机器语言更易读写，但仍较接近计算机硬件。
 - 3. 内容标记语言 (Content-Markup Language)： 内容标记语言是一种用于描述和标记文档结构、内容和样式的语言。它不是编程语言，而是用于表示和组织文档的标记标签集合。常见的内容标记语言包括HTML (超文本标记语言) 和XML (可扩展标记语言)。
 - 4. 过程式语言 (Procedural Language)： 过程式语言是一类基于过程或子程序的编程语言，它们按照一定的顺序执行指令来完成任务。过程式语言强调对算法和步骤的直接控制，典型的过程式语言包括C、Fortran和Pascal等。
- 这些语言在软件开发中扮演着不同的角色和功能，具体取决于应用场景和需求。

2.单选题 (1分)

Which of the following refers to tools that are used to provide some assistance in designing, coding, and testing software? ()

- ☐ A
CAD
- ☐ B
CASE
- ☐ C
CAM
- ☐ D
OOP

本题得分： 1分
正确答案： B

"CASE"是计算机辅助软件工程 (Computer-Aided Software Engineering) 的缩写。它是一种使用计算机和相关工具来辅助软件开发过程的方法和技术。CASE工具 (Computer-Aided Software Engineering tools) 是一类软件工程工具，用于支持软件开发的各个阶段，包括需求分析、系统设计、编码和测试等。CASE工具通常提供了一系列的功能和特性，如图形化界面、模型建立、代码生成、文档自动生成、版本控制和项目管理等。它们可以帮助软件开发人员在开发过程中更高效地组织、分析和管理各种信息和资源。使用CASE工具可以提高软件开发的效率、质量和可维护性。CASE在软件工程领域有广泛的应用，它可以用于不同的开发方法和模型，如瀑布模型、迭代模型和敏捷开发等。通过使用CASE工具，开发团队可以更好地协同工作，减少错误和重复工作，并加速软件开发周期。

3.单选题 (1分)

One of the best ways to code effective programs is to write so-called ____ programs, using the sequential, selection, or repetition logic structures.

- ☐ A
structured
- ☐ B
unstructured
- ☐ C
content-markup
- ☐ D
object-oriented

本题得分： 1分
正确答案： A

4.单选题 (1分)

Proofreading a printout of a program is known as desk checking or code ____.

- ☐ A
modulation
- ☐ B
feedback

- ☐ C
review
- ☐ D
calculation

本题得分: 1分

正确答案: C

校对程序的打印输出被称为桌面检查或代码审查。

5.单选题 (1分)

This type of error could be the result of the programmer making an incorrect calculation. ()

- ☐ A
Compiler
- ☐ B
Logic
- ☐ C
Syntax
- ☐ D
Run time

本题得分: 1分

正确答案: B

编译器 句法 逻辑时间

6.填空题 (2分)

Program flowcharts graphically present the detailed sequence of steps needed to solve a programming problem.

本题得分: 0分

正确答案:

- 填空1** : flow charts

7.单选题 (1分)

A ____ error is a violation of the rules of the programming language.

- ☐ A
machine
- ☐ B
logic
- ☐ C
translation
- ☐ D
syntax

本题得分: 1分

正确答案: D

违背

8.填空题 (2分)

The repetition, or loop structure, describes a process that may be repeated as long as a certain condition remains true.

本题得分: 2分

正确答案:

- 填空1** : loop
- 循环

9.单选题 (1分)

A ____ error occurs when the programmer uses an incorrect calculation or leaves out a programming procedure.

- ☐ A
machine
- ☐ B
syntax
- ☐ C
logic
- ☐ D
translation

本题得分: 1分

正确答案: C

忽略

10.判断题 (1分)

During the testing process, sometimes a program is checked for errors by following the steps with a calculator and sample data. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确

在测试过程中，有时会通过使用计算器和样本数据按照步骤检查程序中的错误。
12.判断题 (1分)

For an attempt at translation to work as a form of the testing process, the program must be free of logic errors to be able to run. ()

- ☐
- ☐

本题得分：1分
正确答案： 错误

非常抱歉给你带来困惑。实际上，这句话没有明显的错误。它表达了一个条件：如果将翻译尝试作为测试过程的一部分，那么程序在运行时必须没有逻辑错误才能够执行。换句话说，当我们使用翻译作为测试的方法时，我们期望程序在运行时没有逻辑错误，以便能够正常运行并进行测试。这是因为逻辑错误可能会导致程序无法按照预期工作，从而影响测试的准确性和可靠性。然而，需要注意的是，这种方法仅仅依赖于翻译来进行测试是不够的。在软件开发中，通常会使用多种测试方法和技术来发现和修复不同类型的错误，包括逻辑错误、语法错误、运行时错误等。因此，虽然这句话没有明显的错误，但它仅涉及到了部分测试过程中的一个方面。为了确保程序的正确性，我们应该综合运用多种测试方法和技术来进行全面的测试。

14.填空题 (2分)
In OOP, each object contains both the data and processing operations necessary to perform a task.
本题得分：2分
正确答案：

- 填空1** : object

在面向对象编程（OOP）中，每个对象都包含执行任务所需的数据和处理操作。
15.判断题 (1分)

Agile software development starts by getting core functionality of a program working, and then expands on it until the customer is satisfied with the results. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确
敏捷开发
16.单选题 (1分)

The program’s objectives, outputs, inputs, and processing requirements are determined during this step. ()

- ☐ A
Program documentation
- ☐ B
Program specification
- ☐ C
Program design
- ☐ D
Program code

本题得分：0分
正确答案： B
程序规范
17.判断题 (1分)

Programming is simply typing words into a computer. ()

- ☐
- ☐

本题得分：1分
正确答案： 错误
编程只是将单词键入计算机。
18.判断题 (1分)

A 5GL language incorporates the concepts of artificial intelligence to allow a person to provide a system with a problem and some constraints, and then request a solution. ()

- ☐
- ☐

本题得分：1分
正确答案： 正确

一个第五代语言（5GL）结合了人工智能的概念，允许一个人向系统提供一个问题和一些约束条件，并请求一个解决方案。

19. 填空题 (2分)

Using structured programming techniques, the program's processing steps can be identified using top-down program design.

本题得分：2分

正确答案：

- **填空1** : top-down

20. 单选题 (1分)

This is testing a program by a select group of potential users. ()

- ☐ A
Beta testing
- ☐ B
Attempt at translation
- ☐ C
Manual testing
- ☐ D
Desk checking

本题得分：1分

正确答案：A

21. 单选题 (1分)

This is an outline of the logic of the program you will write. ()

- ☐ A
Testing
- ☐ B
Coding
- ☐ C
Flowcharts
- ☐ D
Pseudocode

本题得分：1分

正确答案：D

伪代码

22. 填空题 (2分)

Activities in the program maintenance area fall under two categories: operations and changing needs.

本题得分：2分

正确答案：

- **填空1** : operations
- 程序维护领域的活动分为两个类别：操作和变更需求。

23. 单选题 (1分)

_____ programming techniques consist of top-down program design, pseudocode, flowcharts, and logic structures.

- ☐ A
Unstructured
- ☐ B
Content-markup
- ☐ C
Object-oriented
- ☐ D
Structured

本题得分：1分

正确答案：D

25. 判断题 (1分)

Pseudocode graphically presents the detailed sequence of steps needed to solve a programming problem. ()

- ☐
- ☐

本题得分：1分

正确答案：错误

flow charts

26. 单选题 (1分)

This is the process of testing and eliminating errors in a program. ()

- ☐ A
Debugging
- ☐ B
Modularizing
- ☐ C
Coding
- ☐ D
Clarifying

本题得分: 1分

正确答案: A

排除

27.填空题 (2分)

Programming is also called software development.

本题得分: 2分

正确答案:

- 填空1** : software

28.填空题 (2分)

A program is a list of instructions for the computer to follow to accomplish the task of processing data into information.

本题得分: 2分

正确答案:

- 填空1** : program

29.单选题 (1分)

This consists of written descriptions and procedures about a program and how to use it. ()

- ☐ A
Tables
- ☐ B
Documentation
- ☐ C
Status reports
- ☐ D
Tabloids

本题得分: 1分

正确答案: B

30.单选题 (1分)

Sequential is a type of ____ structure in which one program statement follows another.

- ☐ A
component
- ☐ B
logic
- ☐ C
module
- ☐ D
selection

本题得分: 1分

正确答案: B

32.判断题 (1分)

Program maintenance involves ensuring that current programs are operating error-free, efficiently, and effectively. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

35.单选题 (1分)

This type of language uses natural languages to allow humans to communicate more directly to a computer. ()

- ☐ A
Assembly
- ☐ B
High-Level Procedural
- ☐ C
Problem and constraint

D

Machine

本题得分：1分

正确答案：C

1. High-Level Procedural（高级过程式）：High-Level Procedural（高级过程式）指的是一种高级编程语言，该语言具有结构化编程的特点，通过使用过程（或函数）来组织和模块化代码。高级过程式语言通常具有丰富的语法和功能，使开发人员能够更轻松地表达算法和逻辑。一些常见的高级过程式语言包括C、Pascal和Fortran等。
2. Problem and Constraint（问题和约束）：Problem and Constraint（问题和约束）表示在软件开发过程中所涉及的问题和限制条件。在软件开发中，问题是指需要解决的任务或需求，而约束是指对解决方案的限制或要求。问题可以是软件功能、性能或用户需求等方面的要求，而约束可以涉及时间、资源、技术限制或法律法规等方面的限制。问题和约束对软件开发的方案选择和实施具有重要影响，开发人员需要在解决问题的同时考虑和满足相关的约束条件。

36.单选题 (1分)

An interpreter ____.

- A

converts and runs the procedural language one statement at a time into machine code
- B

uses statements to tell objects to perform actions on themselves
- C

translates software code from assembly language into machine language
- D

converts the source code into machine language code then runs the object code.

本题得分：1分

正确答案：A

38.单选题 (1分)

_____ languages can be run on more than one kind of computer.

- A

Assembly

B

Portable

C

Machine

D

Task-oriented

本题得分：1分

正确答案：B

1. Portable（可移植）：Portable（可移植）指的是软件或系统能够在不同的平台、操作系统或环境中进行移植和运行的特性。可移植性是指软件设计和实现的能力，使其能够轻松地在不同的计算机系统上进行部署和使用，而无需进行大量的修改或调整。具有良好可移植性的软件能够提高跨平台兼容性，减少对特定硬件或操作系统的依赖性，提高软件的灵活性和可维护性。
2. Task-oriented（面向任务）：Task-oriented（面向任务）是一种软件设计和开发的方法，强调根据用户或系统的任务和目标来组织和实现软件功能。这种方法关注用户需要解决的具体任务，将软件的功能和交互设计围绕任务进行构建，以提供更直接、高效和用户友好的体验。面向任务的设计通常侧重于任务流程、用户界面和任务驱动的交互方式，以满足用户的操作需求，并提供便捷的任务执行和结果展示。这种设计方法可以提高软件的可用性和用户满意度，使用户能够更轻松地完成他们的工作或任务。

41.判断题 (1分)

One of the items to be defined in the program specification is the program's objectives. ()

-

本题得分：1分

正确答案：正确

程序规范中需要定义的项目之一是程序的目标。

42.判断题 (1分)

A condition must be met before a sequential structure can proceed to the next statement. ()

-

本题得分：0分

正确答案：错误

这句话并没有明显的错误。它描述了一个条件在顺序结构中必须满足才能继续执行下一条语句的情况。

在编程中，顺序结构是按照代码的顺序一条一条地执行语句。然而，有时候我们需要根据特定的条件来控制程序的流程。这是通过使用条件语句（如if语句）来实现的。条件语句会检查一个条件，如果条件为真，则执行特定的代码块，否则跳过该代码块继续执行下一条语句。

因此，这句话的意思是，在顺序结构中，存在一个条件，只有当该条件满足时，程序才会继续执行下一条语句。这是符合编程逻辑的描述。如果你认为这句话有错误，请提供更多的上下文或解释，以便我更好地理解你的疑问。

43.填空题 (2分)

Time cards containing statements of hours worked are an example of input data.

本题得分: 2分

正确答案:

- **填空1** : input
- 包含工作小时的时间卡是输入数据的一个例子。

44.填空题 (2分)

Documentation written for programmers should include text and program flowcharts, program listings, and sample output as well as system flowcharts.

本题得分: 2分

正确答案:

- **填空1** : program listings

46.单选题 (1分)

46.单选题 (1分)

A compiler ____.

- ☐ A
converts the procedural language one statement at a time
- ☐ B
translates instruction codes from assembler language into machine language
- ☐ C
converts the source code into a machine language code
- ☐ D
uses statements to tell objects to perform actions on themselves

本题得分: 1分

正确答案: C

预处理 编译 汇编 连接

48.单选题 (1分)

One of the six steps of programming is writing the program, also called ____.

- ☐ A
modulation
- ☐ B
coding
- ☐ C
charting
- ☐ D
pseudocoding

本题得分: 1分

正确答案: B

52.单选题 (1分)

A() ____ is a program that provides modules of prewritten code.

- ☐ A
artificial intelligence
- ☐ B
pseudocode
- ☐ C
machine language
- ☐ D
application generator

本题得分: 1分

正确答案: D

这句话的含义是，应用程序生成器是一种程序，它提供了预先编写好的代码模块。

应用程序生成器是一种工具或软件，旨在帮助开发人员快速创建应用程序。它提供了一系列的预先编写好的代码模块，这些模块包含了常见的功能和特性，如用户界面、数据存储、用户认证等。开发人员可以使用这些模块来构建应用程序，而无需从头开始编写所有的代码。

通过应用程序生成器，开发人员可以通过选择和组合适当的代码模块，快速生成具有所需功能的应用程序原型或基础结构。这种方法可以大大加快开发过程，并减少开发人员需要编写的代码量。应用程序生成器通常具有可定制化的选项，以便开发人员根据具体需求进行调整和扩展生成的代码。

总而言之，应用程序生成器是一种工具，它为开发人员提供了预先编写好的代码模块，以便快速创建应用程序，并简化开发过程。

53.判断题 (1分)

The report at the end of the program design step typically consists of pseudocode, flowcharts, and logic structures. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

54.判断题 (1分)

CASE tools are used to compile programs to test for logic errors. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

这句话是错误的, 因为它混淆了两个不同的概念。

首先, CASE (Computer-Aided Software Engineering) 工具是用于辅助软件工程的工具集, 而不是用于编译程序。CASE工具提供了一系列的软件开发支持功能, 如需求分析、设计建模、代码生成、测试管理等。它们旨在提高软件开发的效率和质量, 而不是编译程序。

其次, 编译是将源代码转换为机器可执行的形式过程。编译器是一种软件工具, 用于将高级编程语言 (如C、C++、Java) 的源代码转换为机器语言或字节码, 以便计算机可以理解和执行。编译过程与测试逻辑错误无关, 它的主要目的是将源代码转化为可执行的程序。

因此, 这句话错误地将CASE工具与编译程序和逻辑错误测试联系起来。正确的说法应该是CASE工具用于辅助软件开发的各个阶段, 例如需求分析、设计和测试等, 而编译器用于将源代码转换为可执行的程序形式, 以便在后续阶段进行逻辑错误的测试和调试。

55.单选题 (1分)

These second-generation languages use abbreviations or mnemonics that are automatically converted to the appropriate sequence of 1s and 0s. ()

- ☐ A
Assembly
- ☐ B
High-level
- ☐ C
Object-Oriented
- ☐ D
Procedural

本题得分: 1分

正确答案: A

这些第二代语言使用缩写或助记符, 它们会自动转换为适当的1和0序列。

57.判断题 (1分)

The DO WHILE loop means that the loop statements will be executed as long as a certain condition exists. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

59.填空题 (2分)

The defining of tasks that are required for input data to be processed into output is part of the processing requirements step.

本题得分: 2分

正确答案:

- 填空1**: processing requirements
- 将需要处理的输入数据定义为任务, 以产生输出数据, 这是处理需求步骤的一部分。

61.判断题 (1分)

Coding is only one of the six steps of programming. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

63.判断题 (1分)

A programming language uses symbols, words, and phrases to instruct a computer to perform specific operations. ()

- ☐
- ☐

本题得分: 1分

正确答案: 正确

66.判断题 (1分)

Program documentation is intended only for end users. ()

- ☐
- ☐

本题得分: 1分

正确答案: 错误

67.判断题 (1分)

Top-down program design is used to identify the program's processing steps after the outputs and inputs have been determined. ()

- ☐
- ☐

本题得分：1分

正确答案： 正确

As much as 75 percent of the total lifetime cost for an application program is spent on this. ()

68.单选题 (1分)

As much as 75 percent of the total lifetime cost for an application program is spent on this. ()

- ☐ A
Storage
- ☐ B
Electricity
- ☐ C
Maintenance
- ☐ D
Documentation

本题得分：1分

正确答案： C

应用程序总生命周期成本的75%用于此。

69.单选题 (1分)

Program objectives, desired outputs, needed inputs, and processing requirements are all recorded in this. ()

- ☐ A
Project management database
- ☐ B
Program tracking log
- ☐ C
Program specifications document
- ☐ D
Management information system

本题得分：1分

正确答案： C

75.单选题 (1分)

These consist of logically related programming statements. ()

- ☐ A
Objects
- ☐ B
Units
- ☐ C
Components
- ☐ D
Modules

本题得分：1分

正确答案： D

83.单选题 (1分)

This type of software development focuses less on the procedures and more on defining the relationships between previously defined procedures. ()

- ☐ A
Content-markup
- ☐ B
Unstructured
- ☐ C
Object-oriented
- ☐ D
Structured

本题得分：1分

正确答案： C

以下是对不同GL（Generation Language）级别的解释：

1GL（第一代语言）：1GL是机器语言或二进制代码，它是计算机硬件能直接理解和执行的语言。它使用二进制代码表示指令和数据，对于程序员来说非常低级和不直观。

2GL（第二代语言）：2GL是汇编语言，它使用助记符（mnemonics）来代表机器语言指令。汇编语言相对于机器语言更易于理解，但仍与特定的计算机体系结构密切相关。

3GL（第三代语言）：3GL是高级编程语言，如C、C++、Java、Python等。这些语言使用更抽象和人类可理解的语法和结构，使程序员能够更轻松地编写代码，并提供了更高级别的抽象概念，如变量、函数、对象等。

4GL（第四代语言）：4GL是面向特定领域的编程语言，它们旨在简化特定领域中的开发任务。它们提供了更高级别的抽象和工具，以便快速开发应用程序，如数据库查询语言（SQL）、报表生成语言等。

5GL（第五代语言）：5GL是基于人工智能和自然语言处理的编程语言。这些语言旨在使程序员能够使用自然语言或类似自然语言的语法来描述问题，并通过系统的推理和处理能力生成解决方案。

6GL（第六代语言）：第六代语言是指一种更高级别的编程抽象和自动化环境，通常是通过图形界面或可视化工具来支持软件开发。它们旨在进一步简化开发过程，提高开发效率，并降低编码的复杂性。

需要注意的是，第6代语言（6GL）一般不是一个常见的术语，它有时被用于描述更高级别的编程环境和工具，但其具体定义和使用范围可能有所不同。

The six steps in the programming procedure, also known as the software development life cycle, are as follows:

1. Problem Analysis: This step involves understanding and analyzing the problem or requirements that need to be addressed by the program. It includes gathering information, identifying the goals and constraints, and defining the problem statement.
2. Program Design: In this step, the program's overall design and structure are planned. It includes breaking down the problem into smaller components, designing algorithms, and creating a logical flowchart or pseudocode.
3. Coding: The coding step involves translating the program design into a specific programming language. It is the actual implementation of the algorithms and logical steps defined in the previous step.
4. Testing: After coding, the program needs to be thoroughly tested to ensure its correctness and functionality. Testing involves running the program with various inputs and verifying if the expected outputs are obtained. It helps identify and fix any errors or bugs.
5. Documentation: Documentation is an essential step in programming. It involves creating detailed documentation that describes the program's purpose, usage, functionality, algorithms, and any other relevant information. It helps in understanding and maintaining the program in the future.
6. Maintenance: Once the program is developed and deployed, it requires ongoing maintenance. This includes fixing bugs, making enhancements, adding new features, and adapting the program to changing requirements or environments. Maintenance ensures the program remains functional and up-to-date over time.

These steps form a systematic approach to software development and help ensure the quality and effectiveness of the final program.

编程过程中的六个步骤（也称为软件开发生命周期）如下：

1. 问题分析：这一步涉及理解和分析需要程序解决的问题或需求。它包括收集信息、确定目标和约束条件，以及定义问题陈述。
2. 程序设计：在这一步中，计划程序的整体设计和结构。它包括将问题分解为较小的组件、设计算法，并创建逻辑流程图或伪代码。
3. 编码：编码步骤将程序设计转化为具体的编程语言。这是在前一步中定义的算法和逻辑步骤的实际实现过程。
4. 测试：在编码完成后，需要对程序进行全面测试，以确保其正确性和功能性。测试包括使用各种输入运行程序，并验证是否得到预期的输出。它有助于识别和修复错误或漏洞。
5. 文档编写：文档编写是编程的一个重要步骤。它包括创建详细的文档，描述程序的目的、用法、功能、算法和其他相关信息。文档有助于理解和维护程序。
6. 维护：一旦程序开发和部署完成，就需要进行持续的维护工作。这包括修复错误、进行增强、添加新功能，并根据变化的需求或环境调整程序。维护确保程序在时间上保持功能正常和更新。

这些步骤形成了一种系统化的软件开发方法，有助于确保最终程序的质量和效果。