


One_SGP4



Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	Namespace Documentation	7
4.1	One_Sgp4 Namespace Reference	7
5	Class Documentation	9
5.1	One_Sgp4.Coordinate Class Reference	9
5.1.1	Detailed Description	10
5.1.2	Constructor & Destructor Documentation	10
5.1.2.1	Coordinate()	10
5.1.3	Member Function Documentation	10
5.1.3.1	getHeight()	10
5.1.3.2	getLatetude()	10
5.1.3.3	getLongitude()	11
5.1.3.4	toECI()	11
5.1.3.5	toString()	11
5.2	One_Sgp4.DeepSpaceObjects Class Reference	12
5.3	One_Sgp4.Enum Class Reference	13

5.3.1	Member Enumeration Documentation	13
5.3.1.1	satClass	13
5.4	One_Sgp4.EpochTime Class Reference	13
5.4.1	Constructor & Destructor Documentation	14
5.4.1.1	EpochTime() [1/4]	14
5.4.1.2	EpochTime() [2/4]	15
5.4.1.3	EpochTime() [3/4]	15
5.4.1.4	EpochTime() [4/4]	15
5.4.2	Member Function Documentation	16
5.4.2.1	addTick()	16
5.4.2.2	getDay()	16
5.4.2.3	getDayOfYear()	16
5.4.2.4	getEpoch()	16
5.4.2.5	getHour()	17
5.4.2.6	getLocalSiderealTime()	17
5.4.2.7	getMin()	17
5.4.2.8	getMonth()	17
5.4.2.9	getSec()	18
5.4.2.10	getYear()	18
5.4.2.11	toDateTime()	18
5.4.2.12	toJulianDate()	18
5.4.2.13	ToString()	19
5.5	One_Sgp4.NearEarthObjects Class Reference	19
5.6	One_Sgp4.ParserTLE Class Reference	20
5.6.1	Constructor & Destructor Documentation	20
5.6.1.1	ParserTLE()	20
5.6.2	Member Function Documentation	20
5.6.2.1	isValid()	20
5.6.2.2	ParseFile()	21
5.6.2.3	parseTle()	21

5.7	One_Sgp4.Point3d Class Reference	21
5.7.1	Member Data Documentation	22
5.7.1.1	x	22
5.8	One_Sgp4.SatFunctions Class Reference	22
5.8.1	Detailed Description	23
5.8.2	Constructor & Destructor Documentation	23
5.8.2.1	SatFunctions()	23
5.8.3	Member Function Documentation	23
5.8.3.1	calcSatSubPoint()	23
5.8.3.2	calcSphericalCoordinate()	24
5.8.3.3	isSatVisible()	24
5.9	One_Sgp4.Sgp4 Class Reference	24
5.9.1	Member Enumeration Documentation	25
5.9.1.1	satClass	25
5.9.2	Constructor & Destructor Documentation	25
5.9.2.1	Sgp4()	26
5.9.3	Member Function Documentation	26
5.9.3.1	clear()	26
5.9.3.2	runSgp4Cal()	26
5.10	One_Sgp4.Sgp4Data Class Reference	26
5.10.1	Constructor & Destructor Documentation	27
5.10.1.1	Sgp4Data()	27
5.10.2	Member Function Documentation	28
5.10.2.1	getPosDataString()	28
5.10.2.2	getPositonData()	28
5.10.2.3	getSatNumber()	28
5.10.2.4	getVelDataString()	28
5.10.2.5	getVelocityData()	29
5.10.2.6	getX()	29
5.10.2.7	getXDot()	29

5.10.2.8	getY()	29
5.10.2.9	getYDot()	30
5.10.2.10	getZ()	30
5.10.2.11	getZDot()	30
5.10.2.12	setSatNumber()	30
5.10.2.13	setX()	31
5.10.2.14	setXDot()	31
5.10.2.15	setY()	31
5.10.2.16	setYDot()	31
5.10.2.17	setZ()	32
5.10.2.18	setZDot()	32
5.11	One_Sgp4.Sgp4Rec Class Reference	32
5.12	One_Sgp4.SpaceTrack Class Reference	33
5.13	One_Sgp4.Tle Class Reference	34
5.13.1	Constructor & Destructor Documentation	35
5.13.1.1	Tle() [1/4]	35
5.13.1.2	Tle() [2/4]	35
5.13.1.3	Tle() [3/4]	36
5.13.1.4	Tle() [4/4]	37
5.13.2	Member Function Documentation	38
5.13.2.1	getClassification()	38
5.13.2.2	getDrag()	38
5.13.2.3	getEccentriciy()	38
5.13.2.4	getEphemeris()	38
5.13.2.5	getEpochDay()	39
5.13.2.6	getEpochYear()	39
5.13.2.7	getFirstCheckSum()	39
5.13.2.8	getFirstMeanMotion()	39
5.13.2.9	getInclination()	40
5.13.2.10	getMeanAnomaly()	40

5.13.2.11 getMeanMotion()	40
5.13.2.12 getName()	40
5.13.2.13 getNoradID()	41
5.13.2.14 getPerigee()	41
5.13.2.15 getPice()	41
5.13.2.16 getRelevationNumber()	41
5.13.2.17 getRightAscendingNode()	42
5.13.2.18 getSatNumber()	42
5.13.2.19 getSecChecksum()	42
5.13.2.20 getSecondMeanMotion()	42
5.13.2.21 getSetNumber()	43
5.13.2.22 getStartNr()	43
5.13.2.23 getStartYear()	43
5.13.2.24 isValidData()	43
5.14 One_Sgp4.SpaceTrack.WebClientEx Class Reference	44
5.15 One_Sgp4.WGS_72 Class Reference	44
5.15.1 Member Data Documentation	44
5.15.1.1 radiusEarthKM	44
5.16 One_Sgp4.WGS_84 Class Reference	45
5.16.1 Member Data Documentation	45
5.16.1.1 radiusEarthKM	45

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

One_Sgp4	7
------------------------------------	---

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

One_Sgp4.Coordinate	9
One_Sgp4.DeepSpaceObjects	12
One_Sgp4.Enum	13
One_Sgp4.EpochTime	13
One_Sgp4.NearEarthObjects	19
One_Sgp4.ParserTLE	20
One_Sgp4.Point3d	21
One_Sgp4.SatFunctions	22
One_Sgp4.Sgp4	24
One_Sgp4.Sgp4Data	26
One_Sgp4.Sgp4Rec	32
One_Sgp4.SpaceTrack	33
One_Sgp4.Tle	34
WebClient	
One_Sgp4.SpaceTrack.WebClientEx	44
One_Sgp4.WGS_72	44
One_Sgp4.WGS_84	45

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

One_Sgp4.Coordinate	
GeoCoordinate class	9
One_Sgp4.DeepSpaceObjects	12
One_Sgp4.Enum	13
One_Sgp4.EpochTime	13
One_Sgp4.NearEarthObjects	19
One_Sgp4.ParserTLE	20
One_Sgp4.Point3d	21
One_Sgp4.SatFunctions	
InView Class definition	22
One_Sgp4.Sgp4	24
One_Sgp4.Sgp4Data	26
One_Sgp4.Sgp4Rec	32
One_Sgp4.SpaceTrack	33
One_Sgp4.Tle	34
One_Sgp4.SpaceTrack.WebClientEx	44
One_Sgp4.WGS_72	44
One_Sgp4.WGS_84	45

Chapter 4

Namespace Documentation

4.1 One_Sgp4 Namespace Reference

Classes

- class [Coordinate](#)
GeoCoordinate class.
- class [DeepSpaceObjects](#)
- class [Enum](#)
- class [EpochTime](#)
- class [NearEarthObjects](#)
- class [ParserTLE](#)
- class [Point3d](#)
- class [SatFunctions](#)
InView Class definition.
- class [Sgp4](#)
- class [Sgp4Data](#)
- class [Sgp4Rec](#)
- class [SpaceTrack](#)
- class [Tle](#)
- class [WGS_72](#)
- class [WGS_84](#)

Chapter 5

Class Documentation

5.1 One_Sgp4.Coordinate Class Reference

GeoCoordinate class.

Public Member Functions

- [Coordinate](#) (double _latetude, double _longitude, double _height=0.0)
GeoCoordinate constructor.
- string [toString](#) ()
Returns the GeoCoordinates as a string.
- double [getLatetude](#) ()
Returns the Latetude.
- double [getLongitude](#) ()
Returns the Longitude.
- double [getHeight](#) ()
Returns the height.
- [Point3d toECI](#) (double siderealTime)
Convert to ECI.

Public Attributes

- const double [pi](#) = Math.PI
double constant Pi
- const double [twoPi](#) = [pi](#) * 2.0
double constant two Pi
- const double [toDegrees](#) = 180.0 / [pi](#)
double constant conversion to degree
- const double [toRadians](#) = [pi](#) / 180.0
double constant conversion to radians

5.1.1 Detailed Description

GeoCoordinate class.

This class defines the GeoCoordinates of Latetude, Longitude, hight and the conversions to Earth Centerd Inertial.

5.1.2 Constructor & Destructor Documentation

5.1.2.1 Coordinate()

```
One_Sgp4.Coordinate.Coordinate (
    double _latetude,
    double _longitude,
    double _height = 0.0 ) [inline]
```

GeoCoordinate constructor.

Parameters

<i>double</i>	latetude
<i>double</i>	longitude
<i>double</i>	hight default 0.0

5.1.3 Member Function Documentation

5.1.3.1 getHeight()

```
double One_Sgp4.Coordinate.getHeight ( ) [inline]
```

Returns the height.

Returns

double height

5.1.3.2 getLatetude()

```
double One_Sgp4.Coordinate.getLatetude ( ) [inline]
```

Returns the Latetude.

Returns

double Latetude

5.1.3.3 getLongitude()

```
double One_Sgp4.Coordinate.getLongitude ( ) [inline]
```

Returns the Longitude.

Returns

double longitude

5.1.3.4 toECI()

```
Point3d One_Sgp4.Coordinate.toECI (
    double siderealTime ) [inline]
```

Convert to ECI.

Parameters

<i>double</i>	SiderealTime
---------------	--------------

Returns

point3D ECI-Position vector of the [Coordinate](#)

5.1.3.5 toString()

```
string One_Sgp4.Coordinate.toString ( ) [inline]
```

Returns the GeoCoordinates as a string.

Returns

string GeoCoordinate

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/Coordinate.cs

5.2 One_Sgp4.DeepSpaceObjects Class Reference

Public Attributes

- int **dso_irez**
- double **dso_d2201**
- double **dso_d2211**
- double **dso_d3210**
- double **dso_d3222**
- double **dso_d4410**
- double **dso_d4422**
- double **dso_d5220**
- double **dso_d5232**
- double **dso_d5421**
- double **dso_d5433**
- double **dso_dedt**
- double **dso_del1**
- double **dso_del2**
- double **dso_del3**
- double **dso_didt**
- double **dso_dmdt**
- double **dso_dnodt**
- double **dso_domdt**
- double **dso_e3**
- double **dso_ee2**
- double **dso_peo**
- double **dso_pgho**
- double **dso_pho**
- double **dso_pinco**
- double **dso_plo**
- double **dso_se2**
- double **dso_se3**
- double **dso_sgh2**
- double **dso_sgh3**
- double **dso_sgh4**
- double **dso_sh2**
- double **dso_sh3**
- double **dso_si2**
- double **dso_si3**
- double **dso_sl2**
- double **dso_sl3**
- double **dso_sl4**
- double **dso_gsto**
- double **dso_xfact**
- double **dso_xgh2**
- double **dso_xgh3**
- double **dso_xgh4**
- double **dso_xh2**
- double **dso_xh3**
- double **dso_xi2**
- double **dso_xi3**
- double **dso_xl2**
- double **dso_xl3**
- double **dso_xl4**

- double **dso_xlamo**
- double **dso_zmol**
- double **dso_zmos**
- double **dso_atime**
- double **dso_xli**
- double **dso_xni**

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/DeepSpaceObjects.cs

5.3 One_Sgp4.Enum Class Reference

Public Types

- enum [satClass](#) { [satClass.UNCLASSIFIED](#) = 0, [satClass.CLASSIFIED](#) = 1, [satClass.SECRET](#) = 2 }
- *[Enum](#) Satellite class.*

5.3.1 Member Enumeration Documentation

5.3.1.1 satClass

```
enum One_Sgp4.Enum.satClass [strong]
```

[Enum](#) Satellite class.

This class defines the classification of the Satellites as defined in TLE dokumentation

Enumerator

UNCLASSIFIED	int 0 unclassified satellite
CLASSIFIED	int 1 classified satellite
SECRET	int 2 secret satellite

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/Enum.cs

5.4 One_Sgp4.EpochTime Class Reference

Public Member Functions

- [EpochTime](#) (int h, int m, double s, int yyyy, int mm, int dd)

- [EpochTime](#) constructor.
- [EpochTime](#) (DateTime _dateTime)
EpochTime constructor.
- [EpochTime](#) (EpochTime _EpochTime)
EpochTime constructor.
- [EpochTime](#) (int epochYear, double EpochDay)
EpochTime constructor.
- double [getLocalSiderealTime](#) (double longitude=0.0)
returns the local Sidereal Time at a given Longitude
- double [getDayOfYear](#) ()
returns the Day of the Year and time as fraction of a day
- override string [ToString](#) ()
returns the current time as readable string
- void [addTick](#) (double tick)
adds an tick in seconds on current time
- int [getHour](#) ()
returns the hour of this object
- int [getMin](#) ()
returns the minute of this object
- double [getSec](#) ()
returns the second of this object
- int [getYear](#) ()
returns the year of this object
- int [getMonth](#) ()
returns the month of this object
- int [getDay](#) ()
returns the Day of this object
- double [getEpoch](#) ()
returns the epoch of this object
- DateTime [toDateTime](#) ()
convert to DateTime
- double [toJulianDate](#) ()
Returns the Date and Time in JulianDate.

Public Attributes

- const double [toRadians](#) = Math.PI / 180.0
double constant conversion to radians

5.4.1 Constructor & Destructor Documentation

5.4.1.1 EpochTime() [1/4]

```
One_Sgp4.EpochTime.EpochTime (
    int h,
    int m,
    double s,
    int yyyy,
    int mm,
    int dd ) [inline]
```

[EpochTime](#) constructor.

Parameters

<i>int</i>	hour
<i>int</i>	minutes
<i>double</i>	seconds
<i>int</i>	Year
<i>int</i>	Month
<i>int</i>	Day Constructs EpochTime with current Time in UTC and Date

5.4.1.2 EpochTime() [2/4]

```
One_Sgp4.EpochTime.EpochTime (
    DateTime _dateTime ) [inline]
```

[EpochTime](#) constructor.

Parameters

<i>DateTime</i>	Constructs EpochTime from DateTime object local time
-----------------	--

5.4.1.3 EpochTime() [3/4]

```
One_Sgp4.EpochTime.EpochTime (
    EpochTime _EpochTime ) [inline]
```

[EpochTime](#) constructor.

Parameters

EpochTime	Constructs EpochTime from EpochTime Object
---------------------------	--

5.4.1.4 EpochTime() [4/4]

```
One_Sgp4.EpochTime.EpochTime (
    int epochYear,
    double EpochDay ) [inline]
```

[EpochTime](#) constructor.

Parameters

<i>int</i>	epoch year
<i>double</i>	epoch day Constructs EpochTime from epoch year and day

5.4.2 Member Function Documentation

5.4.2.1 addTick()

```
void One_Sgp4.EpochTime.addTick (
    double tick ) [inline]
```

adds an tick in seconds on current time

Parameters

<i>double</i>	tick with each tick the time is increased until 365 days (366 days if current year is a leap year) then the epoch will be set to 0.0 and the year is counted up.
---------------	--

5.4.2.2 getDay()

```
int One_Sgp4.EpochTime.getDay ( ) [inline]
```

returns the Day of this object

Returns

int day

5.4.2.3 getDayOfYear()

```
double One_Sgp4.EpochTime.getDayOfYear ( ) [inline]
```

returns the Day of the Year and time as fraction of a day

Returns

double DayOfYear

5.4.2.4 getEpoch()

```
double One_Sgp4.EpochTime.getEpoch ( ) [inline]
```

returns the epoch of this object

Returns

double epoch

5.4.2.5 getHour()

```
int One_Sgp4.EpochTime.getHour ( ) [inline]
```

returns the hour of this object

Returns

int Hour

5.4.2.6 getLocalSiderealTime()

```
double One_Sgp4.EpochTime.getLocalSiderealTime (
    double longitude = 0.0 ) [inline]
```

returns the local Sidreal Time at a given Longitude

Returns

double local Sidreal Time

5.4.2.7 getMin()

```
int One_Sgp4.EpochTime.getMin ( ) [inline]
```

returns the minute of this object

Returns

int minute

5.4.2.8 getMonth()

```
int One_Sgp4.EpochTime.getMonth ( ) [inline]
```

returns the month of this object

Returns

int month

5.4.2.9 getSec()

```
double One_Sgp4.EpochTime.getSec ( ) [inline]
```

returns the second of this object

Returns

double seconds

5.4.2.10 getYear()

```
int One_Sgp4.EpochTime.getYear ( ) [inline]
```

returns the year of this object

Returns

int year

5.4.2.11 toDateTime()

```
DateTime One_Sgp4.EpochTime.toDateTime ( ) [inline]
```

convert to DateTime

Returns

DateTime time

5.4.2.12 toJulianDate()

```
double One_Sgp4.EpochTime.toJulianDate ( ) [inline]
```

Returns the Date and Time in JulianDate.

Returns

double JulianDate

5.4.2.13 ToString()

```
override string One_Sgp4.EpochTime.ToString ( ) [inline]
```

returns the current time as readable string

Returns

string Time HH:MM:SS.ss

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/EpochTime.cs

5.5 One_Sgp4.NearEarthObjects Class Reference

Public Attributes

- int **neo_isimp**
- int **neo_method**
- double **neo_aycof**
- double **neo_con41**
- double **neo_cc1**
- double **neo_cc4**
- double **neo_cc5**
- double **neo_d2**
- double **neo_d3**
- double **neo_d4**
- double **neo_delmo**
- double **neo_eta**
- double **neo_argpdot**
- double **neo_omgcof**
- double **neo_sinmao**
- double **neo_t**
- double **neo_t2cof**
- double **neo_t3cof**
- double **neo_t4cof**
- double **neo_t5cof**
- double **neo_x1mth2**
- double **neo_x7thm1**
- double **neo_mdot**
- double **neo_omegadot**
- double **neo_xlcof**
- double **neo_xmcof**
- double **neo_omegacf**

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/NearEarthObjects.cs

5.6 One_Sgp4.ParserTLE Class Reference

Public Member Functions

- [ParserTLE](#) ()
ParseTle class.

Static Public Member Functions

- static [Tle](#) [parseTle](#) (string tleLine1, string tleLine2, string tleName=null)
Reads TwoLineElement data and converts it to [Tle](#).
- static List< [Tle](#) > [ParseFile](#) (string filename)
Parse TLE Data from File.
- static bool [isValid](#) (string line1)
Validate TLE Data against checksum.

5.6.1 Constructor & Destructor Documentation

5.6.1.1 ParserTLE()

```
One_Sgp4.ParserTLE.ParserTLE ( ) [inline]
```

ParseTle class.

This class handles the reading and converting of TLE information either reading each single element from a string or by giving it a txt file.TleParser constructor.

5.6.2 Member Function Documentation

5.6.2.1 isValid()

```
static bool One_Sgp4.ParserTLE.isValid (
    string line1 ) [inline], [static]
```

Validate TLE Data against checksum.

string [Tle](#) line

Returns

bool true if tle line matches up to checksum The summ of all numbers with minus seen as 1 and 0 for characters and whitespaces mod 10 must match up with the checksum

5.6.2.2 ParseFile()

```
static List<Tle> One_Sgp4.ParserTLE.ParseFile (
    string filename ) [inline], [static]
```

Parse TLE Data from File.

string filepath

Returns

list<Tle> Two Line Element Data list

5.6.2.3 parseTle()

```
static Tle One_Sgp4.ParserTLE.parseTle (
    string tleLine1,
    string tleLine2,
    string tleName = null ) [inline], [static]
```

Reads TwoLineElement data and converts it to [Tle](#).

Parameters

<i>string</i>	Line 1
<i>string</i>	Line 2
<i>string</i>	Name = null if name = null then Internatioanl Designater is taken as name Example NOAA 14 1 23455U 94089A 15094.47912277 .00000079 00000-0 64323-4 0 9995 2 23455 98.7542 177.4401 0008423 292.6752 195.2467 14.14031457 45115

Returns

[Tle](#) tle-Class

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/ParserTLE.cs

5.7 One_Sgp4.Point3d Class Reference

Public Attributes

- double [x](#)
Point3D class.

5.7.1 Member Data Documentation

5.7.1.1 x

`double One_Sgp4.Point3d.x`

Point3D class.

This class defines a 3-Dimensional point with `double< x,y,z >`

The documentation for this class was generated from the following file:

- `E:/Programieren/git/one_Sgp4/One_Sgp4/Point3d.cs`

5.8 One_Sgp4.SatFunctions Class Reference

InView Class definition.

Public Member Functions

- [SatFunctions](#) ()
Ground constructor.

Static Public Member Functions

- static bool [isSatVisible](#) ([Coordinate](#) coordinate, double minElevation, [EpochTime](#) time, [Sgp4Data](#) satPosData)
Calculate visibility of a satellite from a point on Earth.
- static [Point3d calcSphericalCoordinate](#) ([Coordinate](#) coordinate, [EpochTime](#) time, [Sgp4Data](#) satPosData)
- static [Coordinate calcSatSubPoint](#) ([EpochTime](#) time, [Sgp4Data](#) satPosData, int wgsID=0)

Public Attributes

- const double [pi](#) = Math.PI
double constant Pi
- const double [twoPi](#) = [pi](#) * 2.0
double constant two Pi
- const double [toDegrees](#) = 180.0 / [pi](#)
double constant conversion to degree
- const double [toRadians](#) = [pi](#) / 180.0
double constant conversion to radians

5.8.1 Detailed Description

InView Class definition.

This class calculates the visibility of the satellite to a coordinate, the Spherical Coordinates and Satellite Sub-Points for the selected satellite. For this the position vector of the satellite, the time and coordinates of the groundstation need to be available. From the starting time of the orbit calculation the azimuth, elevation and range to the ground station are calculated and if the satellite is in view at given time it will return true.

5.8.2 Constructor & Destructor Documentation

5.8.2.1 SatFunctions()

```
One_Sgp4.SatFunctions.SatFunctions ( ) [inline]
```

Ground constructor.

Empty constructor

5.8.3 Member Function Documentation

5.8.3.1 calcSatSubPoint()

```
static Coordinate One_Sgp4.SatFunctions.calcSatSubPoint (
    EpochTime time,
    Sgp4Data satPosData,
    int wgsID = 0 ) [inline], [static]
```

Calculate Latitude, longitude and height for satellite on Earth at given time point and position of the satellite

Parameters

<i>TimeDate</i>	start time
<i>List<Sgp4Data></i>	satellite position vector
<i>int</i>	WGS-Data to use 0 = WGS_72 ; 1 = WGS_84
<i>int</i>	Nr of iterations used to calculate the latitude

Returns

[Coordinate](#) containing longitude, latitude, altitude/height

5.8.3.2 calcSphericalCoordinate()

```
static Point3d One_Sgp4.SatFunctions.calcSphericalCoordinate (
    Coordinate coordinate,
    EpochTime time,
    Sgp4Data satPosData ) [inline], [static]
```

Calculate Range, Azimuth and elevation for satellite for given time point and satellite position

Parameters

<i>Station</i>	to calculate if satellite is in View
<i>TimeDate</i>	start time
<i>List<Sgp4Data></i>	satellite position vector

Returns

[Point3d](#) containing range, azimuth, elevation

5.8.3.3 isSatVisible()

```
static bool One_Sgp4.SatFunctions.isSatVisible (
    Coordinate coordinate,
    double minElevation,
    EpochTime time,
    Sgp4Data satPosData ) [inline], [static]
```

Calculate visibility of a satellite from a point on Earth.

Parameters

<i>Station</i>	to calculate if satellite is in View
<i>TimeDate</i>	start time
<i>List<Sgp4Data></i>	satellite position vector
<i>string</i>	name of the satellite
<i>double</i>	tick in witch time is increased by each step

Returns

true if object is visible at given time and current location

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/SatFunctions.cs

5.9 One_Sgp4.Sgp4 Class Reference

Public Types

- enum [satClass](#) { [satClass.UNCLASSIFIED](#) = 0, [satClass.CLASSIFIED](#) = 1, [satClass.SECRET](#) = 2 }

Public Member Functions

- [Sgp4](#) ([Tle](#) data, int wgsConstant)
SGP4 constructor.
- void **setStart** ([EpochTime](#) starttime, [EpochTime](#) stoptime, double tick)
- void **starThread** ()
- void [clear](#) ()
clear all Data.
- void [runSgp4Cal](#) ([EpochTime](#) starttime, [EpochTime](#) stoptime, double step)
Run the sgp4 calculations.
- void **runSgp4Cal** (int startY, double starD, int stopY, double stopD, double step)
- void **sgp4Init** (int satn, int year, double epoch)
- void **initPropagator** (int satn, double ecco, double epoch, double inclo)
- double **gstime** (double jdut1)
- List< [Sgp4Data](#) > **getRestults** ()
- void **setGrav** (int select)

Public Attributes

- const double [toRadians](#) = Math.PI / 180.0
double constant conversion to radians

Events

- EventHandler **ThreadDone**

5.9.1 Member Enumeration Documentation

5.9.1.1 satClass

```
enum One\_Sgp4.Sgp4.satClass [strong]
```

Enumerator

UNCLASSIFIED	int 0 unclassified satellite
CLASSIFIED	int 1 classified satellite
SECRET	int 2 secret satellite

5.9.2 Constructor & Destructor Documentation

5.9.2.1 Sgp4()

```
One_Sgp4.Sgp4.Sgp4 (
    Tle data,
    int wgsConstant ) [inline]
```

SGP4 constructor.

Parameters

<i>tle</i>	Two Line Elements
<i>int</i>	GravConst 0 = WGS72, 1 = WGS82 initializes the Orbit-Calculation model

5.9.3 Member Function Documentation

5.9.3.1 clear()

```
void One_Sgp4.Sgp4.clear ( ) [inline]
```

clear all Data.

clears all calculated and stored data

5.9.3.2 runSgp4Cal()

```
void One_Sgp4.Sgp4.runSgp4Cal (
    EpochTime starttime,
    EpochTime stoptime,
    double step ) [inline]
```

Run the sgp4 calculations.

Parameters

<i>EpochTime</i>	starttime
<i>EpochTime</i>	stoptime
<i>double</i>	step in minutes calculates the orbit of the satellite starting from start to stoptime

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/Sgp4.cs

5.10 One_Sgp4.Sgp4Data Class Reference

Public Member Functions

- [Sgp4Data](#) (int satNr=-1)
SGP4-Data constructor.
- void [setSatNumber](#) (int Nr)
set the Satellite Number.
- void [setX](#) (double x)
set the X-Coordinate for Position.
- void [setY](#) (double y)
set the Y-Coordinate for Position.
- void [setZ](#) (double z)
set the Z-Coordinate for Position.
- void [setXDot](#) (double xdot)
set the x-Velocity.
- void [setYDot](#) (double ydot)
set the y-Velocity.
- void [setZDot](#) (double zdot)
set the z-Velocity.
- int [getSatNumber](#) ()
Returns the Satellite Number.
- [Point3d](#) [getPositionData](#) ()
Returns the Position Data as a 3d-Point.
- [Point3d](#) [getVelocityData](#) ()
Returns the velocity Data as a 3d-Point.
- double [getX](#) ()
Returns the X Position.
- double [getY](#) ()
Returns the Y Position.
- double [getZ](#) ()
Returns the Z Position.
- double [getXDot](#) ()
Returns the X Velocity.
- double [getYDot](#) ()
Returns the Y Velocity.
- double [getZDot](#) ()
Returns the Z Velocity.
- string [getPosDataString](#) ()
Returns position as String.
- string [getVelDataString](#) ()
Returns velocity as String.
- void [clear](#) ()
Clears all Data.

5.10.1 Constructor & Destructor Documentation

5.10.1.1 Sgp4Data()

```
One_Sgp4.Sgp4Data.Sgp4Data (
    int satNr = -1 ) [inline]
```

SGP4-Data constructor.

Parameters

<i>integer</i>	SateliteNumber.
----------------	-----------------

5.10.2 Member Function Documentation**5.10.2.1 getPosDataString()**

```
string One_Sgp4.Sgp4Data.getPosDataString ( ) [inline]
```

Returns position as String.

double X Y Z

5.10.2.2 getPositonData()

```
Point3d One_Sgp4.Sgp4Data.getPositonData ( ) [inline]
```

Returns the Position Data as a 3d-Point.

Returns

double x, y, z;

5.10.2.3 getSatNumber()

```
int One_Sgp4.Sgp4Data.getSatNumber ( ) [inline]
```

Returns the Satellite Number.

Returns

double SateliteNr

5.10.2.4 getVelDataString()

```
string One_Sgp4.Sgp4Data.getVelDataString ( ) [inline]
```

Returns velocity as String.

double XDot YDot ZDot

5.10.2.5 getVelocityData()

```
Point3d One_Sgp4.Sgp4Data.getVelocityData ( ) [inline]
```

Returns the velocity Data as a 3d-Point.

Returns

double x, y, z;

5.10.2.6 getX()

```
double One_Sgp4.Sgp4Data.getX ( ) [inline]
```

Returns the X Position.

Returns

double x

5.10.2.7 getXDot()

```
double One_Sgp4.Sgp4Data.getXDot ( ) [inline]
```

Returns the X Velocity.

Returns

double xDot

5.10.2.8 getY()

```
double One_Sgp4.Sgp4Data.getY ( ) [inline]
```

Returns the Y Position.

Returns

double y

5.10.2.9 getYDot()

```
double One_Sgp4.Sgp4Data.getYDot ( ) [inline]
```

Returns the Y Velocity.

Returns

double yDot

5.10.2.10 getZ()

```
double One_Sgp4.Sgp4Data.getZ ( ) [inline]
```

Returns the Z Position.

Returns

double z

5.10.2.11 getZDot()

```
double One_Sgp4.Sgp4Data.getZDot ( ) [inline]
```

Returns the Z Velocity.

Returns

double zDot

5.10.2.12 setSatNumber()

```
void One_Sgp4.Sgp4Data.setSatNumber (
    int Nr ) [inline]
```

set the Satellite Number.

Parameters

<i>int</i>	Nr.
------------	-----

5.10.2.13 setX()

```
void One_Sgp4.Sgp4Data.setX (
    double x ) [inline]
```

set the X-Coordinate for Position.

Parameters

<i>double</i>	X
---------------	---

5.10.2.14 setXDot()

```
void One_Sgp4.Sgp4Data.setXDot (
    double xdot ) [inline]
```

set the x-Velocity.

Parameters

<i>double</i>	xdot
---------------	------

5.10.2.15 setY()

```
void One_Sgp4.Sgp4Data.setY (
    double y ) [inline]
```

set the Y-Coordinate for Position.

Parameters

<i>double</i>	Y
---------------	---

5.10.2.16 setYDot()

```
void One_Sgp4.Sgp4Data.setYDot (
    double ydot ) [inline]
```

set the y-Velocity.

Parameters

<i>double</i>	ydot
---------------	------

5.10.2.17 setZ()

```
void One_Sgp4.Sgp4Data.setZ (
    double z ) [inline]
```

set the Z-Coordinate for Position.

Parameters

<i>double</i>	Z
---------------	---

5.10.2.18 setZDot()

```
void One_Sgp4.Sgp4Data.setZDot (
    double zdot ) [inline]
```

set the z-Velocity.

Parameters

<i>double</i>	zdot
---------------	------

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/Sgp4Data.cs

5.11 One_Sgp4.Sgp4Rec Class Reference

Public Attributes

- int **rec_satnum**
- int **rec_epochyr**
- int **rec_init**
- int **rec_epochtynumrev**
- int **rec_error**
- double **rec_a**
- double **rec_altp**
- double **rec_alta**
- double **rec_epochdays**
- double **rec_mjdsatepoch**
- double **rec_nddot**
- double **rec_ndot**
- double **rec_bstar**

- double **rec_rcse**
- double **rec_inclo**
- double **rec_omegao**
- double **rec_ecco**
- double **rec_argpo**
- double **rec_mo**
- double **rec_no**
- double **rec_eptime**
- double **rec_sptime**
- double **rec_sptime**
- double **rec_deltamin**
- double **rec_ep**
- double **rec_xincp**
- double **rec_omegap**
- double **rec_argpp**
- double **rec_mp**
- double [] **rec_r**
- double [] **rec_v**
- [NearEarthObjects](#) **neo**
- [DeepSpaceObjects](#) **dso**

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/Sgp4Rec.cs

5.12 One_Sgp4.SpaceTrack Class Reference

Classes

- class [WebClientEx](#)

Static Public Member Functions

- static string **GetSpaceTrack** (string[] noradId, string username, string password)

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/SpaceTrack.cs

5.13 One_Sgp4.Tle Class Reference

Public Member Functions

- [Tle](#) ()
enum class that represents the satellite classification
- [Tle](#) (string name)
Tle constructor.
- [Tle](#) (string name, string id, [Enum.satClass](#) clas, int startY, int startNr, string piece, int epochY, double epochD, double firstMM, double secondMM, double drag, double ephem, int setNr, int check1, int satNr, double incl, double rightAsc, double ecce, double peri, double meanAn, double meanMo, double releivationNr, int check2)
TLE constructor.
- [Tle](#) (string name, string id, int clas, int startY, int startNr, string piece, int epochY, double epochD, double firstMM, double secondMM, double drag, double ephem, int setNr, int check1, int satNr, double incl, double rightAsc, double ecce, double peri, double meanAn, double meanMo, double releivationNr, int check2)
TLE constructor.
- bool [isValidData](#) ()
Returns true if Data matches Checksum.
- string [getName](#) ()
Returns the Object Name.
- string [getNoradID](#) ()
Returns the NORAD Identification.
- int [getStartYear](#) ()
Returns the start Year of satellite.
- int [getStartNr](#) ()
Returns the start number of satellite.
- string [getPice](#) ()
Returns the Piece designator.
- int [getEpochYear](#) ()
Returns the Year of the Epoch.
- double [getEpochDay](#) ()
Returns the Day of the Epoch.
- double [getFirstMeanMotion](#) ()
Returns the First Mean Motion.
- double [getSecondMeanMotion](#) ()
Returns the Second Mean Motion.
- double [getDrag](#) ()
Returns the Drag value.
- double [getEphemeris](#) ()
Returns the Ephemeris.
- double [getSetNumber](#) ()
Returns the Set Number.
- int [getSatNumber](#) ()
Returns the Satellite Number.
- double [getInclination](#) ()
Returns the Inclination.
- double [getRightAscendingNode](#) ()
Returns the Richt Ascending Node.
- double [getEccentriciy](#) ()
Returns the Eccentricity.
- double [getPerigee](#) ()

- Returns the Perigee.*
- double [getMeanAnomaly](#) ()
Returns the Mean Anomaly.
- double [getMeanMotion](#) ()
Returns the Mean Motion.
- double [getRelevationNumber](#) ()
Returns the number of Relevations.
- int [getClassification](#) ()
Returns Classification.
- int [getFirstChecksum](#) ()
Returns the Checksum for the first TLE line.
- int [getSecChecksum](#) ()
Returns the Checksum for the second TLE line.

5.13.1 Constructor & Destructor Documentation

5.13.1.1 [Tle\(\)](#) [1/4]

```
One_Sgp4.Tle.Tle ( ) [inline]
```

enum class that represents the satellite classification

enum SatClassTle constructor.

empty constructor

5.13.1.2 [Tle\(\)](#) [2/4]

```
One_Sgp4.Tle.Tle (
    string name ) [inline]
```

[Tle](#) constructor.

/param string Name of Satellite

5.13.1.3 Tle() [3/4]

```
One_Sgp4.Tle.Tle (
    string name,
    string id,
    Enum.satClass clas,
    int startY,
    int startNr,
    string piece,
    int epochY,
    double epochD,
    double firstMM,
    double secondMM,
    double drag,
    double ephem,
    int setNr,
    int check1,
    int satNr,
    double incl,
    double rightAsc,
    double ecce,
    double peri,
    double meanAn,
    double meanMo,
    double relevationNr,
    int check2 ) [inline]
```

TLE constructor.

Parameters

<i>string</i>	name of Satellite.
<i>string</i>	ID of Satellite.
<i>satClass</i>	classification of Satellite.
<i>int</i>	startYear of Satellite
<i>string</i>	PieceName
<i>int</i>	EpochYear
<i>double</i>	EpochDay
<i>double</i>	firstMeanMotion
<i>double</i>	secondMeanMotion
<i>double</i>	Drag Term
<i>double</i>	Ephemeris
<i>double</i>	Set number of TLE Data
<i>int</i>	Checksum (Modulo 10)
<i>int</i>	Satellite number
<i>double</i>	Inclination
<i>double</i>	right Ascending Node
<i>double</i>	Eccentricity
<i>double</i>	Perigee
<i>double</i>	MeanAnomaly
<i>double</i>	MeanMotion
<i>double</i>	revelation number
<i>int</i>	Checksum (Modulo 10) Each Object of TLE must have a valid Name

5.13.1.4 Tle() [4/4]

```

One_Sgp4.Tle.Tle (
    string name,
    string id,
    int clas,
    int startY,
    int startNr,
    string piece,
    int epochY,
    double epochD,
    double firstMM,
    double secondMM,
    double drag,
    double ephem,
    int setNr,
    int check1,
    int satNr,
    double incl,
    double rightAsc,
    double ecce,
    double peri,
    double meanAn,
    double meanMo,
    double relevationNr,
    int check2 ) [inline]

```

TLE constructor.

Parameters

<i>string</i>	name of Satellite.
<i>string</i>	ID of Satellite.
<i>satClass</i>	classification of Satellite.
<i>int</i>	startYear of Satellite
<i>string</i>	PieceName
<i>int</i>	EpochYear
<i>double</i>	EpochDay
<i>double</i>	firstMeanMotion
<i>double</i>	secondMeanMotion
<i>double</i>	Drag Term
<i>double</i>	Ephemeris
<i>double</i>	Set number of TLE Data
<i>int</i>	Checksum (Modulo 10)
<i>int</i>	Satellite number
<i>double</i>	Inclination
<i>double</i>	right Ascending Node
<i>double</i>	Eccentricity
<i>double</i>	Perigee
<i>double</i>	MeanAnomaly
<i>double</i>	MeanMotion
<i>double</i>	revelation number
<i>int</i>	Checksum (Modulo 10) Each Object of TLE must have a valid Name

5.13.2 Member Function Documentation

5.13.2.1 getClassification()

```
int One_Sgp4.Tle.getClassification ( ) [inline]
```

Returns Classification.

Returns

ing satellite Classifictaion

5.13.2.2 getDrag()

```
double One_Sgp4.Tle.getDrag ( ) [inline]
```

Returns the Drag value.

Returns

double dragTerm

5.13.2.3 getEccentriciy()

```
double One_Sgp4.Tle.getEccentriciy ( ) [inline]
```

Returns the Eccentricity.

Returns

double eccentricity

5.13.2.4 getEphemeris()

```
double One_Sgp4.Tle.getEphemeris ( ) [inline]
```

Returns the Ephemeris.

Returns

double ephemeris

5.13.2.5 getEpochDay()

```
double One_Sgp4.Tle.getEpochDay ( ) [inline]
```

Returns the Day of the Epoch.

Returns

double EpochDay

5.13.2.6 getEpochYear()

```
int One_Sgp4.Tle.getEpochYear ( ) [inline]
```

Returns the Year of the Epoch.

Returns

int EpochYear

5.13.2.7 getFirstChecksum()

```
int One_Sgp4.Tle.getFirstChecksum ( ) [inline]
```

Returns the Checksum for the first TLE line.

Returns

int checksum1

5.13.2.8 getFirstMeanMotion()

```
double One_Sgp4.Tle.getFirstMeanMotion ( ) [inline]
```

Returns the First Mean Motion.

Returns

double meanMotion

5.13.2.9 `getInclination()`

```
double One_Sgp4.Tle.getInclination ( ) [inline]
```

Returns the Inclination.

Returns

double inclination

5.13.2.10 `getMeanAnomaly()`

```
double One_Sgp4.Tle.getMeanAnomaly ( ) [inline]
```

Returns the Mean Anomaly.

Returns

double meanAnomaly

5.13.2.11 `getMeanMotion()`

```
double One_Sgp4.Tle.getMeanMotion ( ) [inline]
```

Returns the Mean Motion.

Returns

double meanMotion

5.13.2.12 `getName()`

```
string One_Sgp4.Tle.getName ( ) [inline]
```

Returns the Object Name.

Returns

string Name

5.13.2.13 getNoradID()

```
string One_Sgp4.Tle.getNoradID ( ) [inline]
```

Returns the NORAD Identification.

Returns

string NoradID

5.13.2.14 getPerigee()

```
double One_Sgp4.Tle.getPerigee ( ) [inline]
```

Returns the Perigee.

Returns

double perigee

5.13.2.15 getPice()

```
string One_Sgp4.Tle.getPice ( ) [inline]
```

Returns the Piece designator.

Returns

string Piece

5.13.2.16 getRelevationNumber()

```
double One_Sgp4.Tle.getRelevationNumber ( ) [inline]
```

Returns the number of Relevations.

Returns

double relevationNumber

5.13.2.17 getRightAscendingNode()

```
double One_Sgp4.Tle.getRightAscendingNode ( ) [inline]
```

Returns the Richt Ascending Node.

Returns

double right Ascension

5.13.2.18 getSatNumber()

```
int One_Sgp4.Tle.getSatNumber ( ) [inline]
```

Returns the Satellite Number.

Returns

int satNumber

5.13.2.19 getSecChecksum()

```
int One_Sgp4.Tle.getSecChecksum ( ) [inline]
```

Returns the Checksum for the second TLE line.

Returns

int checksum2

5.13.2.20 getSecondMeanMotion()

```
double One_Sgp4.Tle.getSecondMeanMotion ( ) [inline]
```

Returns the Second Mean Motion.

Returns

double secondMeanMotion

5.13.2.21 getSetNumber()

```
double One_Sgp4.Tle.getSetNumber ( ) [inline]
```

Returns the Set Number.

Returns

double setNumber

5.13.2.22 getStartNr()

```
int One_Sgp4.Tle.getStartNr ( ) [inline]
```

Returns the start number of satellite.

Returns

int StartNumber

5.13.2.23 getStartYear()

```
int One_Sgp4.Tle.getStartYear ( ) [inline]
```

Returns the start Year of satellite.

Returns

int StartYear

5.13.2.24 isValidData()

```
bool One_Sgp4.Tle.isValidData ( ) [inline]
```

Returns true if Data matches Checksum.

Returns


boolean true/false

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/Tle.cs

5.14 One_Sgp4.SpaceTrack.WebClientEx Class Reference

Inheritance diagram for One_Sgp4.SpaceTrack.WebClientEx:



Protected Member Functions

- override WebRequest **GetWebRequest** (Uri address)

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/SpaceTrack.cs

5.15 One_Sgp4.WGS_72 Class Reference

Public Attributes

- const double [radiusEarthKM](#) = 6378.135
WGS_72 Class definition.
- const double **mu** = 398600.8
- const double **j2** = 0.001082616
- const double **j3** = -0.00000253881
- const double **j4** = -0.00000165597

5.15.1 Member Data Documentation

5.15.1.1 radiusEarthKM

```
const double One_Sgp4.WGS_72.radiusEarthKM = 6378.135
```

[WGS_72](#) Class definition.

This class defines the World Geodetic System of 1972 used for the orbit predictions. For Furhter references this is included but for a higher accuracy WGS_82 should be used.double Radius of the Earch in km

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/WGS72.cs

5.16 One_Sgp4.WGS_84 Class Reference

Public Attributes

- const double [radiusEarthKM](#) = 6378.137
[WGS_84](#) Class definition.
- const double **mu** = 398600.5
- const double **j2** = 0.00108262998905
- const double **j3** = -0.00000253215306
- const double **j4** = -0.00000161098761

5.16.1 Member Data Documentation

5.16.1.1 radiusEarthKM

```
const double One_Sgp4.WGS_84.radiusEarthKM = 6378.137
```

[WGS_84](#) Class definition.

This class defines the World Geodetic System of 1984 used for the orbit predictions.double Radius of the Earch in km

The documentation for this class was generated from the following file:

- E:/Programieren/git/one_Sgp4/One_Sgp4/Wgs84.cs

