DATABASE ADMINISTRATION, Seneca College

Sample Mid-test for DBA625

Each question is worth 1 point, unless stated differently

Real test is a bit longer (28-30 questions for 44 points).

Total = 34 points

- 1. The user is trying to execute a SELECT statement. What background process will obtain data from disk for the user?
 - a) DBWR
 - b) LGWR
 - c) User Process
 - d) Server Process
- 2. What parameter in the Parameter file *initSID.ora* indicates the size of the Log Buffer Cache?
 - a) LOG BUFFER POOL
 - b) LOG CACHE SIZE
 - e) BUFFER SIZE
 - d) None of the above
- 3. If one of the users went home without disconnecting from SQL*PLUS session, what is the best way for DBA in order to try to shut down the instance?
 - a) SHUTDOWN
 - b) SHUTDOWN ABORT
 - c) SHUTDOWN TRANSACTIONAL
 - d) SHUTDOWN FORCE
- 4. What word in the Create /Alter Tablespace syntax will prevent future users from creating a table in a certain tablespace?
 - a) PERMANENT
 - b) READ WRITE
 - c) OFFLINE
 - d) NOLOGGING
- 5. If the parameter REMOTE_LOGIN_PASSWORDFILE = EXCLUSIVE, then try to find out which of the following statements is TRUE?
 - a) This is recommended value and it should never be changed
 - b) Indicates that only one instance can use the password file
 - c) Indicates that more than one instance can use the password file
 - d) Indicates that OS authentication method will be used

- 6. Flushing off buffers out of the Log Buffer Cache is done in what kind of fashion?
 - a) Same kind as for Database Buffer Cache
 - b) Random
 - c) Circular
 - d) Over the LRU algorithm
- 7. When using OUI to install Oracle11g software, there is a page called "Select Installation Type" and it has 3 options. Which of the following is NOT a valid option on that page:
 - a) Advanced Edition
 - b) Standard Edition
 - c) Enterprise Edition
 - d) Custom
- 8. What of the following will NOT be the PMON activity after one of the users pressed CTRL-C (Choose <u>Two</u>): **2 Points**
 - a) The user will be warned with the generic system message
 - b) Releasing all the resources that user process held
 - c) Releasing all the locks on modified rows by that user process
 - d) Roll forward operation that will transport changes from redo log files to data files permanently
 - e) Rollback of non-saved transactions by that user process
- 9. If DBA wants to multiplex Control Files, then which of the following choices identifies the component that will enable this purpose?
 - a) V\$CONTROLFILE
 - b) initSID.ora
 - c) V\$DATABASE
 - d) CKPT
- 10. What portion of the SGA is still the static one i.e can NOT be modified without shutting down the instance (in version 11g)?
 - a) DATABASE BUFFER CACHE
 - b) LARGE POOL
 - c) SHARED POOL
 - d) JAVA POOL
 - e) All of them are dynamic
- 11. What is the right syntax to declare the Default Temporary Tablespace?
 - a) ALTER SYSTEM DEFAULT TEMPORARY TABLESPACE tbsp;
 - b) ALTER DATABASE DEFAULT TEMPORARY TABLESPACE tbsp;
 - c) ALTER SYSTEM SET tbsp = DEFAULT TEMPORARY;
 - d) All of them are correct

12.		What of the following options does NOT perform a dynamic change of the initial parameter value (Choose <u>Two</u>): 2 Points				
	a) b) c) d) e)	ALTER SYSTEM SET ALTER SESSION SET ALTER DATABASE SET ALTER SYSTEM SET ALTER SYSTEM SET	param=value; param=value; param=value DEF param value;	ERRED;		
13.	Which one of the following is NOT a typical cause for extensive row locking followed by Blocking and Waiting?					
	a) b) c) d)	Developers use LOCK TAB Users do not save their work Developers use FOR UPDA Developers do not Commit t	frequently TE syntax			
14.	The most important information about the Database Life is stored in the file.					
15.		nique integer that holds the va		og File number is called		
16.	If you	specify the default extent		option when you create		
		tablespace, that means that se				
		ot DBA. This option is called nary view DBA_TABLESPAC	CES will be named			
	uictio.			2 Points		
17.	reque		is case Listener procecess, but rather redirecess. Then	ess does NOT ects user connection all user requests will be		
18.	The most important criteria for DBW0 to flush off "dirty=modified" buffers from is when					
	happens. Then DBW0 is taking these "dirty" buffers to store them into on disk. But, as we have					
		ed some (very few actually) of transacti	these buffers belong			

	In the case of Instan	the case of Instance crash, these buffer values on disk must be ith blocks (or before images) coming from Undo		
	with blocks (or belo	ore images) coming from Undo	3 Points	
` 19.	A third log member should be added to a fourth log group and should go to the '\$HOME/oradata/DISK3' folder. Size of the existing two files in the fourth grou is 5M. Write the syntax for this task.			
		3 Points		
20.	this file is 2M and it	second datafile to the tablespace PLA't should be autoextended in steps of 100 to the 'oradata/DISK2' folder under use	K up to 4M.	
21.	automated extension	nat will figure out which Datafiles in what of their extents turned on and then disue used in the syntax for that purpose.	-	
Answers:				
1. d 2. d 3. c 4. c 5. b 6. c 7. a 8. a, d 9. b 10. e 11. b 12. c, e 13. c	→ LOG_BUFFER			
14. ALERT	LOG			
15. LOG S	SEQUENCE			
16. MANAC	SEMENT	SIZE		
AUTOA	LLOCATE	SYSTEM		

17. DISPATCHERS CREATE (SPAWN)

DISPATCHER REQUEST QUEUE

18. DATA BUFFER CACHE CHECKPOINT

DATA FILES COMMITTED (SAVED, FINISHED)

REPLACED(OVERWRITTEN) TABLESPACES (SEGMENTS)

- 19. > ALTER DATABASE ADD LOGFILE MEMBER '\$HOME/oradata/DISK3/redo04c.log' TO GROUP 4;
- 20. > ALTER TABLESPACE play
 ADD DATAFILE '\$HOME/oradata/DISK2/play02.dbf' SIZE 2M
 AUTOEXTEND ON NEXT 100K MAXSIZE 4M;
- 21. > SELECT tablespace_name, file_name, increment_by, maxbytes
 FROM dba_data_files
 WHERE autoextensible = 'YES'
 ORDER BY 1, 2;