
Maxwell Fusco HW 4 Act 2 Step 1

The first thing I inspected when I was looking at armbook was the ids in the url. When I was on my own page, there was no id needed. However, when I was on jon doe's he had an id of 1. I incremented this counter until I found my account which was was id=15.




The next thing I tackled was how I was gonna have jon doe friend me. While inspecting the source code for home.php and looking for anything having to do with adding friends I found that this task was as simple as making a request to

http://csec380-core.csec.rit.edu:84/home.php?id= where the id is equal to whatever user you want to be friends with.

```
☐ Inspector
            ↑ Network {} Style Editor ♠ Performance ♠ Memory
                                                                    🖹 Storage
    Sources
                                 home.php X
▼ ☐ Main Thread
                                    return false;
 ▼ ⊕ csec380-core.csec.rit.edu:84
   ▶ 🗀 js
    home.php
 ▶ ⊕ blob://
 downward complex com
 ▶ ⊕ resource://gre
                                     $( "#botcont" ).html( data );
 ▶ 🏮 Webpack
                                  Ø
```

I first did this on my own account was able to friend myself, even though the button to do so doesn't exist and then from there it was time to test it out on jon doe.



The url http://csec380-core.csec.rit.edu:84/home.php?id=15 was submitted to the Hooli Guestbook and once the query was confirmed, Jon Doe had me as one of his friends.

