System Analysis and Design (IT3120E)

Quang Nhat Nguyen

quang.nguyennhat@hust.edu.vn

Hanoi University of Science and Technology
School of Information and Communication Technology
Academic year 2022-2023

Content:

- Introduction of object-oriented system analysis and design
- Introduction of the modeling language UML
- Introduction of software development process
- Analysis of the environment and needs
- Function analysis
- Structure analysis
- Interaction analysis
- Behavior analysis
- Design of the system's overall architecture
- Class detail design
- User interface design
- Data design

Introduction of modeling language UML

- Development history of the modeling language UML
- UML views
- Diagrams used in UML
- Free UML modeling tools

Development history of UML (1)

- UML language (i.e., Unified Modeling Language) is an object-oriented modeling notation system
- **1975-1990**:
 - There are many object-oriented MHH languages developed
- 1990-1994:
 - More than 50 methods of object-oriented development, including 3 following famous ones:
 - OOD Object Oriented Design (Grady Booch)
 - OOSE Object Oriented Software Engineering (Ivar Jacobson)
 - OMT Object Modeling Technique (Jim Rumbaugh)

Development history of UML (2)

- Oct. 1994: Rumbaugh and Booch conducted a UML project in Rational, building a unified methodology based on two methods Booch 93 and OMT-2
- 1995: Jacobson joined the project
- Oct. 1995: UML draft version (version 0)
- Jun. 1996: UML version 0.9
- Jan. 1997: IBM and SoftTeam combined with members => Version 1.1
- Nov. 14, 1997: UML 1.1 is recognized as a standard by OMG (Object Management Group)
- Jun. 1998: UML 1.2
- Oct. 1998: UML 1.3
- May 2001: UML 1.4
- Jun. 2003: UML 2.0


UML – A modeling language

- UML is a language for:
 - Visualization,
 - Specification,
 - Construction,
 - Documentation
- Can be used in any system development process
- Throughout the system development lifecycle
- Used by different implementation technologies

UML views (1)

- UML provides different models to describe a system
- Each model can only describe the system from a certain point of view
- UML provides 5 different views of a system
- Each view is made by a number of diagrams (models)
- A diagram (model) may belong to (i.e., is used by) several (>1) views

UML views (2)



UML views (3)

Usecase View

- Is the view from the outside looking at the system
- As the point of view of end users, analysts, testers
- Does not reflect the internal organization, but only clarifies the main/important functions that the system must satisfy for users
- Static models: Usecase diagram
- Dynamic models: Communication diagram, State machine diagram, and Activity diagram

UML views (4)

Design View

- Also known as the Logical View
- It is a view inside the system (structure), showing the tasks of the system
- Is the view of the system designer
- Static models: Class diagram, Object diagram
- Dynamic models: Communication diagram, State machine diagram, Activity diagram

UML views (5)

Process View

- Also known as the Parallel View
- Reflects the control processes, the execution processes, showing the synchronous operation of the system
- Shown (used) with the diagrams like in the Design View, focusing on active classes
 - Active class: A class that represents for control/execution processes

UML views (6)

Implementation View

- Also known as the Component View
- Is the view on the release form of the software
- Shows relatively independent components and files that can be assembled to make the system run
- Static models: Component diagram
- Dynamic models: Communication diagram, State machine diagram, Activity diagram

UML views (7)

Deployment View

- A view of the hardware architecture and infrastructure on which the system is deployed
- Specify the distribution and arrangement of the system's components on hardware units and infrastructure platforms
- Static models: Deployment diagram
- Dynamic models: Communication diagram, State machine diagram, Activity diagram

UML views (8)

- Each role in the system development process (e.g., analyst, designer, integrator, tester, end user, etc.) is usually interested only in a certain view of the system
- 5 views relate and complement each other
- The Usecase View influence (i.e., relate to) the 4 remaining views

Diagrams in UML 2.0

Structure diagrams:


- ⇒ Class diagram
- ⇒ Object diagram
- ⇒ Deployment diagram
- ⇒ Package diagram
- ⇒ Component diagram
- ⇒ Composite structure diagram


Behavior diagrams:

- ⇒ Usecase diagram
- ⇒ Activity diagram
- ⇒ Sequence diagram
- ⇒ Communication diagram
- ⇒ State machine diagram
- ⇒ Timing diagram
- ⇒ Interaction overview diagram

Elements of a diagram

- Nodes
 - Are elements of the model (diagram)
 - Represented by a 2D graphic form
 - Examples: Class, Package





- Edges (links/paths)
 - Are elements of the model (diagram)
 - Represented by a linear graphic form
 - Examples: Association, Dependency, Generalization



Add meaning to a diagram

Specification

A textual statement of syntax and semantics

Adornment

Role, Multiplicity, Qualifier, etc.

Stereotype

String of characters, enclosed in quotes (i.e., <<...>>)

Property and Tagged value

- Give more information to an element of the diagram
- Example: {label=value}, {label_boolean}

Constraint

Add conditions/constraints to an element of the diagram

Modeling with UML

- Modeling the system from multiple views
 - Can use 5 views to the system
 - Depending on the system is small/large, simple/complex => Decide to describe (i.e., to model) the system by the suitable views
- Modeling the system by different abstraction levels
 - Depends on the phases (of the system development process) and user needs
 - Can be at logical/overview level or detailed level

Free UML modeling tools (1)

- ArgoUML (https://argouml-tigris-org.github.io/tigris/argouml/)
 - □ Diagram-to-source-code generation for: C++, C#, Java, PHP4, PHP5, Ruby
 - Source-code-to-diagram generation (i.e., reverse engineering) for: Java
- BOUML (http://www.bouml.fr/)
 - Diagram-to-source-code generation for: C++, Java, PHP, IDL, Python, MySQL
 - Source-code-to-diagram generation for: C++, Java, PHP, MySQL
- NClass (http://nclass.sourceforge.net/)
 - Diagram-to-source-code generation for: C#, Java
 - Source-code-to-diagram generation for: C#, Java
- Umbrello UML Modeller (https://umbrello.kde.org/)
 - Diagram-to-source-code generation for: C++, Java, Perl, PHP, Python
 - Source-code-to-diagram generation for: C++, IDL, Pascal/Delphi, Ada, Python, Java

Free UML modeling tools (2)

- WhiteStarUML (https://sourceforge.net/projects/whitestaruml/)
 - □ Diagram-to-source-code generation for: Java, C#, C++, SQL
 - Source-code-to-diagram generation for: Java, C#, C++, SQL
- Open ModelSphere (http://www.modelsphere.com/org/)
 - Diagram-to-source-code generation for: Java, SQL
 - Source-code-to-diagram generation for: Java
- Modelio (https://www.modelio.org/)
 - Diagram-to-source-code generation for: Java
 - Source-code-to-diagram generation for: Java
- Dia (https://wiki.gnome.org/Apps/Dia/)
 - Diagram-to-source-code generation for: Python, C++, JavaScript, Pascal, Java,
 PHP
- Papyrus (http://www.eclipse.org/papyrus/)
 - □ Diagram-to-source-code generation for: C/C++, Java

Free UML modeling tools (3)

- UML Designer (http://www.umldesigner.org/)
- UMLet (http://www.umlet.com/)
- Violet UML Editor (http://alexdp.free.fr/violetumleditor/page.php)
- PlantUML (http://plantuml.com/)
- Astah (https://astah.net/products/free-student-license/)
- Visual Paradigm (https://www.visual-paradigm.com/solution/freeumltool/)
- MetaUML (https://github.com/ogheorghies/MetaUML/wiki)
- TinyUML (https://sourceforge.net/projects/tinyuml/)

Free GUI design tools

- Pencil (https://pencil.evolus.vn/)
- Wireframe (https://wireframe.cc/)
- InVision (https://www.invisionapp.com/studio)
- Lunacy (https://icons8.com/lunacy)
- Fluid UI (https://www.fluidui.com/)
- **Sketch UX Kit** (https://www.sketchappsources.com/free-source/3244-wireframing-ux-kit-sketch-freebie-resource.html)